2026
MODEL YEAR

WRMG INTERNATIONAL PRODUCT INFORMATION GUIDE

TRACKER boats

NITRO PERFORMANCE FISHING BOATS

Sun TRACKER

REGENCY

TAHOE

MAKO

ASCEND

MAIN UPDATES IN THIS VERSION

TRACKER

- **PANFISH 17 — changed "2 top-loading carpeted rod/gear lockers—7' (2.13 m) port, 7' (2.13 m) starboard" feature**
- **PRO TEAM 195 — updated wording involving trailer options**

NITRO

- **Sport Series & ZV Series — Minn Kota Ultrex 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP & i-Pilot option is no longer available**
- **Sport Series & ZV Series — added Minn Kota Ultrex QUEST 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP option**

SUN TRACKER

- **ALL — consolidated STOW MORE features**
- **PARTY BARGE 20 DLX — added Canadian capacity specs**
- **PARTY BARGE 22 RF DLX, RF XP3 — removed midship L-lounge couches feature & aft starboard couch feature**

REGENCY

- **230 DL, 250 DL — added cover options**

DISCLAIMER

Best efforts are used to ensure the accuracy of our information, however, errors may sometimes occur information is subject to change without notice. Any photo may show optional or special edition equipment available at an additional cost. Local taxes, license, registration and doc fees vary by state and are in addition to prices shown. Prices are suggested and approved by the manufacturer. Details in pricing, savings, features and promotions may vary by location and are subject to change without notice. Void where prohibited by law. Prices shown do not include dealer freight and prep charges, unless otherwise noted. Applicable tariffs may affect final price. F.O.B. Springfield, MO, USA. Prices shown are based on United States currency.

© 2026 White River Marine Group, LLC

MODEL LINEUP & TABLE OF CONTENTS

Main Updates in this Version 2
Disclaimer 3
Model Lineup & Table of Contents 4
2026 Model Year Boat Changes 5

TRACKER 9
BASS TRACKER CLASSIC XL 10
BASS TRACKER CLASSIC LIMITED 11
BASS TRACKER CLASSIC CC 12
PANFISH 17 13
PRO 170 14
PRO TEAM 175 CRAPPIE EDITION 15
PRO TEAM 175 16
PRO TEAM 175 TOURNAMENT EDITION 18
PRO TEAM 190 19
PRO TEAM 190 TOURNAMENT EDITION 21
PRO TEAM 195 22
PRO TEAM 195 TOURNAMENT EDITION 24
SAVAGE 215 25
SUPER GUIDE V-16 T 27
SUPER GUIDE V-16 SC 28
PRO GUIDE V-16 SC 29
PRO GUIDE V-16 WT 30
PRO GUIDE V-175 WT 31
PRO GUIDE V-175 COMBO 33
TARGA V-18 WT 35
TARGA V-18 WT TOURNAMENT EDITION 37
TARGA V-18 COMBO 38
TARGA V-18 COMBO TOURNAMENT EDITION 40
TARGA V-19 WT 41
TARGA V-19 WT TOURNAMENT EDITION 43
TARGA V-19 COMBO 44
TARGA V-19 COMBO TOURNAMENT EDITION 46
GRIZZLY 10 JON 47
GRIZZLY 12 JON 48
GRIZZLY 14 JON 49
GRIZZLY 1542 JON 50
GRIZZLY 1648 UTILITY 51
GRIZZLY 1754 UTILITY 52
GRIZZLY 1860 UTILITY 53
GRIZZLY 2072 UTILITY 54
GRIZZLY 1648 SC 55
GRIZZLY 1754 SC 56
GRIZZLY 1860 CC 57
GRIZZLY 2072 CC 58
GRIZZLY 1650 T PRAIRIE WINGS EDITION 59
GRIZZLY 1654 T SPORTSMAN 60
GRIZZLY 1756 T MARSH 61
GRIZZLY 2072 CC SPORTSMAN 62
GRIZZLY 2072 CC SPORTSMAN KICKER 63

NITRO 64
Z17 65
Z18 66
Z18 PRO 68
Z19 70
Z19 PRO 72
Z20 XL 74
Z20 XL PRO 76
Z21 XL 78
Z21 XL PRO 80
ZV19 SPORT 82
ZV19 SPORT PRO 84
ZV19 86
ZV19 PRO 88
ZV20 90
ZV20 PRO 92
ZV20 SPORT 94
ZV20 SPORT PRO 96
ZV21 98
ZV21 PRO 100

SUN TRACKER 102
BASS BUGGY 16 XL SELECT 103
BASS BUGGY 18 DLX 104
FISHIN' BARGE 20 DLX 105
FISHIN' BARGE 22 DLX 106
FISHIN' BARGE 22 XP3 107
SPORTFISH 20 DLX 108
SPORTFISH 22 DLX 109
SPORTFISH 22 XP3 110
SPORTFISH 24 XP3 111
PARTY BARGE 16 DLX 112
PARTY BARGE 18 DLX 113
PARTY BARGE 20 DLX 114
PARTY BARGE 22 DLX 115
PARTY BARGE 22 XP3 116
PARTY BARGE 22 RF DLX 117
PARTY BARGE 22 RF XP3 118
PARTY BARGE 24 XP3 119

REGENCY 120
230 DL 121
250 DL 122
250 DL RF 123

TAHOE 124
T16 125
T18 126
T21 127
210 S 129
210 S LIMITED 131
1950 132
2150 134
2150 FROSTLINE 136
2150 CC 137

MAKO 139
PRO SKIFF 13 CC 140
PRO SKIFF 15 CC 141
PRO SKIFF 17 CC 142
18 PRO SKIFF 143
18 PRO SKIFF BACKWATER EDITION 144
18 PRO SKIFF PATRIOT EDITION 145
PRO SKIFF 19 CC 146
24 APEX 147
214 CC 148
226 CC 149

ASCEND 151
10Si 152
H10 152
H12 153
PATH 10 153
12T 154
133X Yak-Power 154

TRACKER LIMITED & ED., NITRO PRO, TAHOE LIMITED, MAKO ED. 155
Package Measuring Guide 157
Trailer Specs 157
Warranty Information 158
Standard Batteries 159

2026 MODEL YEAR BOAT CHANGES

This information is subject to change without notice & only serves as a guide.

TRACKER

—Mod V—

BASS TRACKER CLASSIC XL
- Trailer 13" chrome wheels changed to aluminum

BASS TRACKER CLASSIC LIMITED
- Changed Lowrance HOOK Reveal fishfinder to new Eagle

NEW **BASS TRACKER CLASSIC CC**
- Center console saltwater version for BASS TRACKER CLASSIC
- Minn Kota Riptide Maxxum 12V, 55-lb. (24.95 kg) thrust, 52" (1.32 m) shaft, trolling motor w/tiller handle
- 2 pedestal seat base locations
- Elevated bow & aft casting decks w/storage below bow deck
- Bow 94-qt. (88.96 L) drop-in storage tub
- Forward-console seat w/padded seat cushion & storage
- 1-piece rotomolded console w/tinted windscreen, drink holder & 12V outlet
- Garmin STRIKER 4 color fishfinder + GPS w/CHIRP transducer
- Single-cable, no-feedback rotary steering w/sport steering wheel
- SeaStar side console throttle control mount
- 5 console rod holders
- Starboard side rod hangers w/organizer for 4 rods to 8' 6" (2.59 m)
- Bass Pro Shops 50-qt. (47.32 L) padded cooler
- Aft 15-gal. (56.78 L) aerated livewell
- 800 GPH (3,028 LPH) bilge pump
- Interstate batteries: 1 cranking & 1 trolling
- New TRACKER-exclusive protective aluminum anode preserves the boat & is made to last in the harshest marine conditions
- Robust all-welded, **all-aluminum** construction incorporates a unitized hull, transom & stringer system to deliver unmatched strength & durability
- Custom-fit, single-axle trailer

PANFISH 17
- Carryover

PRO 170
- Added Starlite White color

PRO TEAM 175 CRAPPIE EDITION
- Changed Lowrance HOOK Reveal fishfinder to new Eagle
- Added new Dune & new Heritage Red colors
- Removed Starlite Red & Starlite White colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

PRO TEAM 175
- Changed Lowrance HOOK Reveal fishfinder to new Eagle
- Updated ELD
- Redesigned step cooler
- Updated upholstery
- Redesigned transom
- Added new Dune & new Heritage Red colors
- Removed Starlite Red & Starlite White colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

PRO TEAM 175 TOURNAMENT EDITION
- Changed bow & console Lowrance HOOK Reveal fishfinders to new Eagle
- Added JBL speaker
- Updated ELD
- Redesigned step cooler
- Updated upholstery
- Redesigned transom
- Added new Dune & new Heritage Red colors
- Removed Starlite Red & Starlite White colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

PRO TEAM 190
- Updated ELD
- Redesigned step cooler
- Updated upholstery
- Redesigned transom
- Added new Dune & new Heritage Red colors
- Removed Starlite Red & Starlite White colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

PRO TEAM 190 TOURNAMENT EDITION
- Added JBL speaker
- Updated ELD
- Redesigned step cooler
- Updated upholstery
- Redesigned transom
- Added new Dune & new Heritage Red colors
- Removed Starlite Red & Starlite White colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

NEW **PRO TEAM 195**
- Resurrected base model
- Minn Kota Edge 12V, 55-lb. (24.95 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- Bow panel w/trolling motor receptacle & motor tilt switch
- 2 pedestal seat base locations w/2 folding fishing seats
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—24 total rods
- Bow deck rod hold-down straps
- 30-qt. (28.39 L) squared step cooler, box & lid
- 1-piece rotomolded console w/windscreen, built-in controls, storage pocket & mobile phone holder
- 4.3" (10.92 cm) TRACKER touchscreen
- Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot transducer
- BayStar tilt hydraulic steering w/soft touch sport steering wheel
- Passenger rod storage & footrest in cockpit w/rod handle organizer & rod holder strap for 6 rods
- Removable center cushion w/back bolster
- Elevated aft casting deck w/large deck storage
- Lighted aft 27-gal. (102 L) aerated livewell w/divider, timer, recirculator, pump-out system & dual overflow drain
- Aft port & starboard molded storage boxes each hold six 3700 tackle boxes
- Rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

PRO TEAM 195 TOURNAMENT EDITION
- Changed bow Lowrance HOOK Reveal 5 fishfinder to new Eagle Eye 9
- Changed console Lowrance HOOK Reveal fishfinder to Eagle
- Added JBL speaker
- Redesigned step cooler
- Updated upholstery
- Redesigned transom
- Added new Dune & new Heritage Red colors
- Removed Starlite Red & Starlite White colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

SAVAGE 215
- Updated graphics
- Added JBL speaker to Big Catch package options
- Updated upholstery
- Stainless steel hinges are now included for all flooring options
- Added new Dune & new Heritage Red colors
- Removed Starlite Red color
- Graphics showcase Dune or Heritage Red when new colors are chosen

—Deep V—

SUPER GUIDE V-16 T
- Updated graphics
- Removed bait bucket from bow livewell
- Added Starlite Blue color

SUPER GUIDE V-16 SC
- Updated graphics
- Removed bait bucket from bow livewell
- Added Starlite Blue color

PRO GUIDE V-16 SC
- Starboard below-console storage/footrest is no longer lockable
- Aft center deck step storage is no longer lockable
- Added new Heritage Red color
- Removed Starlite Red color
- Graphics showcase Heritage Red when new color is chosen

PRO GUIDE V-16 WT
- Below-console storage/footrests are no longer lockable
- Aft center deck step storage is no longer lockable
- Added new Heritage Red color
- Removed Starlite Red color
- Graphics showcase Heritage Red when new color is chosen

PRO GUIDE V-175 WT
- Below-console storage/footrests are no longer lockable
- Aft center deck step storage is no longer lockable
- Added new Heritage Red color
- Removed Starlite Red color
- Added new bow cushions option

PRO GUIDE V-175 COMBO
- Bow cushions are now standard
- Below-console storage/footrests are no longer lockable
- Aft center deck step storage is no longer lockable
- Added new Heritage Red color
- Removed Starlite Red color
- Graphics showcase Heritage Red when new color is chosen

TARGA V-18 WT
- Updated graphics
- Changed Lowrance HOOK Reveal fishfinder to new Eagle
- Added new Dune & new Heritage Red colors
- Removed Starlite Blue & Starlite Red colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

NEW **TARGA V-18 WT TOURNAMENT EDITION**
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging & i-Pilot
- Bow Humminbird XPLORE 9 fishfinder w/MEGA Down Imaging
- Console Humminbird XPLORE 9 fishfinder w/MEGA Side Imaging
- Upgraded trailer: 13" (33.02 cm) custom aluminum wheels w/radial tires & matching custom aluminum spare

TARGA V-18 COMBO
- Updated graphics
- Changed Lowrance HOOK Reveal fishfinder to new Eagle
- Added new Dune & new Heritage Red colors
- Removed Starlite Blue & Starlite Red colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

NEW **TARGA V-18 COMBO TOURNAMENT EDITION**
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging & i-Pilot
- Bow Humminbird XPLORE 9 fishfinder w/MEGA Down Imaging
- Console Humminbird XPLORE 9 fishfinder w/MEGA Side Imaging
- Upgraded trailer: 13" (33.02 cm) custom aluminum wheels w/radial tires & matching custom aluminum spare

TARGA V-19 WT
- Updated graphics
- Changed Lowrance HOOK Reveal fishfinder to new Eagle
- Added new Dune & new Heritage Red colors
- Removed Starlite Blue & Starlite Red colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

TARGA V-19 WT TOURNAMENT EDITION
- Updated graphics
- Changed bow & console Humminbird HELIX G4N fishfinders to new XPLORE
- Added new Dune & new Heritage Red colors
- Removed Starlite Blue & Starlite Red colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

TARGA V-19 COMBO
- Updated graphics
- Changed Lowrance HOOK Reveal fishfinder to new Eagle
- Added new Dune & new Heritage Red colors
- Removed Starlite Blue & Starlite Red colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

TARGA V-19 COMBO TOURNAMENT EDITION
- Updated graphics
- Changed bow & console Humminbird HELIX G4N fishfinders to new XPLORE
- Added new Dune & new Heritage Red colors
- Removed Starlite Blue & Starlite Red colors
- Graphics showcase Dune or Heritage Red when new colors are chosen

—GRIZZLY—

GRIZZLY 10 JON
- Aligned hull material spec running line change from 0.050 to 0.063 5052 marine alloy

GRIZZLY 12 JON
- Aligned hull material spec running line change from 0.050 to 0.063 5052 marine alloy

GRIZZLY 14 JON
- Aligned hull material spec running line change from 0.050 to 0.063 5052 marine alloy

GRIZZLY 15 JON
- Added new camo options: TrueTimber Grassland & Woodland patterns

GRIZZLY 1648 UTILITY
- Changed Grassland & Woodland camo options to TrueTimber; any upholstery to match the new camo patterns

GRIZZLY 1754 UTILITY
- Changed Grassland & Woodland camo options to TrueTimber; any upholstery to match the new camo patterns

2026 MODEL YEAR BOAT CHANGES (CONT.)

GRIZZLY 1860 UTILITY
- Carryover

GRIZZLY 2072 UTILITY
- Changed to 1 bow deck & 1 aft deck pedestal seat base locations

GRIZZLY 1648 SC
- Changed Grassland & Woodland camo options to TrueTimber; any upholstery to match the new camo patterns

GRIZZLY 1754 SC
- Changed Grassland & Woodland camo options to TrueTimber; any upholstery to match the new camo patterns

GRIZZLY 1860 CC
- Updated upholstery to match the camo patterns

GRIZZLY 2072 CC
- Updated upholstery to match the camo patterns

GRIZZLY 1650 T PRAIRIE WINGS EDITION
- Carryover

GRIZZLY 1654 T SPORTSMAN
- Changed Grassland & Woodland camo options to TrueTimber; any upholstery to match the new camo patterns
- Changed trailer wheels from 14" (35.56 cm) aluminum wheels/tires w/matching spare to 13" (33.02 cm) wheels w/radial tires
- Full boat mat kit now available through Planning Bill & AMP

NEW **GRIZZLY 1756 T MARSH**
- Bow & aft pedestal seat base locations
- Roomy front deck w/more space for duck hunting/fishing
- Recessed trolling motor pedal tray/day box in bow deck
- Bow deck lockable storage w/welded, drained rain channels for drier storage
- Oversized bow storage w/90° lid
- Port side lockable gun box
- Angled aft bench seat w/storage
- Sure Tread non-skid interior
- Floor & rail-mounted tie-down points
- Rocker switches for nav lights & bilge pump
- Pre-routed rigging tubes for accessories
- Integrated rear transom steps
- 2" (5.08 cm) washout drain & plug
- 800 GPH (3,028 LPH) bilge pump
- Bow 3" (7.62 cm) Sch 40 bull nose
- Integrated spud pole tubes in bow cap & rear step pods
- Icebreaker keel w/keel-spine technology
- HD multi-chamber transom extrusion
- Custom-fit, single-axle trailer

GRIZZLY 2072 CC SPORTSMAN
- Updated upholstery to match the camo patterns

GRIZZLY 2072 CC SPORTSMAN KICKER
- Updated upholstery to match the camo patterns

NITRO

—Z Series—

Z17
- Changed Veethree multifunction gauges to new Z3 digital gauges
- Added new black trailer wheel choice for some color packages

Z18
- Removed standard driver side cleat
- Changed Veethree multifunction gauges to new Z3 digital gauges
- Removed 1 TRACKER Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system) option
- Added new black trailer wheel choice for some color packages

Z18 PRO
- Same changes as base Z18
- Changed Minn Kota Ultrex trolling motor to new Garmin Force Pro

NEW **Z19 XL**
- This is a new model, but changes are listed from former model
- Changed to new decals & styling
- Removed standard driver side cleat
- Changed to new bow deck layout w/day boxes & all-new tackle management system
- Removed trolling motor backout option
- Added console Garmin ECHOMAP UHD2 93sv w/GT36UHD & GT8HW-IH fishfinder option
- Added HydroWave electronic fish attractor option
- Removed 5" (12.7 cm) digital touchscreen control
- Changed Veethree multifunction gauges to new Z3 digital gauges
- Removed dash light dimmer
- Removed dual remote livewell drain controls
- Removed center seat option
- Removed 2-tone mooring cover w/pod options
- Changed trailer submersible LED lights to 6" (15.24 cm) oval LED tail lights w/integrated back-up lights
- Added new black trailer wheel choice for some color packages

NEW **Z19 XL PRO**
- This is a new model, but changes are listed from former model
- Same changes as base Z19 XL
- Changed Minn Kota Ultrex trolling motor to new Garmin Force Pro

Z20 XL
- Removed standard driver side cleat
- Added new bow integrated day box
- Changed Veethree multifunction gauges to new Z3 digital gauges
- Added new wireless bow keypad
- Added new 2nd bow fishfinders options on dual Bass Boat Technology mounts (base Z20 XL only)
- Changed ECM configuration to new single, completely sealed ECM
- Added new All Marine mat option
- Added new black trailer wheel choice for some color packages

Z20 XL PRO
- Same changes as base Z20 XL
- Changed Minn Kota Ultrex trolling motor to new Garmin Force Pro

Z21 XL
- Removed standard driver side cleat
- Changed Veethree multifunction gauges to new Z3 digital gauges
- Added new wireless bow keypad
- Added new 2nd bow fishfinders options on dual Bass Boat Technology mounts (base Z21 XL only)
- Changed ECM configuration to new single, completely sealed ECM
- Added new All Marine mat option
- Added new black trailer wheel choice for some color packages

Z21 XL PRO
- Same changes as base Z21 XL
- Changed Minn Kota Ultrex trolling motor to new Garmin Force Pro

—Sport-Species—

ZV19 SPORT
- Changed Veethree multifunction gauges to new Z3 digital gauges
- Added new wireless bow keypad
- Changed ECM configuration to new single, completely sealed ECM
- Updated upholstery
- Removed bow & aft sundeck cushions option due to new upholstery
- Removed dual paddle trim lever on steering wheel option
- Added tiller handle rigging kit w/Lithium kicker battery option

ZV19 SPORT PRO
- Same changes as base ZV19 SPORT except SmartCraft gauges are standard
- Added below-console RAM X-Grip phone holder option
- Removed bow & aft sundeck cushions option

—Multi-Species—

ZV19
- Added new wireless bow keypad
- Changed ECM configuration to new single, completely sealed ECM
- Updated upholstery
- Removed dual paddle trim lever on steering wheel option
- Added Minn Kota Ultrex 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP & i-Pilot exchange option

ZV19 PRO
- Same changes as base ZV19

ZV20
- Added new wireless bow keypad
- Changed ECM configuration to new single, completely sealed ECM
- Updated upholstery
- Bow under-carpet anti-fatigue mat & new Aquatraction cockpit mat are now standard
- Added Minn Kota Ultrex 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP & i-Pilot exchange option

ZV20 PRO
- Same changes as base ZV20

ZV20 SPORT
- Added new wireless bow keypad
- Added 2nd bow fishfinder options
- Changed ECM configuration to new single, completely sealed ECM
- New Aquatraction cockpit mat is standard
- Added Minn Kota Ultrex 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP & i-Pilot exchange option

ZV20 SPORT PRO
- Same changes as base ZV20 SPORT

ZV21
- Added new wireless bow keypad
- Added 2nd bow fishfinder options
- Changed ECM configuration to new single, completely sealed ECM
- Updated upholstery
- Bow under-carpet anti-fatigue mat & new Aquatraction cockpit mat are now standard
- Added Minn Kota Ultrex 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP & i-Pilot exchange option

ZV21 PRO
- Same changes as base ZV21

SUN TRACKER

ALL MODELS
- Updated graphics
- Updated upholstery design & foam
- Updated woven flooring
- Improved water-based flooring adhesive
- Changed movable drink holders/armrests to integrated drink holders w/storage area
- Updated console color & design
- Updated electrical panels: accent, instrument, switch & ignition
- Updated electrical components
- Improved watertight connections, all harnesses
- Updated tuned speaker system
- Updated motor pod (only on DLX models)
- Updated wide-step ladder
- Updated docking lights
- Removed Sand Bimini top canopy
- Added ratchet tie-downs to optional trailer

—Fishing—

ALL FISHING MODELS
- Changed fishfinder in fishing package option from Lowrance HOOK² 4x to new Eagle 4x

BASS BUGGY 16 XL SELECT
- Upgraded fuel capacity from 6 gal. (22.71 L) to 9 gal. (34.07 L)
- Changed Bimini top canopy to Black
- Redesigned fencing
- Added Charcoal fencing color

BASS BUGGY 18 DLX
- Changed Bimini top canopy to Black
- Changed bow 10 gal. (37.85 L) livewell to forward-console 9 gal. (34.07 L) livewell
- Changed to 3 fishing chairs
- Added new port storage compartment for battery w/rod & drink holder
- Added new starboard storage compartment w/rod & drink holder
- Redesigned fencing
- Added Charcoal fencing color

FISHIN' BARGE 20 DLX
- Changed interior depth from 24" (60.96 cm) to 27.25" (69.22 cm)
- Changed table mat to new coordinating color
- Removed table base (dealer install, custom location)
- Updated SUN TRACKER FLARE system w/new integrated GPS & new stereo control
- Changed to new Wet Sounds pre-tuned speakers
- Added an additional removable, folding fishing chair (4 total)
- Changed to new aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Changed aft livewell to 15-gal. (56.78 L) aerated livewell/baitwell
- Updated fencing, gates & coloring
- Removed Indigo Blue fencing color
- Added new Sky Blue & new Starlite Black fencing colors

FISHIN' BARGE 22 DLX
- Changed interior depth from 26" (66.04 cm) to 27.25" (69.22 cm)
- Changed table mat to new coordinating color
- Removed table base (dealer install, custom location)
- Updated SUN TRACKER FLARE system w/new integrated GPS & new stereo control
- Changed to new Wet Sounds pre-tuned speakers
- Changed to new aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Changed aft livewell to 15-gal. (56.78 L) aerated livewell/baitwell
- Updated fencing, gates & coloring
- Removed Indigo Blue fencing color
- Added new Heritage Red & new Starlite Black fencing colors

FISHIN' BARGE 22 XP3
- Same changes as FISHIN' BARGE 22 DLX

2026 MODEL YEAR BOAT CHANGES (CONT.)

SPORTFISH 20 DLX
- Changed interior depth from 24" (60.96 cm) to 27.25" (69.22 cm)
- Changed table mat to new coordinating color
- Removed table base (dealer install, custom location)
- Updated SUN TRACKER FLARE system w/new integrated GPS & new stereo control
- Changed to new Wet Sounds pre-tuned speakers
- Added an additional removable, folding fishing chair (2 total)
- Changed to new aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Changed aft livewell to 15-gal. (56.78 L) aerated livewell/baitwell
- Updated fencing, gates & coloring
- Removed Black & Caribou fencing colors
- Added Copper Red, Indigo Blue & new Starlite Black fencing colors

SPORTFISH 22 DLX
- Changed interior depth from 26" (66.04 cm) to 27.25" (69.22 cm)
- Changed table mat to new coordinating color
- Removed table base (dealer install, custom location)
- Updated SUN TRACKER FLARE system w/new integrated GPS & new stereo control
- Changed to new Wet Sounds pre-tuned speakers
- Changed to new aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Changed aft livewell to 15-gal. (56.78 L) aerated livewell/baitwell
- Updated fencing, gates & coloring
- Removed Black & Caribou fencing colors
- Added Copper Red, Indigo Blue & new Starlite Black fencing colors

SPORTFISH 22 XP3
- Same changes as SPORTFISH 22 DLX

SPORTFISH 24 XP3
- Same changes as SPORTFISH 22 DLX
- Changed interior depth from 24" (60.96 cm) to 27.25" (69.22 cm)
- Added an additional removable, folding fishing chair (2 total)

—Recreational—

ALL RECREATIONAL MODELS
- Changed to full-height fence panels
- Redesigned fencing

PARTY BARGE 16 DLX
- Changed interior depth from 24" (60.96 cm) to 27.25" (69.22 cm)
- Removed Black & Charcoal fencing colors
- Added new Heritage Red, new Pearl White & new Sky Blue fencing colors

PARTY BARGE 18 DLX
- Changed interior depth from 26" (66.04 cm) to 27.25" (69.22 cm)
- Updated SUN TRACKER FLARE system w/new integrated GPS & new stereo control
- Removed Charcoal & Copper Red fencing colors
- Added new Heritage Red, new Pearl White & new Sky Blue fencing colors

PARTY BARGE 20 DLX
- Changed interior depth from 26" (66.04 cm) to 27.25" (69.22 cm)
- Changed table mat to new coordinating color
- Removed table base (dealer install, custom location)
- Updated SUN TRACKER FLARE system w/new integrated GPS & new stereo control
- Updated fencing, gates & coloring
- Removed Charcoal & Copper Red fencing colors
- Added new Heritage Red, new Pearl White, new Sky Blue & Starlite Black fencing colors

PARTY BARGE 22 DLX
- Same changes as PARTY BARGE 20 DLX
- Changed interior depth from 29.5" (74.93 cm) to 27.25" (69.22 cm)

PARTY BARGE 22 XP3
- Same changes as PARTY BARGE 22 DLX

PARTY BARGE 22 RF DLX
- Same changes as PARTY BARGE 22 DLX
- Changed to new upgraded switchback 3-position lounge w/STOW MORE, underseat storage & pop-up changing room

PARTY BARGE 22 RF XP3
- Same changes as PARTY BARGE 22 DLX
- Changed to new upgraded switchback 3-position lounge w/STOW MORE, underseat storage & pop-up changing room

PARTY BARGE 24 DLX
- No longer in the lineup

NEW **PARTY BARGE 24 XP3**
- Converted DLX model to XP3 (250HP)
- Same changes as PARTY BARGE 20 DLX

REGENCY

- Offering 3 models for 2026 model year: 230 DL, 250 DL & 250 DL RF
- Offering 11 new standard color packages
- Changed to new 10' Bimini top w/power up & down, aft facing camera, LED courtesy lighting & protective boot
- Added new full RGB lighting package: lighted drink holders throughout, speakers, couch trim, corner couch base & side log lights; plus custom lighting controls on the touchscreen can be used to sync lights to music played onscreen
- Added new fully-integrated RGB exterior log lighting
- Added new bow camera
- Changed to new improved USB type A & C receptacle at helm for convenient charging of multiple mobile device models
- Added new dedicated in-floor storage system for ski tow pylon
- Changed to new raised helm design & console top w/integrated glovebox & drink holder
- Changed to new REGENCY omni² 12" (30.48 cm) touchscreen w/integrated Bluetooth
- Changed from console charging station to new integrated Scanstrut wireless charging mobile phone holder
- Changed to new quiet-close hinges for STOW MORE storage
- Changed to new extended aft full-width swim platform
- Changed to new telescoping, stainless steel & wide-step boarding ladder w/framed platform & grab rails
- Changed to new woven vinyl flooring
- Changed to new constant torque gate hinges
- Changed to new dimensional graphics
- Changed to new enhanced harness connections for quality improvement & easier plug-&-play
- Changed to new enhanced dual circuit ACR board which combines house & crank batteries for shared charge cycles, or isolates each
- Added new state-of-charge modules that allow for battery levels & battery charge indication to be monitored onscreen

TAHOE

—Sport—

T16
- Updated dome graphics
- Trailer wheels changed from aluminum to Silver Metallic powdercoated wheels
- Added trailer 13" (33.02 cm) aluminum wheels option
- Added trailer brakes option

T18
- Updated dome graphics
- Changed 4.5" (11.43 cm) pull-up cleats to new 6" (15.24 cm) fixed cleats

T21
- Changed 4.5" (11.43 cm) pull-up cleats to new 6" (15.24 cm) fixed cleats
- Removed forward bow cushions
- Removed Gray bow step pad
- Removed duplicate bow "T" graphic
- Changed console bolster pads to new MarineMat parts
- Changed chrome horn cover to Black
- Removed pockets from helm seats
- Changed White rear rails to starboard Black grab handle
- Changed chrome fuel fill to Black

185 S
- No longer in the lineup

200 S
- No longer in the lineup

210 S
- Added drop-down changing curtain to Bimini top option

210 S LIMITED
- Model is now under base 210 S as an option
- Added drop-down changing curtain to Bimini top option

—Deck—

1950
- Added drop-down changing curtain to standard Bimini top

2150
- Added drop-down changing curtain to standard Bimini top

NEW **2150 FROSTLINE**
- Added new Frostline color package to lineup

2150 CC
- Carryover

MAKO

—Inshore—

PRO SKIFF 13 CC
- Changed console Lowrance HOOK² 5x Pro fishfinder option to new Eagle 5 w/SplitShot

PRO SKIFF 15 CC
- Changed console Lowrance HOOK² 5x Pro fishfinder option to new Eagle 5 w/SplitShot

PRO SKIFF 17 CC
- Changed console Lowrance HOOK² 5x Pro fishfinder option to new Eagle 5 w/SplitShot

NEW **18 PRO SKIFF**
- Released base model
- Pre-rigged for trolling motor w/70A receptacle
- Anchor locker
- White powdercoated rails
- Yacht style non-skid grit on decks & cockpit sole
- Raised bow fishing platform w/storage compartments
- Fiberglass forward-console seat w/padded seat cushion
- Infused console w/contoured acrylic windscreen, multifunction gauges, SeaStar hydraulic steering & below-console storage area
- Powdercoated aluminum console grab rail
- Console side rails w/6 vertical rod holders & tool holder slots
- Raised aft fishing platform w insulated storage/fishboxes
- Aft 26-gal. (98.42 L) baitwell w/Pro-Air aeration system
- Reboarding step & powdercoated aluminum grab handle
- Gen 2 RAPID PLANING SYSTEM hull design for better lift, faster holeshot & better handling
- Premium marine-grade stainless steel hardware & fasteners throughout
- 100% composite construction
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 4 flip-up cleats on gunnels
- Heavy-duty rub rail
- Custom aluminum single-axle trailer
- Optional 2-tone hull colors: Bay Blue, Bay Green, Gulfstream Blue, Pompano Silver & Seafoam Green

18 PRO SKIFF BACKWATER EDITION
- Carryover

18 PRO SKIFF PATRIOT EDITION
- Carryover

PRO SKIFF 19 CC
- Carryover

18 LTS
- No longer in the lineup

24 APEX
- Added bilge pump & baitwell pump information
- Trailer is no longer standard
- Added new 2-tone hull in Marina Blue color option
- Removed console/2nd console Garmin GPSMAP 8612 fishfinder options

—Offshore—

214 CC
- Removed 2-tone hull in Onyx Black color option

2026 MODEL YEAR BOAT CHANGES (CONT.)

NEW **226 CC**
- Anchor locker
- 360° coaming bolsters
- Low-profile powdercoated aluminum bow rails
- Port & starboard forward seats w/storage & overboard drainage
- Forward in-deck storage that will fit 5-gal. (18.93 L) bucket
- Forward-console seat
- Head enclosure/storage space w/stainless steel latch & wiring, panel & battery access
- Center console w/acrylic windscreen; Mercury SmartCraft digital gauges; extra-large electronics mounting surface; knob tilt hydraulic Mercury Power Assist steering w/stainless steel steering wheel; DTS shift controls; 6 flush-mounted rod holders & integrated full-width footrest
- Powdercoated aluminum leaning post w/rod holders, flip-up leg rolls & slide-out 65-qt. (61.51 L) cooler underneath
- Port & starboard under-gunnel rod racks for 4 rods
- 2 aft gunnel-mounted rod holders, at 15°
- 3 stern-mounted rod holders, at 0°
- Stern 18-gal. (68.14 L) baitwell
- Stern seating w/folding backrest & bilge access below
- Swim platform w/4-step stainless steel ladder & integrated grab handle
- Yacht-style non-skid surfaces throughout
- Legendary dry-riding MAKO hull w/aggressive deep V design
- Hull/deck joint chemically sealed & bonded 360° & mechanically fastened every 6" (15.24 cm) w/316 stainless steel fasteners
- Coosa Bluewater 100% composite, fiberglass encapsulated transom core
- USCG-compliant navigation lights
- 4 cockpit courtesy lights, 1 head light & 1 interior light
- TRACKER Lithium WRM100 cranking battery
- Six 6" (15.24 cm) polished marine-grade stainless steel pull-up cleats
- Port & starboard storage next to seat
- Bow & stern tankwells w/bungee for storage
- HDPE deckplate w/gasket for hull access
- 1.5" (3.81 cm) fore, midship & aft self-draining, molded scupper drains (8 total) w/8 plugs

9R SPORT
- No longer in the lineup

10T
- No longer in the lineup

12T
- Carryover

128X
- No longer in the lineup

133X
- Carryover

ASCEND

D10
- No longer in the lineup

FS10
- No longer in the lineup

10Si
- Carryover

H10
- Carryover

H12
- Carryover

NEW **PATH 10**
- Offered in 3 colors: Magma, OG Camo & Slate Blue
- 10' (3.05 m) sit-on-top kayak
- Engineered hybrid catamaran-tunnel hull
- Injection-molded carry handles at bow & midship
- Large molded-in rear carry handles
- Custom non-skid cushioned flooring
- 2 flush-mounted rod holders
- Deluxe enhanced & adjustable seating system w/high-back seat
- Deluxe removable seating system w/thumbscrew retention system
- Midship, deep-molded drink holder
- Quick-rest paddle holders
- Two 12" (30.48 cm) VERSATRACK accessory rails at midship
- Open cockpit design


TRACKER
boats

TRACKER boats

2026 BASS TRACKER® CLASSIC XL

w/Mercury® 40 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 25 ELPT FourStroke	-	
• 50 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 9-gal. (34.07 L) aerated livewell molded into front of console
- 500 GPH (1,893 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 45-lb. (20.41 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/tinted windscreen, integrated livewell, drink holder & 12V outlet
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Sport steering wheel
- Single-cable, no-feedback rotary steering
- Midnight Lazer switch panel
- Navigation lights, aerator & bilge switches
- Mercury® throttle control mount

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Elevated bow & aft casting decks w/storage below bow deck
- Port side rod holders w/organizer for 4 rods to 7' (2.13 m)
- Driver & passenger seats w/storage below
- Aft deck storage
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout

PERFORMANCE
- Pressed-in keel & strakes for optimal performance
- Factory-matched, performance-tested aluminum propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
  - DIAMOND COAT™ Starlite Red gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Robotically welded, all-aluminum box-beam transom w/corner braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- 2" (5.08 cm), heavy-duty extruded 1-piece gunnel for structural strength & rigidity
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow & console courtesy lights
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires

SPECIFICATIONS

Length	16' 8"
Beam	6' 5"
Bottom Width	4' 6"
Max. Recommended HP	50 HP
Fuel Capacity	6 gal.
Max. Person Capacity	3 persons
Max. Person Weight	555 lbs.
Max. Person, Motor & Gear Weight	1,025 lbs.
Interior Depth	15"
Transom Height	22.5"
Deadrise At Bow	13°
Deadrise At Transom	6°
Hull Material	0.100 5052 marine alloy
Average Weight	780 lbs.
Average Package Weight	1,705 lbs.
Package Height	6'
Package Width	6' 8"
Towing Length	23' 2"
Storage Length	20' 1"

STANDARD FEATURES (CONT.)
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

COVER
- Genuine custom boat cover—Black

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 BASS TRACKER® CLASSIC LIMITED

w/Mercury® 50 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 25 ELPT FourStroke	-	
• 40 ELPT FourStroke	-	

STANDARD FEATURES

LIMITED
- Color: DIAMOND COAT™ solid Army Green gunnels, hull sides & bottom
- ***NEW*** Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Limited mats, decals & deck stripe
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires & spare tire carrier w/matching spare

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 9-gal. (34.07 L) aerated livewell molded into front of console
- 500 GPH (1,893 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 45-lb. (20.41 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/tinted windscreen, integrated livewell, drink holder & 12V outlet
- Sport steering wheel
- Single-cable, no-feedback rotary steering
- Midnight Lazer switch panel
- Navigation lights, aerator & bilge switches
- Mercury® throttle control mount

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Elevated bow & aft casting decks w/storage below bow deck
- Port side rod holders w/organizer for 4 rods to 7' (2.13 m)
- Driver & passenger seats w/storage below
- Aft deck storage
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout

PERFORMANCE
- Pressed-in keel & strakes for optimal performance
- Factory-matched, performance-tested aluminum propeller

CONSTRUCTION & EXTERIOR
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Robotically welded, all-aluminum box-beam transom w/corner braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- 2" (5.08 cm), heavy-duty extruded 1-piece gunnel for structural strength & rigidity
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow & console courtesy lights
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

SPECIFICATIONS

Length	16' 8"
Beam	6' 5"
Bottom Width	4' 6"
Max. Recommended HP	50 HP
Fuel Capacity	6 gal.
Max. Person Capacity	3 persons
Max. Person Weight	555 lbs.
Max. Person, Motor & Gear Weight	1,025 lbs.
Interior Depth	15"
Transom Height	22.5"
Deadrise At Bow	13°
Deadrise At Transom	6°
Hull Material	0.100 5052 marine alloy
Average Weight	780 lbs.
Average Package Weight	1,705 lbs.
Package Height	6'
Package Width	6' 8"
Towing Length	23' 2"
Storage Length	20' 1"

STANDARD FEATURES (CONT.)

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

COVER
- Genuine custom boat cover—Black

TRAILER
- Brakes for standard trailer

TRACKER boats

NEW 2026 BASS TRACKER® CLASSIC CC

w/Mercury® 50 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 25 ELPT FourStroke	-	
• 40 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Aft 15-gal. (56.78 L) aerated livewell
- 500 GPH (1,893 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Riptide® Maxxum® 12V, 55-lb. (24.95 kg) thrust, 52" (1.32 m) shaft trolling motor w/tiller handle
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/tinted windscreen, drink holder & 12V outlet
- Forward-console seat w/padded seat cushion & storage
- 5 console rod holders
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Sport steering wheel
- Single-cable, no-feedback rotary steering
- Navigation lights, aerator & bilge switches
- SeaStar® side console throttle control mount

INTERIOR
- 2 pedestal seat base locations
- Elevated bow & aft casting decks w/storage below bow deck
- Bow 94-qt. (88.96 L) drop-in storage tub
- Starboard side rod hangers w/organizer for 4 rods to 8' 6" (2.59 m)
- Bass Pro Shops® 50-qt. (47.32 L) padded cooler
- *NEW* Dura-Trac® Titanium-over-Black flooring

PERFORMANCE
- Factory-matched, performance-tested aluminum propeller

CONSTRUCTION & EXTERIOR
- Color: DIAMOND COAT™ Starlite Gray w/Black accent
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- *NEW* TRACKER®-exclusive protective aluminum anode preserves the boat & is made to last in the harshest marine conditions
- Robust all-welded, **all-aluminum** construction incorporates a unitized hull, transom & stringer system to deliver unmatched strength & durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Robotically welded, all-aluminum box-beam transom w/corner braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- 2" (5.08 cm), heavy-duty extruded 1-piece gunnel for structural strength & rigidity

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer
- Hot-dipped galvanized construction
- 13" (33.02 cm) hot-dipped galvanized wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length

SPECIFICATIONS

Length	16' 8"
Beam	6' 5"
Bottom Width	4' 6"
Max. Recommended HP	50 HP
Fuel Capacity	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	1,025 lbs.
Interior Depth	15"
Transom Height	22.5"
Deadrise At Bow	13°
Deadrise At Transom	6°
Hull Material	0.100 5052 marine alloy
Average Weight	780 lbs.
Average Package Weight	1,705 lbs.
Package Height	6'
Package Width	6' 8"
Towing Length	23' 2"
Storage Length	20' 1"

STANDARD FEATURES (CONT.)
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PANFISH™ 17

w/Mercury® 20 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 25 ELPT FourStroke	-	
• 40 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 cleats
- 3 drink holders
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- 14-gal. (53.0 L) aerated livewell w/cushion-top seat
- 500 GPH (1,893 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 45-lb. (20.41 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for durability

CONTROL CENTER
- Fuse-protected control center w/horn, navigation lights, bilge, aerator, 12V outlet & fuel gauge
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Stick steering for precise maneuverability
- Mercury® throttle control mount

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Elevated bow & aft casting decks w/storage below bow deck
- Deep, molded dry storage boxes below each seat
- Seating for 2 on midship cushion-top livewell
- 7' (2.13 m) port, top-loading carpeted rod/gear locker
- Starboard top-loading carpeted gear locker
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- Interior color w/Dark Gray tones

PERFORMANCE
- Pressed-in keel & strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ solid Starlite Black gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Starlite Red gunnels, hull sides & bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Welded-in longitudinal stringer system for full-length support along the running surface
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- 3" (7.62 cm), heavy-duty extruded 1-piece gunnels for structural strength & rigidity
- Pressure-treated floor & decks w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 500 GPH (1,893 LPH) bilge pump
- Stowable navigation lights
- Bow courtesy light
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

SPECIFICATIONS

Length	16' 8"
Beam	6' 5"
Bottom Width	4' 6"
Max. Recommended HP	40 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	530 lbs.
Max. Person, Motor & Gear Weight	990 lbs.
Interior Depth	15"
Transom Height	22.5"
Deadrise At Bow	13°
Deadrise At Transom	6°
Hull Material	0.100 5052 marine alloy
Average Weight	880 lbs.
Average Package Weight	1,805 lbs.
Package Height	4' 7"
Package Width	6' 8"
Towing Length	23' 2"
Storage Length	20' 1"

STANDARD FEATURES (CONT.)

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) Silver Metallic powdercoated wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL
- Woven cockpit floor upgrade (replaces carpet)

COVER
- Genuine custom boat cover—Charcoal

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PRO 170

w/Mercury® 40 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 20 ELPT FourStroke	17–22	
• 25 ELPT FourStroke	-	
• 40 Jet ELPT FourStroke	27–29	
• 50 ELPT FourStroke	30–35	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 15-gal. (56.78 L) aerated livewell w/bait bucket holder (bucket not included) & standpipe overflow
- 500 GPH (1,893 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 45-lb. (20.41 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for durability

CONSOLE
- Sleek, 1-piece rotomolded console w/tinted windscreen, open storage compartment, built-in drink holder & 12V outlet
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Sport steering wheel
- Single-cable, no-feedback rotary steering
- Speedometer, tachometer & fuel gauge
- Toggle switches
- Mercury® throttle control mount
- Mobile phone holder w/bungee cord
- Charcoal console color

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Elevated bow & aft casting decks w/storage below (lockable aft storage)
- Port lockable rod box for rods up to 7' 6" (2.29 m)
- Driver & passenger seats w/storage below passenger seat
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- Interior color w/Dark Gray tones

PERFORMANCE
- Pressed-in keel & strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
  - DIAMOND COAT™ Starlite Red gunnels & hull sides w/Starlite Gray bottom
  - ***NEW*** DIAMOND COAT™ Starlite White gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Robotically welded, all-aluminum box-beam transom w/corner braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- 3" (7.62 cm), heavy-duty extruded 1-piece gunnels for structural strength & rigidity
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability

SPECIFICATIONS

Length	16' 8"
Beam	6' 5"
Bottom Width	4' 6"
Max. Recommended HP	50 HP
Fuel Capacity	11.4 gal.
Max. Person Capacity	4 persons
Max. Person Weight	555 lbs.
Max. Person, Motor & Gear Weight	980 lbs.
Interior Depth	15"
Transom Height	22.5"
Deadrise At Bow	13°
Deadrise At Transom	6°
Hull Material	0.100 5052 marine alloy
Average Weight	880 lbs.
Average Package Weight	1,840 lbs.
Package Height	6'
Package Width	6' 10"
Towing Length	23' 2"
Storage Length	20' 1"

STANDARD FEATURES (CONT.)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow & console courtesy lights
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) Silver Metallic powdercoated wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL
- Woven floors & decks (replaces carpet)

COVER
- Genuine custom boat cover—Charcoal

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PRO TEAM™ 175 CRAPPIE EDITION

w/Mercury® 60 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 25 ELPT FourStroke	23–25	
• 75 ELPT FourStroke	40–41	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 15-gal. (56.78 L) aerated livewell w/timer
- Bow livewell accepts a minnow bucket (bucket not included)
- Aft 21-gal. (79.49 L) aerated livewell w/timer
- Dual 500 GPH (1,893 LPH) aerator/fill pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 45-lb. (20.41 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- ***NEW*** Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch sport steering wheel
- Single-cable, no-feedback rotary steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 6 pedestal seat base locations
- 2 cockpit floor-level fishing seat bases
- Large elevated aft deck fishing position
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- 2 movable, folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style recessed bow deck
- Bow port & starboard small-item/tackle trays w/drink holders
- Bow center storage box
- Bow port & starboard rod storage w/rod organizers & tubes—10 total rods up to 7' (2.13 m)
- Bow storage ventilation to reduce condensation
- Driver & passenger clamshell seats w/molded dry storage boxes below
- Elevated aft casting deck
- Aft port & starboard molded storage boxes each hold three 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom

SPECIFICATIONS

Length	17' 7"
Beam	7' 5"
Bottom Width	5'
Max. Recommended HP	75 HP
Fuel Capacity	21.5 gal.
Max. Person Capacity	4 persons
Max. Person Weight	560 lbs.
Max. Person, Motor & Gear Weight	1,090 lbs.
Interior Depth	18.5"
Transom Height	22.25"
Deadrise At Bow	16°
Deadrise At Transom	10°
Hull Material	0.100 5052 marine alloy
Average Weight	970 lbs.
Average Package Weight	2,155 lbs.
Package Height	6' 2"
Package Width	7' 6"
Towing Length	22' 8"
Storage Length	20' 3"

STANDARD FEATURES (CONT.)
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- 2-bank battery charger
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL
- Woven floors & decks (replaces carpet)

COVER
- Genuine custom boat cover—Black

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PRO TEAM™ 175

w/Mercury® 60 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker (not available w/Tournament Edition)		
• 20 ELPT FourStroke (not available w/Tournament Edition)		
• 75 ELPT FourStroke	40–41	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- 4 drink holders—2 on bow deck, 2 in bow tackle storage
- 2 floor-mounted drink holders
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 21-gal. (79.49 L) aerated livewell w/divider, timer, recirculator, pump-out system & oversized overflow drain
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 45-lb. (20.41 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- Able to accept 2nd trolling motor battery & up to a 24V trolling motor w/circuit breaker change (dealer installed)
- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- ***NEW*** Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch sport steering wheel
- Single-cable, no-feedback rotary steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—16 total rods up to 8' (2.44 m) casting/7' (2.13 m) spinning
- Bow storage ventilation to reduce condensation
- Bow deck rod hold-down strap
- ***NEW*** redesigned 30-qt. (28.39 L) squared step cooler, box & lid
- Driver & passenger cockpit seats
- Removable center cushion w/back bolster
- Elevated aft casting deck
- Aft port & starboard molded storage boxes each hold three 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- ***NEW*** upholstery
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- ***NEW*** robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- 2-bank battery charger
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	17' 7"
Beam	7' 5"
Bottom Width	5'
Max. Recommended HP	75 HP
Fuel Capacity	21.5 gal.
Max. Person Capacity	4 persons
Max. Person Weight	555 lbs.
Max. Person, Motor & Gear Weight	1,100 lbs.
Interior Depth	18.5"
Transom Height	22.25"
Deadrise At Bow	16°
Deadrise At Transom	10°
Draft	12"
Hull Material	0.100 5052 marine alloy
Average Weight	1,050 lbs.
Average Package Weight	2,235 lbs.
Package Height	6' 4"
Package Width	7' 6"
Towing Length	22' 8"
Storage Length	20' 3"

OPTIONS

PACKAGE

- Tournament Edition package:
  - Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
  - ***NEW*** bow Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
  - ***NEW*** console Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
  - ***NEW*** JBL® speaker
  - Soft touch tournament steering wheel
  - 24V trolling motor harness & receptacle
  - 3-bank battery charger & 3 battery trays
  - 1 additional trolling battery
  - Upgraded trailer:
    - 13" (33.02 cm) aluminum wheels w/radial tires
    - Spare tire carrier w/matching spare
    - Integrated steps & safety handle for boarding at bow while boat is on trailer

FUNCTIONAL

- Woven floors & decks (replaces carpet)
- Removable port console

COVER

- Genuine custom boat cover—Black

TRAILER

- Brakes for standard trailer

TRACKER boats

2026 PRO TEAM™ 175 TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- ***NEW*** bow Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- ***NEW*** console Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch tournament steering wheel
- ***NEW*** JBL® speaker
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness & receptacle
- Upgraded trailer:
  - 13" (33.02 cm) aluminum wheels w/radial tires
  - Spare tire carrier w/matching spare
  - Integrated steps & safety handle for boarding at bow while boat is on trailer

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- 4 drink holders—2 on bow deck, 2 in bow tackle storage
- 2 floor-mounted drink holders
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 21-gal. (79.49 L) aerated livewell w/divider, timer, recirculator, pump-out system & oversized overflow drain
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- Single-cable, no-feedback rotary steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—16 total rods up to 8' (2.44 m) casting/7' (2.13 m) spinning
- Bow storage ventilation to reduce condensation
- Bow deck rod hold-down strap
- ***NEW*** redesigned 30-qt. (28.39 L) squared step cooler, box & lid
- Driver & passenger cockpit seats
- Removable center cushion w/back bolster
- Elevated aft casting deck
- Aft port & starboard molded storage boxes each hold three 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- ***NEW*** upholstery
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- ***NEW*** robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface

SPECIFICATIONS

Length	17' 7"
Beam	7' 5"
Bottom Width	5'
Max. Recommended HP	75 HP
Fuel Capacity	21.5 gal.
Max. Person Capacity	4 persons
Max. Person Weight	555 lbs.
Max. Person, Motor & Gear Weight	1,100 lbs.
Interior Depth	18.5"
Transom Height	22.25"
Deadrise At Bow	16°
Deadrise At Transom	10°
Draft	12"
Hull Material	0.100 5052 marine alloy
Average Weight	1,050 lbs.
Average Package Weight	2,235 lbs.
Package Height	6' 4"
Package Width	7' 6"
Towing Length	22' 8"
Storage Length	20' 8"

STANDARD FEATURES (CONT.)
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

TRACKER boats

2026 PRO TEAM™ 190

w/Mercury® 90 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 ELPT Pro XS®	46–47	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- 4 drink holders—2 on bow deck, 2 in bow tackle storage
- 2 floor-mounted drink holders
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 21-gal. (79.49 L) aerated livewell w/divider, timer, recirculator, pump-out system & oversized overflow drain
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 55-lb. (24.95 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- Able to accept 2nd trolling motor battery & up to a 24V trolling motor w/circuit breaker change (dealer installed)
- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- ***NEW*** Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch sport steering wheel
- Single-cable, no-feedback rotary steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—16 total rods up to 8' (2.44 m) casting/7' (2.13 m) spinning
- Bow storage ventilation to reduce condensation
- Bow deck rod hold-down straps
- ***NEW*** redesigned 30-qt. (28.39 L) squared step cooler, box & lid
- Driver & passenger cockpit seats
- Removable center cushion w/back bolster
- Elevated aft casting deck
- Aft port & starboard molded storage boxes each hold four 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- ***NEW*** upholstery
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom

SPECIFICATIONS

Length	18' 7"
Beam	7' 5"
Bottom Width	5'
Max. Recommended HP	125 HP
Fuel Capacity	21.5 gal.
Max. Person Capacity	4 persons
Max. Person Weight	575 lbs.
Max. Person, Motor & Gear Weight	1,250 lbs.
Interior Depth	19"
Transom Height	22.25"
Deadrise At Bow	16°
Deadrise At Transom	10°
Hull Material	0.100 5052 marine alloy
Average Weight	1,050 lbs.
Average Package Weight	2,330 lbs.
Package Height	6' 6"
Package Width	7' 6"
Towing Length	23' 8"
Storage Length	21' 2"

STANDARD FEATURES (CONT.)
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- ***NEW*** robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- 2-bank battery charger
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Extended rear step pads for boarding at stern while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- Tournament Edition package:
  - Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
  - ***NEW*** bow Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
  - ***NEW*** console Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
  - ***NEW*** JBL® speaker
  - Soft touch tournament steering wheel
  - 24V trolling motor harness & receptacle
  - 3-bank battery charger & 3 battery trays
  - 1 additional trolling battery
  - Upgraded trailer:
    - 13" (33.02 cm) aluminum wheels w/radial tires
    - Spare tire carrier w/matching spare
    - Integrated steps & safety handle for boarding at bow while boat is on trailer

FUNCTIONAL

- Woven floors & decks (replaces carpet)
- Removable port console

COVER

- Genuine custom boat cover—Black

TRAILER

- Brakes for standard trailer

TRACKER boats

2026 PRO TEAM™ 190 TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- ***NEW*** bow Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- ***NEW*** console Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch tournament steering wheel
- ***NEW*** JBL® speaker
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness & receptacle
- Upgraded trailer:
  - 13" (33.02 cm) aluminum wheels w/radial tires
  - Spare tire carrier w/matching spare
  - Integrated steps & safety handle for boarding at bow while boat is on trailer

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- 4 drink holders—2 on bow deck, 2 in bow tackle storage
- 2 floor-mounted drink holders
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 21-gal. (79.49 L) aerated livewell w/divider, timer, recirculator, pump-out system & oversized overflow drain
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- Single-cable, no-feedback rotary steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—16 total rods up to 8' (2.44 m) casting/7' (2.13 m) spinning
- Bow storage ventilation to reduce condensation
- Bow deck rod hold-down straps
- ***NEW*** redesigned 30-qt. (28.39 L) squared step cooler, box & lid
- Driver & passenger cockpit seats
- Removable center cushion w/back bolster
- Elevated aft casting deck
- Aft port & starboard molded storage boxes each hold four 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- ***NEW*** upholstery
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- ***NEW*** robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface

SPECIFICATIONS

Length	18' 7"
Beam	7' 5"
Bottom Width	5'
Max. Recommended HP	125 HP
Fuel Capacity	21.5 gal.
Max. Person Capacity	4 persons
Max. Person Weight	575 lbs.
Max. Person, Motor & Gear Weight	1,250 lbs.
Interior Depth	19"
Transom Height	22.25"
Deadrise At Bow	16°
Deadrise At Transom	10°
Hull Material	0.100 5052 marine alloy
Average Weight	1,050 lbs.
Average Package Weight	2,330 lbs.
Package Height	6' 6"
Package Width	7' 6"
Towing Length	23' 8"
Storage Length	21' 7"

STANDARD FEATURES (CONT.)
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Extended rear step pads for boarding at stern while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

TRACKER boats

NEW 2026 PRO TEAM™ 195

w/Mercury® 115 ELPT Pro XS®
& Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 90 ELPT FourStroke	-	
• 150 L FourStroke	52–60	
• 150 L Pro XS®	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- 8 drink holders—2 on bow deck, 2 in bow tackle storage, 2 on step cooler & 2 floor mounted
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted aft 27-gal. (102.21 L) aerated livewell w/divider, timer, recirculator, pump-out system & dual overflow drain
- 750 GPH (2,839 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Edge® 12V, 55-lb. (24.95 kg) thrust, 45" (1.14 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- Able to accept 2nd trolling motor battery & up to a 24V trolling motor w/circuit breaker change (dealer installed)
- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch sport steering wheel
- BayStar® tilt hydraulic steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—24 total rods up to 9' (2.74 m) casting/8' (2.44 m) spinning
- Bow storage ventilation to reduce condensation
- Bow deck rod hold-down straps
- 30-qt. (28.39 L) squared step cooler, box & lid
- Passenger rod storage & footrest in cockpit w/rod handle organizer & rod holder strap for 6 rods
- Driver & passenger cockpit seats
- Removable center cushion w/back bolster
- Elevated aft casting deck w/large deck storage
- Aft port & starboard molded storage boxes each hold six 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom

SPECIFICATIONS

Length	18' 7"
Beam	8' 2"
Bottom Width	5' 6"
Max. Recommended HP	150 HP
Fuel Capacity	30 gal.
Max. Person Capacity	4 persons
Max. Person Weight	575 lbs.
Max. Person, Motor & Gear Weight	1,250 lbs.
Interior Depth	22"
Transom Height	23"
Deadrise At Bow	16°
Deadrise At Transom	10°
Hull Material	0.100 5052 marine alloy
Average Weight	1,305 lbs.
Average Package Weight	2,675 lbs.
Package Height	6' 6"
Package Width	8' 2"
Towing Length	24' 9"
Storage Length	21' 7"

STANDARD FEATURES (CONT.)
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/heavy-duty extruded keel & chines for structural strength & handling
- Robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- Rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- 2-bank battery charger
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- 12V trolling motor harness & receptacle
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Extended rear step pads for boarding at stern while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- Tournament Edition package:
  - Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
  - ***NEW*** bow Lowrance® Eagle Eye™ 9 forward-facing sonar
  - ***NEW*** console Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
  - ***NEW*** JBL® speaker
  - Soft touch tournament steering wheel
  - 24V trolling motor harness & receptacle
  - 3-bank battery charger & 3 battery trays
  - 1 additional trolling battery
  - Upgraded single-axle trailer:
    - 14" (35.56 cm) aluminum wheels w/radial tires
    - Spare tire carrier w/matching spare
    - Integrated steps & safety handle for boarding at bow while boat is on trailer

FUNCTIONAL

- Woven floors & decks (replaces carpet)
- Removable port console

COVER

- Genuine custom boat cover—Black

TRAILER

- Brakes for standard trailer
- Tandem-axle trailer w/13" (33.02 cm) chrome wheels & brakes on both axles (non-Tournament Edition only)
- Tandem-axle trailer w/13" (33.02 cm) chrome wheels & brakes on both axles for when optional Tournament Edition package is ordered

TRACKER boats

2026 PRO TEAM™ 195 TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION

- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- ***NEW*** bow Lowrance® Eagle Eye™ 9 forward-facing sonar
- ***NEW*** console Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch tournament steering wheel
- ***NEW*** JBL® speaker
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness & receptacle
- Upgraded trailer:
  - 14" (35.56 cm) aluminum wheels w/radial tires
  - Spare tire carrier w/matching spare
  - Integrated steps & safety handle for boarding at bow while boat is on trailer

COMFORT, CONVENIENCE & PEACE OF MIND

- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 4 cleats
- 8 drink holders—2 on bow deck, 2 in bow tackle storage, 2 on step cooler & 2 floor mounted
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM

- Lighted aft 27-gal. (102.21 L) aerated livewell w/divider, timer, recirculator, pump-out system & dual overflow drain
- 750 GPH (2,839 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR

- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE

- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- BayStar® tilt hydraulic steering
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR

- 2 pedestal seat base locations
- 2 folding fishing seats w/contoured hinges & snap-off cushions
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—24 total rods up to 9' (2.74 m) casting/8' (2.44 m) spinning
- Bow storage ventilation to reduce condensation
- Bow deck rod hold-down straps
- ***NEW*** redesigned 30-qt. (28.39 L) squared step cooler, box & lid
- Passenger rod storage & footrest in cockpit w/rod handle organizer & rod holder strap for 6 rods
- Driver & passenger cockpit seats
- Removable center cushion w/back bolster
- Elevated aft casting deck w/large deck storage
- Aft port & starboard molded storage boxes each hold six 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- ***NEW*** upholstery
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE

- POWER-TRAC™ offset transom for quicker holeshots & better overall performance
- REVOLUTION™ variable-deadrise hull w/SMOOTH RIDE GUARANTEE™
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR

- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Rugged all-welded, 2-piece .100-gauge aluminum hull w/heavy-duty extruded keel & chines for structural strength & handling
- ***NEW*** robotically welded, all-aluminum box-beam transom w/corner & splashwell braces welded-in to unitize & strengthen the hull

SPECIFICATIONS

Length	18' 7"
Beam	8' 2"
Bottom Width	5' 6"
Max. Recommended HP	150 HP
Fuel Capacity	30 gal.
Max. Person Capacity	4 persons
Max. Person Weight	575 lbs.
Max. Person, Motor & Gear Weight	1,250 lbs.
Interior Depth	22"
Transom Height	23"
Deadrise At Bow	16°
Deadrise At Transom	10°
Hull Material	0.100 5052 marine alloy
Average Weight	1,305 lbs.
Average Package Weight	2,675 lbs.
Package Height	6' 6"
Package Width	8' 2"
Towing Length	24' 9"
Storage Length	21' 7"

STANDARD FEATURES (CONT.)

- Welded-in longitudinal stringer system for full-length support along the running surface
- 4" (10.16 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- Pressure-treated floor & decks w/limited lifetime warranty
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/rubber seals to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL

- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER

- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Extended rear step pads for boarding at stern while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

TRACKER boats

2026 SAVAGE™ 215

w/Mercury® 150 L Pro XS®
& Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 175 L Pro XS®	52–54	
• 200 L Pro XS®	61–64	
• 225 L Pro XS® w/Torque Master	-	
• 250 L Pro XS® w/Torque Master	68–73	

SPECIFICATIONS

Length	21' 3"
Beam	7' 11"
Bottom Width	6' 6"
Max. Recommended HP	250 HP
Fuel Capacity	40 gal.
Max. Person Capacity	4 persons
Max. Person Weight	620 lbs.
Max. Person, Motor & Gear Weight	1500 lbs.
Interior Depth	17"
Transom Height	21"
Deadrise	10°
Hull Material	.0.125 5052 marine alloy
Average Dry Weight	1,900 lbs.
Average Package Weight	3,830 lbs.
Package Height	6' 7"
Package Width	8' 6"
Towing Length	27' 8"
Storage Length	27' 3"

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank system
- Bow & stern eyes
- 5 cleats including cleat at driver seat
- 6 drink holders—2 on bow deck, 2 in bow tackle storage & 2 floor mounted
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted aft 25-gal. (96.64 L) baffled livewell w/divider, timer, recirculator, pump-out system & dual overflow drain
- 800 GPH (3,028 LPH) aerator/fill pump
- 800 GPH (3,028 LPH) recirculating pump w/timer
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch

TROLLING MOTOR
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotomolded foot pedal tray
- Able to accept 3rd trolling motor battery & up to a 36V trolling motor
- Trolling motor pedal recess w/tool holder & drink holder
- Thru-bolted trolling motor mount for durability

CONSOLE
- 1-piece rotomolded console w/windscreen, built-in controls & storage pocket
- 4.3" (10.92 cm) TRACKER® touchscreen gauge display
- Lowrance® Eagle 7 fishfinder w/SplitShot™ transducer
- Soft touch sport steering wheel
- SeaStar® tilt hydraulic steering
- Water-resistant toggle switches
- Mercury® throttle control mount
- Mobile phone holder
- Stardust console color

INTERIOR
- 2 pedestal seat base locations
- 1 bike seat & 1 folding fishing seat w/contoured hinges & snap-off cushion
- Tournament-style elevated bow deck
- Bow center tackle organizers & tool/tackle holder
- Bow port & starboard rod storage w/large lids & rod organizers w/tubes—15 total rods up to 8' 6" (2.59 m)
- Bow storage ventilation to reduce condensation
- Bow T-H Marine® bungee rod straps
- 40-qt. (37.85 L) squared step cooler, box & lid
- Passenger rod storage & footrest in cockpit w/rod handle organizer & rod holder strap for 3 rods
- 3-across cockpit seating
- Flip-down center cushion w/back bolster
- Elevated aft casting deck w/large deck storage
- Aft port & starboard molded storage boxes each hold six 3700 tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- ***NEW*** upholstery
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet throughout
- T-handle locks on all lockable compartments
- Interior color w/Dark Gray tones

PERFORMANCE
- 10" (25.4 cm) manual jack plate
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** graphics for Dune & Heritage Red boat colors
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Starlite Black gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Starlite White gunnels, hull sides & bottom

STANDARD FEATURES (CONT.)
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- Patent-pending POWER CURVE™ hull design
- Rugged all-welded, 2-piece .125-gauge aluminum hull w/pressed-in strakes & chines for structural strength & handling
- Welded-in longitudinal stringer system for full-length support along the running surface
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- 3" (7.62 cm) extruded 1-piece gunnels w/rub rail insert for structural strength, rigidity & side protection
- All-aluminum, carpeted compartment lids for structural rigidity, tight fit & long-term durability
- Weather-resistant lid design w/F-channel extrusion to keep your gear drier
- ***NEW*** rig-ready tubing from bilge-to-console & console-to-bow for rigging new electronics seamlessly

ELECTRICAL
- 800 GPH (3,028 LPH) automatic bilge pump
- SeaLok® remote drain plug w/Flow-Rite® advanced system controls
- Bow panel w/trolling motor receptacle & motor tilt switch
- Stowable navigation lights
- Bow courtesy light
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 6-gauge trolling motor harness w/integrated 60-amp breaker
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Disc brakes on both axles
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Extended rear step pads for boarding at stern while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- 6" (15.24 cm) oval LED tail lights w/integrated back-up lights
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- Big Catch 1 package:
  - Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
  - Bow Garmin® ECHOMAP™ UHD2 93sv fishfinder w/LiveScope™ Plus System
  - Console Garmin® ECHOMAP™ UHD2 93sv fishfinder
  - ***NEW*** JBL® speaker
  - 2 trolling batteries w/trays
- Big Catch 2 package:
  - Minn Kota® Ultrex™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
  - Bow Garmin® ECHOMAP™ UHD2 93sv fishfinder w/LiveScope™ Plus System
  - Console Garmin® ECHOMAP™ UHD2 93sv fishfinder
  - ***NEW*** JBL® speaker
  - 3 trolling batteries w/trays

BATTERY & BATTERY CHARGER

- 1 Lithium cranking battery (exchange)
- 2 Lithium trolling batteries (exchange)
- 3 Lithium trolling batteries (exchange)

PERFORMANCE & STEERING

- SeaStar® foot pedal
- Trim lever on steering wheel
- Dual trim lever on steering wheel

FUNCTIONAL

- Dura-Trac® marine flooring
- Port console (dealer installed)
- Center seat storage (powdercoated coinbox)
- 10" (25.4 cm) T-H Marine® ATLAS™ hydraulic jack plate
- 10" (25.4 cm) Bob's Machine™ hydraulic jack plate
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

TRACKER boats

2026 SUPER GUIDE™ V-16 T

w/Mercury® 25 ELHPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 40 ELHPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 15-gal. (56.78 L) aerated livewell w/standpipe overflow
- 800 GPH (3,028 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 12V, 42-lb. (19.05 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONTROL CENTER
- Fuse-protected control center w/horn, navigation lights, bilge, aerator & tachometer
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Toggle switches

INTERIOR
- 3 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Oversized elevated bow & aft fishing decks
- Bow lockable storage compartments
- Top-loading port side lockable rod box for rods to 7' 6" (2.29 m)
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ solid Starlite Black gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Starlite Blue gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Starlite Red gunnels, hull sides & bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .100 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow courtesy light
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- Console-mounted 12V outlet
- Wiring system wrapped in abrasion-resistant protective conduit

SPECIFICATIONS

Length	16' 1"
Beam	6' 8"
Bottom Width	5' 5"
Max. Recommended HP	40 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	650 lbs.
Max. Person, Motor & Gear Weight	1,155 lbs.
Interior Depth	19"
Transom Height	21"
Deadrise	8°
Draft	13"
Hull Material	0.100 5052 marine alloy
Average Weight	820 lbs.
Average Package Weight	1,650 lbs.
Package Height	5' 10"
Package Width	7'
Towing Length	21' 9"
Storage Length	21' 9"

STANDARD FEATURES (CONT.)

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) Silver Metallic powdercoated wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

COVER
- Mooring cover—Black

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 SUPER GUIDE™ V-16 SC

w/Mercury® 40 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 50 ELPT FourStroke	28–32	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 15-gal. (56.78 L) aerated livewell w/standpipe overflow
- 800 GPH (3,028 LPH) aerator/fill pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 12V, 42-lb. (19.05 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- 1-piece rotomolded console w/tinted windscreen & built-in drink holder
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Single-cable, no-feedback rotary steering
- Illuminated speedometer & tachometer
- Toggle switches
- Mercury® throttle control mount

INTERIOR
- 5 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Oversized elevated bow & aft fishing decks
- Bow lockable storage compartments
- Driver sliding seat pedestal mount
- Top-loading port side lockable rod box for rods to 7' 6" (2.29 m)
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ solid Starlite Black gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Starlite Blue gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Starlite Red gunnels, hull sides & bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .100 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow & console courtesy lights
- 2 battery trays

SPECIFICATIONS

Length	16' 1"
Beam	6' 8"
Bottom Width	5' 5"
Max. Recommended HP	50 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	650 lbs.
Max. Person, Motor & Gear Weight	1,155 lbs.
Interior Depth	19"
Transom Height	21"
Deadrise At Bow	12°
Deadrise At Transom	8°
Draft	13"
Hull Material	0.100 5052 marine alloy
Average Weight	910 lbs.
Average Package Weight	1,780 lbs.
Package Height	5' 10"
Package Width	7'
Towing Length	21' 9"
Storage Length	21' 9"

STANDARD FEATURES (CONT.)
- Interstate® batteries: 1 cranking & 1 trolling
- Console-mounted 12V outlet
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) Silver Metallic powdercoated wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

COVER
- Mooring cover—Black

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PRO GUIDE™ V-16 SC

w/Mercury® 50 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 60 ELPT FourStroke	28–30	
• 75 ELPT FourStroke	37–39	
• 90 ELPT FourStroke	39–41	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 23-gal. (87.06 L), 40" (1.02 m) aerated livewell w/divider, timer, recirculator & pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) recirculating pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 12V, 42-lb. (19.05 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Rotomolded console w/tinted windscreen & built-in drink holder
- Forward-console tackle box storage w/bungee cord
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Single-cable, no-feedback rotary steering
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Toggle switches
- Black Metallic instrument & switch panel
- Mercury® throttle control mount
- Stardust console color

INTERIOR
- 6 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- 2 bow storage compartments
- Starboard below-console storage w/angled footrest
- 1 movable & folding driver/fishing seat w/sliding base adjustment, 360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestal
- 2 deep top-loading lockable boxes in the cockpit sides for rods/gear to 8' (2.44 m)
- Port deck rod hold-down straps
- Aft center deck step w/storage
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
  - DIAMOND COAT™ Starlite Blue gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .100 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability

SPECIFICATIONS

Length	16' 6"
Beam	7' 4"
Bottom Width	5' 10"
Max. Recommended HP	90 HP
Fuel Capacity	25.5 gal.
Max. Person Capacity	5 persons
Max. Person Weight	655 lbs.
Max. Person, Motor & Gear Weight	1,200 lbs.
Interior Depth	25.5"
Transom Height	21"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	15"
Hull Material	0.100 5052 marine alloy
Average Weight	1,170 lbs.
Average Package Weight	2,535 lbs.
Package Height	6' 8"
Package Width	7' 6"
Towing Length	22' 1"
Storage Length	19' 10"

STANDARD FEATURES (CONT.)

- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow courtesy light
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- Console-mounted 12V outlet
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL
- Woven floors & decks (replaces carpet)

COVER
- Rope ratchet cover—Charcoal
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Charcoal

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PRO GUIDE™ V-16 WT

w/Mercury® 60 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 75 ELPT FourStroke	37–39	
• 90 ELPT FourStroke	39–41	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 23-gal. (87.06 L), 40" (1.02 m) aerated livewell w/divider, timer, recirculator & pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) recirculating pump
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 12V, 42-lb. (19.05 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/tempered safety-glass walk-thru windshields & hatch
- Forward-console tackle box storage w/bungee cord
- Passenger console w/glovebox & built-in drink holder
- Garmin® STRIKER™ 4 color fishfinder + GPS w/CHIRP transducer
- Single-cable, no-feedback rotary steering
- Driver side drink holder
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Toggle switches
- Black Metallic instrument & switch panel
- Mercury® throttle control mount
- Stardust console color

INTERIOR
- 6 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- 2 bow storage compartments
- Port & starboard below-console storage w/angled footrests
- 1 movable & folding driver/fishing seat w/sliding base adjustment, 360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestal
- 2 deep top-loading lockable boxes in the cockpit sides for rods/gear to 8' (2.44 m)
- Port deck rod hold-down straps
- Aft center deck step w/storage
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - *NEW* DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
  - DIAMOND COAT™ Starlite Blue gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .100 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull

SPECIFICATIONS

Length	16' 6"
Beam	7' 4"
Bottom Width	5' 10"
Max. Recommended HP	90 HP
Fuel Capacity	25.5 gal.
Max. Person Capacity	5 persons
Max. Person Weight	655 lbs.
Max. Person, Motor & Gear Weight	1,200 lbs.
Interior Depth	25.5"
Transom Height	21"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	15"
Hull Material	0.100 5052 marine alloy
Average Weight	1,195 lbs.
Average Package Weight	2,560 lbs.
Package Height	6' 8"
Package Width	7' 6"
Towing Length	22' 1"
Storage Length	19' 10"

STANDARD FEATURES (CONT.)
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Stowable navigation lights
- Bow courtesy light
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- Console-mounted 12V outlet
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL
- Woven floors & decks (replaces carpet)

COVER
- Rope ratchet cover—Charcoal
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Charcoal
- Front & walk-thru curtain set for optional Bimini top—Charcoal
- Side & aft curtain set for optional Bimini top—Charcoal

TRAILER
- Brakes for standard trailer

TRACKER boats

2026 PRO GUIDE™ V-175 WT

w/Mercury® 90 EXLPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 EXLPT FourStroke	-	
• 115 EXLPT Pro XS®	-	
• 150 XL FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Ski tow pylon receptacle
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 29-gal. (109.78 L), 50" (1.27 m) aerated livewell w/timer, recirculator & pump-out system
- Dual 500 GPH (1,893 LPH) aerator/fill pumps
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 12V, 55-lb. (24.95 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/tempered safety-glass walk-thru windshields & hatch
- Passenger console w/storage compartment, drink holder & small items tray
- Enclosed console bottom(s) w/removable panel
- ***NEW*** Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch sport steering wheel
- BayStar® tilt hydraulic steering
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated speedometer, tachometer, voltmeter, fuel gauge, water pressure gauge & trim gauge
- Toggle switches
- Black Metallic instrument & switch panel
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 7 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Large bow storage area w/lids & cable door restraints
- Bow starboard compartment box w/large, carpeted storage
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Port & starboard below-console storage w/angled footrests
- 1 movable & folding driver/fishing seat w/sliding base adjustment, 360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestal
- Top-loading port side lockable rod box for rods to 7' 6" (2.29 m)
- Port deck rod hold-down straps
- Top-loading starboard side lockable rod box for rods to 8' (2.44 m)
- In-floor center gear storage compartment
- Aft center deck step w/storage & 2 drink holders
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance

SPECIFICATIONS

Length	17' 7"
Length w/Swim Platform	18' 5"
Beam	8' 1"
Bottom Width	6' 10"
Max. Recommended HP	150 HP
Fuel Capacity	25.5 gal.
Max. Person Capacity	6 persons
Max. Person Weight	835 lbs.
Max. Person, Motor & Gear Weight	1,600 lbs.
Interior Depth	26.75"
Transom Height	25.5"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	14"
Hull Material	0.100 5052 marine alloy
Average Weight	1,525 lbs.
Average Package Weight	2,985 lbs.
Package Height	7' 3"
Package Width	8' 6"
Towing Length	24' 8"
Storage Length	22'

STANDARD FEATURES (CONT.)

- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
  - DIAMOND COAT™ Starlite Blue gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .100 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- Battery charger
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- Passenger console-mounted 12V outlet
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL

- Woven floors & decks (replaces carpet)
- ***NEW*** bow cushions (dealer installed)

COVER

- Rope ratchet cover—Charcoal
- Premium poleless rope ratchet cover—Black
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Charcoal
- Front & walk-thru curtain set for optional Bimini top—Charcoal
- Side & aft curtain set for optional Bimini top—Charcoal

TRAILER

- Brakes for standard trailer
- Tandem-axle trailer w/brakes on both axles

TRACKER boats

2026 PRO GUIDE™ V-175 COMBO

w/Mercury® 90 EXLPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 EXLPT FourStroke	-	
• 115 EXLPT Pro XS®	-	
• 150 XL FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Removable ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 29-gal. (109.78 L), 50" (1.27 m) aerated livewell w/timer, recirculator & pump-out system
- Dual 500 GPH (1,893 LPH) aerator/fill pumps
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 12V, 55-lb. (24.95 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/tempered safety-glass walk-thru windshields & hatch
- Passenger console w/storage compartment, drink holder & small items tray
- Enclosed console bottom(s) w/removable panel
- ***NEW*** Lowrance® Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot™ transducer
- Soft touch sport steering wheel
- BayStar® tilt hydraulic steering
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated speedometer, tachometer, voltmeter, fuel gauge, water pressure gauge & trim gauge
- Toggle switches
- Black Metallic instrument & switch panel
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 7 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- ***NEW*** bow cushions (for Combo model only)
- Large bow storage area w/lids & cable door restraints
- Bow starboard compartment box w/large, carpeted storage
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Port & starboard below-console storage w/angled footrests
- 1 movable & folding driver/fishing seat w/sliding base adjustment, 360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestal
- Top-loading port side lockable rod box for rods to 7' 6" (2.29 m)
- Port deck rod hold-down straps
- Top-loading starboard side lockable rod box for rods to 8' (2.44 m)
- In-floor center gear storage compartment
- Aft center deck step w/storage & 2 drink holders
- Aft deck w/split flip sections & 18"-wide (45.72 cm) jump seats
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor

SPECIFICATIONS

Length	17' 7"
Length w/Swim Platform	18' 5"
Beam	8' 1"
Bottom Width	6' 10"
Max. Recommended HP	150 HP
Fuel Capacity	25.5 gal.
Max. Person Capacity	6 persons
Max. Person Weight	835 lbs.
Max. Person, Motor & Gear Weight	1,600 lbs.
Interior Depth	26.75"
Transom Height	25.5"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	14"
Hull Material	0.100 5052 marine alloy
Average Weight	1,525 lbs.
Average Package Weight	2,985 lbs.
Package Height	7' 3"
Package Width	8' 6"
Towing Length	24' 8"
Storage Length	22'

STANDARD FEATURES (CONT.)

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
  - DIAMOND COAT™ Starlite Blue gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .100 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet & motor tilt switch
- Stowable navigation lights
- Bow & console courtesy lights
- Battery charger
- 2 battery trays
- Interstate® batteries: 1 cranking & 1 trolling
- Passenger console-mounted 12V outlet
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

FUNCTIONAL

- Woven floors & decks (replaces carpet)

COVER

- Rope ratchet cover—Charcoal
- Premium poleless rope ratchet cover—Black
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Charcoal
- Front & walk-thru curtain set for optional Bimini top—Charcoal
- Side & aft curtain set for optional Bimini top—Charcoal

TRAILER

- Brakes for standard trailer
- Tandem-axle trailer w/brakes on both axles

TRACKER boats

2026 TARGA™ V-18 WT

w/Mercury® 150 XL FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 EXLPT FourStroke	-	
• 175 XL Pro XS® FourStroke	-	
• 200 XL Pro XS® FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Ski tow pylon receptacle
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 30-gal. (113.56 L), 16 x 40" (40.64 x 101.6 cm) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Large livewell lid(s) for easy access
- Dual 750 GPH (2,839 LPH) aerator/fill pumps w/timers
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- ***NEW*** Lowrance® Eagle 7 swivel color fishfinder + GPS w/CHIRP & TripleShot™ transducer
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 5 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed deluxe driver seat w/sliding base adjustment & fixed passenger seat
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite doors below the gunnels
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim

SPECIFICATIONS

Length	18' 2"
Length w/Swim Platform	19' 1"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	200 HP
Fuel Capacity	40 gal.
Max. Person Capacity	6 persons
Max. Person Weight	885 lbs.
Max. Person, Motor & Gear Weight	1,650 lbs.
Interior Depth	28.75"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	18.75"
Hull Material	.0.125 5052 marine alloy
Average Weight	2,205 lbs.
Average Package Weight	3,845 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 4"
Storage Length	22' 3"

STANDARD FEATURES (CONT.)

- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull, transom & stringer system
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap

STANDARD FEATURES (CONT.)

- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- ***NEW*** WT Tournament Edition package:
  - Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
  - Bow & console Humminbird® XPLORE™ 9 fishfinders (MDI at bow, MSI at console)
  - Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

KICKER MOTOR

- Remote Kicker motor shifter for standard/MCMS steering
- Mercury® 9.9 EXLPT FourStroke Command Thrust ProKicker motor

FUNCTIONAL

- Woven floors & decks (replaces carpet)

COVER

- Rope ratchet cover—Charcoal
- Premium rope ratchet cover—Black
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Black
- Front & walk-thru curtain set for optional Bimini top—Black
- Side & aft curtain set for optional Bimini top—Black

TRACKER boats

NEW 2026 TARGA™ V-18 WT TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
- Bow Humminbird® XPLORE™ 9 fishfinder w/MEGA Down Imaging®
- Console Humminbird® XPLORE™ 9 fishfinder w/MEGA Side Imaging®
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Ski tow pylon receptacle
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 30-gal. (113.56 L), 16 x 40" (40.64 x 101.6 cm) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Large livewell lid(s) for easy access
- Dual 750 GPH (2,839 LPH) aerator/fill pumps w/timers
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 5 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed deluxe driver seat w/sliding base adjustment & fixed passenger seat
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite doors below the gunnels
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

SPECIFICATIONS

Length	18' 2"
Length w/Swim Platform	19' 1"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	200 HP
Fuel Capacity	40 gal.
Max. Person Capacity	6 persons
Max. Person Weight	885 lbs.
Max. Person, Motor & Gear Weight	1,650 lbs.
Interior Depth	28.75"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	18.75"
Hull Material	.0.125 5052 marine alloy
Average Weight	2,205 lbs.
Average Package Weight	3,845 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 4"
Storage Length	22' 3"

STANDARD FEATURES (CONT.)

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull, transom & stringer system
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

TRACKER boats

2026 TARGA™ V-18 COMBO

w/Mercury® 150 XL FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 EXLPT FourStroke	-	
• 175 XL Pro XS® FourStroke	-	
• 200 XL Pro XS® FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Removable ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 15-gal. (56.78 L) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Large livewell lid(s) for easy access
- Dual 750 GPH (2,839 LPH) aerator/fill pumps w/timers
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- ***NEW*** Lowrance® Eagle 7 swivel color fishfinder + GPS w/CHIRP & TripleShot™ transducer
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 5 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage & removable seat cushions
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed deluxe driver seat w/sliding base adjustment & fixed passenger seat
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite doors below the gunnels
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck w/17"-wide (43.18 cm) integrated jump seats
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels

SPECIFICATIONS

Length	18' 2"
Length w/Swim Platform	19' 1"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	200 HP
Fuel Capacity	40 gal.
Max. Person Capacity	6 persons
Max. Person Weight	885 lbs.
Max. Person, Motor & Gear Weight	1,650 lbs.
Interior Depth	28.75"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	18.75"
Hull Material	.0.125 5052 marine alloy
Average Weight	2,205 lbs.
Average Package Weight	3,845 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 4"
Storage Length	22' 3"

STANDARD FEATURES (CONT.)
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull, transom & stringer system
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire

STANDARD FEATURES (CONT.)

- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- ***NEW*** Combo Tournament Edition package:
  - Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
  - Bow & console Humminbird® XPLORE™ 9 fishfinders (MDI at bow, MSI at console)
  - Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

KICKER MOTOR

- Remote Kicker motor shifter for standard/MCMS steering
- Mercury® 9.9 EXLPT FourStroke Command Thrust ProKicker motor

FUNCTIONAL

- Woven floors & decks (replaces carpet)

COVER

- Rope ratchet cover—Charcoal
- Premium rope ratchet cover—Black
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Black
- Front & walk-thru curtain set for optional Bimini top—Black
- Side & aft curtain set for optional Bimini top—Black

TRACKER boats

NEW 2026 TARGA™ V-18 COMBO TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
- Bow Humminbird® XPLORE™ 9 fishfinder w/MEGA Down Imaging®
- Console Humminbird® XPLORE™ 9 fishfinder w/MEGA Side Imaging®
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Removable ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 15-gal. (56.78 L) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Large livewell lid(s) for easy access
- Dual 750 GPH (2,839 LPH) aerator/fill pumps w/timers
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 5 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage & removable seat cushions
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed deluxe driver seat w/sliding base adjustment & fixed passenger seat
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite doors below the gunnels
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck w/17"-wide (43.18 cm) integrated jump seats
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

SPECIFICATIONS

Length	18' 2"
Length w/Swim Platform	19' 1"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	200 HP
Fuel Capacity	40 gal.
Max. Person Capacity	6 persons
Max. Person Weight	885 lbs.
Max. Person, Motor & Gear Weight	1,650 lbs.
Interior Depth	28.75"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	18.75"
Hull Material	.0.125 5052 marine alloy
Average Weight	2,205 lbs.
Average Package Weight	3,845 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 4"
Storage Length	22' 3"

STANDARD FEATURES (CONT.)

CONSTRUCTION & EXTERIOR
- Colors available:
  - DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull, transom & stringer system
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 3-bank battery charger
- 3 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

TRACKER boats

2026 TARGA™ V-19 WT

w/Mercury® 150 XL FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL Pro XS® FourStroke -		
• 200 XL Pro XS® FourStroke w/DTS controls		
• 225 XL Pro XS® FourStroke w/DTS controls		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Ski tow pylon receptacle
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 30-gal. (113.56 L), 16 x 40" (40.64 x 101.6 cm) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Dual 750 GPH (2,839 LPH) aerator/fill pumps
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- ***NEW*** Lowrance® Eagle 7 swivel color fishfinder + GPS w/CHIRP & TripleShot™ transducer
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 6 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed-position, sliding deluxe driver & passenger seats w/air-powered height adjustment & air-ride shock absorption
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite door below the port gunnel
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes

SPECIFICATIONS

Length	19'
Length w/Swim Platform	19' 10"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	225 HP
Fuel Capacity	47 gal.
Max. Person Capacity	8 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	18.5"
Hull Material	.0.125 5052 marine alloy
Average Weight	2,230 lbs.
Average Package Weight	4,245 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 9"
Storage Length	22' 8"

STANDARD FEATURES (CONT.)
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 1,100 GPH (4,164 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 3-bank battery charger
- 4 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication

STANDARD FEATURES (CONT.)

- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- WT Tournament Edition package:
  - Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
  - ***NEW*** bow & console Humminbird® XPLORE™ 9 fishfinders (MDI at bow, MSI at console)
  - Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

KICKER MOTOR

- Remote Kicker motor shifter for standard/MCMS steering
- Remote Kicker motor shifter for DTS/power steering
- Mercury® 9.9 EXLPT FourStroke Command Thrust ProKicker motor

FUNCTIONAL

- Woven floors & decks (replaces carpet)

PERFORMANCE & STEERING

- Power steering upgrade for DTS motor

COVER

- Rope ratchet cover—Charcoal
- Premium poleless rope ratchet cover—Black
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Black
- Front & walk-thru curtain set for optional Bimini top—Black
- Side & aft curtain set for optional Bimini top—Black

TRACKER boats

2026 TARGA™ V-19 WT TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
- ***NEW*** bow Humminbird® XPLORE™ 9 fishfinder w/MEGA Down Imaging®
- ***NEW*** console Humminbird® XPLORE™ 9 fishfinder w/MEGA Side Imaging®
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Ski tow pylon receptacle
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 30-gal. (113.56 L), 16 x 40" (40.64 x 101.6 cm) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Dual 750 GPH (2,839 LPH) aerator/fill pumps
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 6 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed-position, sliding deluxe driver & passenger seats w/air-powered height adjustment & air-ride shock absorption
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite door below the port gunnel
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

SPECIFICATIONS

Length	19'
Length w/Swim Platform	19' 10"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	225 HP
Fuel Capacity	47 gal.
Max. Person Capacity	8 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Hull Material	.0.125 5052 marine alloy
Average Weight	2,230 lbs.
Average Package Weight	4,245 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 9"
Storage Length	22' 8"

STANDARD FEATURES (CONT.)

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 1,100 GPH (4,164 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 4 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

TRACKER boats

2026 TARGA™ V-19 COMBO

w/Mercury® 150 XL FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL Pro XS® FourStroke	-	
• 200 XL Pro XS® FourStroke w/DTS controls		
• 225 XL Pro XS® FourStroke w/DTS controls		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Removable ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 15-gal. (56.78 L) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Dual 750 GPH (2,839 LPH) aerator/fill pumps
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- ***NEW*** Lowrance® Eagle 7 swivel color fishfinder + GPS w/CHIRP & TripleShot™ transducer
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 6 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage & removable seat cushions
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed-position, sliding deluxe driver & passenger seats w/air-powered height adjustment & air-ride shock absorption
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite door below the port gunnel
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck w/17"-wide (43.18 cm) integrated jump seats
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes

SPECIFICATIONS

Length	19'
Length w/Swim Platform	19' 10"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	225 HP
Fuel Capacity	47 gal.
Max. Person Capacity	8 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Draft	18.5"
Hull Material	.0.125 5052 marine alloy
Average Weight	2,230 lbs.
Average Package Weight	4,245 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 9"
Storage Length	22' 8"

STANDARD FEATURES (CONT.)
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 1,100 GPH (4,164 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 3-bank battery charger
- 4 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- 13" (33.02 cm) chrome wheels & matching hub covers w/radial tires
- Hubs designed for quick & easy hub lubrication

STANDARD FEATURES (CONT.)

- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

PACKAGE

- Combo Tournament Edition package:
  - Bow removable seat cushions
  - Aft deck w/split flip sections & 18"-wide (45.72 cm) jump seats
  - Removable ski tow pylon
  - Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
  - ***NEW*** bow & console Humminbird® XPLORE™ 9 fishfinders (MDI at bow, MSI at console)
  - Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

KICKER MOTOR

- Remote Kicker motor shifter for standard/MCMS steering
- Remote Kicker motor shifter for DTS/power steering
- Mercury® 9.9 EXLPT FourStroke Command Thrust ProKicker motor

FUNCTIONAL

- Woven floors & decks (replaces carpet)

PERFORMANCE & STEERING

- Power steering upgrade for DTS motor

COVER

- Rope ratchet cover—Charcoal
- Premium poleless rope ratchet cover—Black
- Bimini top w/boot, frame & VERSATRACK® attachment hardware—Black
- Front & walk-thru curtain set for optional Bimini top—Black
- Side & aft curtain set for optional Bimini top—Black

TRACKER boats

2026 TARGA™ V-19 COMBO TOURNAMENT EDITION

STANDARD FEATURES

TOURNAMENT EDITION
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging® & i-Pilot®
- ***NEW*** bow Humminbird® XPLORE™ 9 fishfinder w/MEGA Down Imaging®
- ***NEW*** console Humminbird® XPLORE™ 9 fishfinder w/MEGA Side Imaging®
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- Limited lifetime hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Easy-fill EPA-compliant fuel tank
- Bow & stern eyes
- 6 flip-up cleats including 2 midship cleats
- Aft swim platform w/boarding ladder
- Removable ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Lighted bow 19-gal. (71.92 L) aerated livewell w/timer, recirculator & pump-out system
- Aft 15-gal. (56.78 L) livewell w/port bait bucket holder (bucket not included), timer, recirculator & pump-out system
- Dual 750 GPH (2,839 LPH) aerator/fill pumps
- Dual 500 GPH (1,893 LPH) recirculating/pump-out pumps
- Molded 1-piece construction w/rounded corners for easy cleanup & to protect your catch
- Adjustable aerator heads for maximum water control

TROLLING MOTOR
- Thru-bolted trolling motor mount for extra strength

CONSOLE
- Port & starboard rotomolded consoles w/walk-thru windshields & hatch
- Passenger console w/lockable storage, drink holders & small items tray
- Integrated tackle storage in consoles
- Enclosed console bottom(s) w/removable panel
- Padded sport steering wheel
- SeaStar® tilt hydraulic steering
- Dash layout w/enough space to accept large fishfinders
- Starboard weather-protected AM/FM Bluetooth®-capable stereo
- Strategically placed instruments w/recessed gauges for easy visibility & reduced glare
- Illuminated multifunction tachometer/trim gauge & speedometer/fuel gauge
- Voltmeter & water pressure gauge
- Illuminated rocker switches
- Mercury® throttle control mount
- Charcoal console color

INTERIOR
- 6 pedestal seat base locations
- 2 movable & folding fishing seats w/360°-swivel & lock, & sturdy 2-3/8" (6.03 cm) seat pedestals
- Carpeted trolling motor deck w/drink holder
- Open storage compartment in bow panel
- Elevated bow & aft fishing decks w/large bow storage lids for easier access
- Bow starboard compartment box w/large, carpeted storage
- Bow padded backrests w/front-access console storage & removable seat cushions
- Bow center lockable rod box w/organizer for spinning & baitcast rods to 7' 6" (2.29 m)
- Starboard below-console storage w/lockable angled footrest
- Fixed-position, sliding deluxe driver & passenger seats w/air-powered height adjustment & air-ride shock absorption
- 2 top-loading rod boxes in the gunnels for rods to 9' (2.74 m)
- Lockable closed side storage w/composite door below the port gunnel
- In-floor center trolling battery storage compartment for up to 3 batteries
- Rotomolded, removable storage tray for in-floor storage compartment
- Aft center deck step w/lockable storage & 2 drink holders
- Aft deck w/17"-wide (43.18 cm) integrated jump seats
- Aft deck port removable rotomolded storage box
- Aft deck starboard rotomolded storage for fourteen 3700-series tackle boxes
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- 16-oz. (.45 kg) marine-grade, fishing-friendly carpet on decks & trim
- Low-maintenance commercial-grade, chemical-resistant vinyl cockpit floor
- Aft cranking battery & rigging lockable access hatch

PERFORMANCE
- Deep deadrise & reversed chines for a smoother, drier ride & better overall performance
- Set-back transom designed to deliver undisturbed water to the prop for faster, smoother takeoff & better overall performance
- Pressed-in strakes for optimal performance
- Factory-matched, performance-tested propeller

SPECIFICATIONS

Length	19'
Length w/Swim Platform	19' 10"
Beam	8' 6"
Bottom Width	7' 4"
Max. Recommended HP	225 HP
Fuel Capacity	47 gal.
Max. Person Capacity	8 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25"
Transom Height	23"
Deadrise At Bow	35°
Deadrise At Transom	20°
Hull Material	0.125 5052 marine alloy
Average Weight	2,230 lbs.
Average Package Weight	4,245 lbs.
Package Height	7'
Package Width	8' 6"
Towing Length	25' 9"
Storage Length	22' 8"

STANDARD FEATURES (CONT.)

CONSTRUCTION & EXTERIOR
- Colors available:
  - ***NEW*** DIAMOND COAT™ solid Dune gunnels, hull sides & bottom
  - ***NEW*** DIAMOND COAT™ solid Heritage Red gunnels, hull sides & bottom
  - DIAMOND COAT™ Starlite Black gunnels & hull sides w/Starlite Gray bottom
- DIAMOND COAT™ 3.0 finish — an industry-exclusive powdercoat for brilliant durability
- All-welded, 2-piece .125 aluminum Deep V hull w/wide beam & stable bottom for a smoother, drier ride in rough waters
- Robotically welded, all-aluminum box-beam transom w/corner braces welded in to unitize & strengthen the hull
- Expanding foam injected into hull cavities for added hull stiffening, flotation & a quieter ride
- Pressed-in hull strakes for enhanced performance
- Reverse chine hull design for drier ride & better handling
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- 8' 6" (2.59 m) beam for more interior room, plus wide 7' 4" (2.24 m) bottom for more stability
- 11" (27.94 cm) gunnels for structural strength & rigidity w/integrated storage below
- Full-length non-skid grip mats on top of gunnels
- Pressure-treated floor & deck(s) w/limited lifetime warranty
- All compartment lids are flush-mount, insulated, carpeted & all-aluminum for structural rigidity, tight fit & long-term durability
- Molded bow storage box/cooler w/raised lip for drier storage

ELECTRICAL
- 1,100 GPH (4,164 LPH) bilge pump
- Bow panel w/trolling motor receptacle, 12V outlet, bow aerator switch & trim switch
- Stowable navigation lights
- Bow & console courtesy lights
- Interior courtesy lights
- 4 battery trays
- Interstate® batteries: 1 cranking & 2 trolling
- 24V trolling motor harness
- Passenger console-mounted 12V outlet
- 2 additional 12V outlets on side panels
- Wiring system wrapped in abrasion-resistant protective conduit

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Inside-the-frame-brake line system w/1-point bleed
- Hydraulic drum brakes on both axles
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated steps & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 10 JON

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 3-year structural limited hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements

INTERIOR
- Center & aft bench seats
- Oarlock receptacles

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Durable, industry-exclusive, baked-on powdercoat finish for long-lasting good looks
- Flat bottom hull design
- All-welded 5052 marine aluminum alloy hull
- Pressed-in longitudinal corrugation for strength
- Transom corner braces
- Bow & stern lifting handles

SPECIFICATIONS

Length	9' 10"
Beam	4' 4"
Height	20"
Bottom Width	3'
Max. Recommended HP	3.5 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	2 persons
Max. Person Weight	330 lbs.
Max. Weight Capacity	380 lbs.
Interior Depth	15.5"
Transom Height	15.5"
Draft	5.75"
Hull Material	0.063 5052 marine alloy
Average Weight	115 lbs.
Average Package Weight	190 lbs.

OPTIONS

TRAILER
- 12' 6" (3.81 m) single-axle trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 12 JON

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 3-year structural limited hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements

INTERIOR
- Center & aft bench seats
- Oarlock receptacles

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Durable, industry-exclusive, baked-on powdercoat finish for long-lasting good looks
- Flat bottom hull design
- All-welded 5052 marine aluminum alloy hull
- Pressed-in longitudinal corrugation for strength
- Transom corner braces
- Bow & stern lifting handles

SPECIFICATIONS

Length	11' 11"
Beam	4' 4"
Height	20"
Bottom Width	3'
Max. Recommended HP	5 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity (U.S.)	3 persons
Max. Person Capacity (Canada)	2 persons
Max. Person Weight	365 lbs.
Max. Weight Capacity	480 lbs.
Interior Depth	15.5"
Transom Height	15.5"
Draft	6.5"
Hull Material	0.063 5052 marine alloy
Average Weight	130 lbs.
Average Package Weight	220 lbs.

OPTIONS

TRAILER
- 12' 6" (3.81 m) single-axle trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 14 JON

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 3-year structural limited hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements

INTERIOR
- Center & aft bench seats
- Oarlock receptacles

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Durable, industry-exclusive, baked-on powdercoat finish for long-lasting good looks
- Flat bottom hull design
- All-welded 5052 marine aluminum alloy hull
- Pressed-in longitudinal corrugation for strength
- Transom corner braces
- Bow & stern lifting handles

SPECIFICATIONS

Length	13' 10"
Beam	4' 5"
Height	20"
Bottom Width	3'
Max. Recommended HP	15 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity (U.S.)	3 persons
Max. Person Capacity (Canada)	2 persons
Max. Person Weight	345 lbs.
Max. Weight Capacity	580 lbs.
Interior Depth	15"
Transom Height	15.5"
Draft	.5.12"
Hull Material	0.063 5052 marine alloy
Average Weight	165 lbs.
Average Package Weight	315 lbs.

OPTIONS

TRAILER
- 12' 6" (3.81 m) single-axle trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 15 JON

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 3-year structural limited hull warranty
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements

INTERIOR
- Center 9.5-gal. (35.96 L) wetwell
- Oversized center & aft bench seats
- Oarlock receptacles

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional ***NEW*** TrueTimber® Grassland or ***NEW*** TrueTimber® Woodland camo patterns (at additional cost)
- Durable, industry-exclusive, baked-on powdercoat finish for long-lasting good looks
- Flat bottom hull design
- All-welded 5052 marine aluminum alloy hull
- Pressed-in longitudinal corrugation for strength
- Transom corner braces
- Bow & stern lifting handles

SPECIFICATIONS

Length	15'
Beam	5'
Height	24"
Bottom Width	3' 6"
Max. Recommended HP	25 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	3 persons
Max. Person Weight	400 lbs.
Max. Weight Capacity	775 lbs.
Interior Depth	16"
Transom Height	16.5"
Draft	6.62"
Hull Material	0.063 5052 marine alloy
Average Weight	190 lbs.
Average Package Weight	450 lbs.

OPTIONS

EXTERIOR
- ***NEW*** TrueTimber® Grassland camo pattern
- ***NEW*** TrueTimber® Woodland camo pattern

TRAILER
- 12' 6" (3.81 m) single-axle trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1648 UTILITY

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 tie-off cleats

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- Bow & aft pedestal seat base locations
- Bow deck lockable storage
- Sure Tread™ non-skid interior
- Grab handles

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional ***NEW*** TrueTimber® Grassland or ***NEW*** TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- 2-piece, .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

SPECIFICATIONS

Length	16' 1"
Beam	6'
Bottom Width	4'
Max. Recommended HP	40 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	555 lbs.
Max. Person, Motor & Gear Weight	1,055 lbs.
Interior Depth	16"
Transom Height	21"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Weight	640 lbs.
Average Package Weight	1,305 lbs.
Package Height	6' 1"
Package Width	6'
Towing Length	20' 4"
Storage Length	20' 4"

OPTIONS

EXTERIOR
- ***NEW*** TrueTimber® Grassland camo pattern
- ***NEW*** TrueTimber® Woodland camo pattern

TRAILER
- 16' (4.88 m) single-axle, custom-matched trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1754 UTILITY

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 tie-off cleats

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- Bow & aft pedestal seat base locations
- Bow deck lockable storage
- Sure Tread™ non-skid interior
- Grab handles

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional ***NEW*** TrueTimber® Grassland or ***NEW*** TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- 2-piece, .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

SPECIFICATIONS

Length	17' 1"
Beam	6' 6"
Bottom Width	4' 6"
Max. Recommended HP	50 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	6 persons
Max. Person Weight	800 lbs.
Max. Person, Motor & Gear Weight	1,300 lbs.
Interior Depth	16.75"
Transom Height	21"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Weight	670 lbs.
Average Package Weight	1,430 lbs.
Package Height	6' 6"
Package Width	6' 6"
Towing Length	21' 6"
Storage Length	21' 6"

OPTIONS

EXTERIOR
- ***NEW*** TrueTimber® Grassland camo pattern
- ***NEW*** TrueTimber® Woodland camo pattern

TRAILER
- 17' (5.18 m) single-axle, custom-matched trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1860 UTILITY

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 tie-off cleats

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- Bow & aft pedestal seat base locations
- Bow deck lockable storage
- Sure Tread™ non-skid interior
- Grab handles

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- 2-piece, .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

SPECIFICATIONS

Length	18' 1"
Beam	7'
Bottom Width	5'
Max. Recommended HP	60 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	8 persons
Max. Person Weight	1,050 lbs.
Max. Person, Motor & Gear Weight	1,550 lbs.
Interior Depth	17"
Transom Height	22"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Dry Weight	795 lbs.
Average Package Weight	1,645 lbs.
Package Height	6' 8"
Package Width	7'
Towing Length	23' 2"
Storage Length	23' 2"

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

TRAILER
- 18' (5.49 m) single-axle, custom-matched trailer
- 18' (5.49 m) single-axle, custom-matched trailer w/brakes

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 2072 UTILITY

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 tie-off cleats

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- 1 bow deck & 1 aft deck pedestal seat base locations
- Bow deck lockable storage
- Port & starboard side rod holders
- Lockable aft deck storage
- Sure Tread™ non-skid interior
- Grab handles

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Integrated sponsons at the stern for quicker planing & better shallow-water performance
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- 2-piece, .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

SPECIFICATIONS

Length	21' 5"
Beam	8' 3"
Bottom Width	6'
Max. Recommended HP	60 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	9 persons
Max. Person Weight	1,235 lbs.
Max. Person, Motor & Gear Weight	1,900 lbs.
Interior Depth	18"
Transom Height	25"
Deadrise	7°
Draft	10"
Hull Material	0.100 5052 marine alloy
Average Weight	1,135 lbs.
Average Package Weight	2,165 lbs.
Package Height	7'
Package Width	8' 2"
Towing Length	26' 2"
Storage Length	26' 2"

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

TRAILER
- 20' (6.1 m) single-axle, custom-matched trailer
- 20' (6.1 m) single-axle, custom-matched trailer w/brakes
- 20' (6.1 m) tandem-axle, custom-matched trailer w/brakes

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1648 SC

w/Mercury® 20 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 EL FourStroke	-	
• 25 ELPT FourStroke	-	
• 40 ELPT FourStroke	-	
• 50 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes
- 4 tie-off cleats
- Navigation lights

LIVEWELL SYSTEM
- 9-gal. (34.07 L) rotomolded & aerated livewell w/rounded corners (integrated into front of the molded console)

CONSOLE
- Rotomolded side console
- Sport steering wheel
- Rotomolded aerated livewell integrated into front of console

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- Bow & aft pedestal seat base locations
- Bow deck lockable storage
- Sure Tread™ non-skid interior

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional ***NEW*** TrueTimber® Grassland or ***NEW*** TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- 2-piece, .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- LED bow courtesy/navigation light
- Interstate® cranking battery
- Pre-wired to accept optional trolling motor

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 12" (30.48 cm) wheels/tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Carpeted bunks to protect hull
- Submersible lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	16' 1"
Beam	6'
Bottom Width	4'
Max. Recommended HP	50 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	1,055 lbs.
Interior Depth	15.75"
Transom Height	21"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Weight	730 lbs.
Average Package Weight	1,395 lbs.
Package Height	6' 1"
Package Width	6'
Towing Length	20' 4"
Storage Length	20' 4"

OPTIONS

EXTERIOR
- ***NEW*** TrueTimber® Grassland camo pattern
- ***NEW*** TrueTimber® Woodland camo pattern

FUNCTIONAL
- MarineMat kit (dealer installed)
- MarineMat w/cockpit flooring kit (dealer installed)

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1754 SC

w/Mercury® 40 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 EL FourStroke	-	
• 25 ELPT FourStroke	-	
• 60 ELPT FourStroke	-	
• 75 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 tie-off cleats
- Navigation lights

LIVEWELL SYSTEM
- 9-gal. (34.07 L) rotomolded & aerated livewell w/rounded corners (integrated into front of the molded console)

CONSOLE
- Rotomolded side console
- Sport steering wheel
- Rotomolded aerated livewell integrated into front of console
- Fuel gauge

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- 1 bow & 1 aft deck pedestal seat base locations w/1 movable fishing chair
- Bow deck lockable storage
- Port side rod holders
- Fixed helm & buddy seats w/cushion (***NEW*** matching TrueTimber® camo cushion when optional camo boat pattern is chosen)
- Sure Tread™ non-skid interior

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Built-in fuel tank
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional ***NEW*** TrueTimber® Grassland or ***NEW*** TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- 2-piece, .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- LED bow courtesy/navigation light
- Interstate® cranking battery
- Pre-wired to accept optional trolling motor

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	17' 1"
Beam	6' 6"
Bottom Width	4' 6"
Max. Recommended HP	75 HP
Fuel Capacity	9.5 gal.
Max. Person Capacity	5 persons
Max. Person Weight	720 lbs.
Max. Person, Motor & Gear Weight	1,250 lbs.
Interior Depth	16.75"
Transom Height	21"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Weight	885 lbs.
Average Package Weight	1,760 lbs.
Package Height	6' 6"
Package Width	6' 6"
Towing Length	21' 6"
Storage Length	21' 6"

OPTIONS

EXTERIOR
- ***NEW*** TrueTimber® Grassland camo pattern
- ***NEW*** TrueTimber® Woodland camo pattern

FUNCTIONAL
- MarineMat kit (dealer installed)
- MarineMat w/cockpit flooring kit (dealer installed)

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1860 CC

w/Mercury® 60 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 90 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 tie-off cleats
- Navigation lights

LIVEWELL SYSTEM
- 9-gal. (34.07 L) molded & aerated livewell at front of center console w/padded cushion-top seat & padded backrest

CONSOLE
- Rotomolded center console w/windscreen
- Sport steering wheel
- BayStar® hydraulic steering
- Storage area w/curtain
- Vertical rod holders
- Tachometer & fuel gauge
- Textured grab rail

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- Bow & aft pedestal seat base locations
- Bow deck lockable storage
- Port & starboard side rod holders
- Padded helm cushion (***NEW*** matching TrueTimber® camo cushion when optional camo boat pattern is chosen)
- Sure Tread™ non-skid interior

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Built-in fuel tank
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Integrated sponsons at the stern for quicker planing & better shallow-water performance
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- LED bow courtesy/navigation light
- Interstate® cranking battery
- Pre-wired to accept optional trolling motor

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	19' 2"
Beam	7'
Bottom Width	5'
Max. Recommended HP	90 HP
Fuel Capacity	19.2 gal.
Max. Person Capacity	7 persons
Max. Person Weight	940 lbs.
Max. Person, Motor & Gear Weight	1,500 lbs.
Interior Depth	16.75"
Transom Height	22"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Weight	1,020 lbs.
Average Package Weight	2,050 lbs.
Package Height	6' 8"
Package Width	7'
Towing Length	23' 2"
Storage Length	23' 2"

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

FUNCTIONAL
- MarineMat kit (factory installed only)
- MarineMat w/cockpit flooring kit (factory installed only)

TRAILER
- Brakes for standard trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 2072 CC

w/Mercury® 115 EXLPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 90 EXLPT FourStroke	-	
• 150 XL FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 tie-off cleats
- Navigation lights

LIVEWELL SYSTEM
- Bow 32-gal. (121.13 L) rotomolded & aerated livewell w/divider & rounded corners
- 9-gal. (34.07 L) molded & aerated livewell at front of center console w/padded cushion-top seat & padded backrest

CONSOLE
- Rotomolded center console w/windscreen
- Sport steering wheel
- BayStar® hydraulic steering
- Storage area w/curtain
- Vertical rod holders
- Tachometer & fuel gauge
- Textured grab rail

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- 3 bow deck & 2 aft deck pedestal seat base locations
- Bow deck lockable storage
- Port & starboard side rod holders
- Padded helm cushion (*NEW* matching TrueTimber® camo cushion when optional camo boat pattern is chosen)
- Lockable aft deck storage
- Sure Tread™ non-skid interior

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Built-in fuel tank
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Integrated sponsons at the stern for quicker planing & better shallow-water performance
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- LED bow courtesy/navigation light
- Interstate® cranking battery
- Pre-wired to accept optional trolling motor

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	21' 5"
Beam	8' 3"
Bottom Width	6'
Max. Recommended HP	150 HP
Fuel Capacity	19.2 gal.
Max. Person Capacity	9 persons
Max. Person Weight	1,230 lbs.
Max. Person, Motor & Gear Weight	1,900 lbs.
Interior Depth	18"
Transom Height	25"
Deadrise	7°
Draft	10"
Hull Material	0.100 5052 marine alloy
Average Weight	1,480 lbs.
Average Package Weight	3,070 lbs.
Package Height	7'
Package Width	8' 2"
Towing Length	26' 2"
Storage Length	26' 2"

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

FUNCTIONAL
- MarineMat kit (factory installed only)
- MarineMat w/cockpit flooring kit (factory installed only)

TRAILER
- Brakes for standard trailer
- Tandem-axle trailer w/brakes on both axles

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1650 T PRAIRIE WINGS EDITION

w/Mercury® 25 ELHPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• No Motor	-	
• 40 ELHPT FourStroke	-	
• 50 ELHPT FourStroke	-	
• 60 ELHPT FourStroke (no longer available)		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes

INTERIOR
- Roomy front deck w/more space for duck hunting
- Bow & aft pedestal seat base locations
- Bow deck lockable storage
- Oversized bow storage w/90° lid
- Angled aft bench seat
- Dry storage in aft port seat pod
- Sure Tread™ non-skid interior
- Floor & rail-mounted tie-down points

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Structurally-aligned transom system
- Icebreaker keel
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- 3" (7.62 cm) Sch 40 bull nose bow
- Integrated spud pole tubes in bow cap & rear step pods
- Heavy-duty extruded aluminum gunnels for structural strength & rigidity
- Heavy-duty extruded bow chines & keel for a stronger hull
- 2-piece, .125 5052 marine grade aluminum hull
- Integrated rear transom steps
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)
- 2" (5.08 cm) washout drain & plug

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Rocker switches for nav lights & bilge pump
- Pre-routed rigging tubes for accessories

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) aluminum wheels/tires w/matching spare
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	16' 4"
Beam	5'
Bottom Width	4' 2"
Max. Recommended HP	50 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	1,200 lbs.
Interior Depth	21.3"
Transom Height	21"
Deadrise	7°
Hull Material	.0.125 5052 marine alloy
Average Weight	765 lbs.
Average Package Weight	1,500 lbs.
Package Height	5' 4"
Package Width	6' 5"
Towing Length	21'
Storage Length	21'

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

FUNCTIONAL
- Millennium seat kit (includes 2 seats & 1 pedestal)
- Dura-Trac® marine flooring
- Kickback plate

TRAILER
- Brakes for standard trailer
- EZ Loader® aluminum trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 1654 T SPORTSMAN

w/Mercury® 25 ELHPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 30 ELHPT FourStroke	-	
• 40 ELHPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 tie-off cleats
- Navigation lights
- Horn

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- 1 bow & 1 aft deck pedestal seat base locations w/1 movable fishing chair
- Bow deck lockable storage
- Port side lockable rod box
- Starboard side lockable & removable gun box w/carry handle
- Angled aft bench seat w/cushion (***NEW*** matching TrueTimber® camo cushion when optional camo boat pattern is chosen)
- Sure Tread™ non-skid interior

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Trolling motor mounting surface along bow edge

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional ***NEW*** TrueTimber® Grassland or ***NEW*** TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Integrated sponsons at the stern for quicker planing & better shallow-water performance
- Rubberized grip steps on sponsons for dogs boarding from the water
- Stake-down eyes at 4 corners of the deck permit setting of anchor poles (not included) to hold boat in place
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- LED bow courtesy/navigation light
- Interior courtesy lighting
- Interstate® cranking battery
- Toggle switches for nav lights & bilge pump
- Pre-wired to accept optional trolling motor

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length w/Sponsons	17' 4"
Beam	6' 6"
Bottom Width	4' 6"
Max. Recommended HP	40 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	640 lbs.
Max. Person, Motor & Gear Weight	1,100 lbs.
Interior Depth	16.75"
Transom Height	23"
Deadrise	7°
Hull Material	0.100 5052 marine alloy
Average Weight	745 lbs.
Average Package Weight	1,490 lbs.
Package Height	5' 10"
Package Width	6' 6"
Towing Length	21' 4"
Storage Length	21' 4"

OPTIONS

EXTERIOR
- ***NEW*** TrueTimber® Grassland camo pattern
- ***NEW*** TrueTimber® Woodland camo pattern

FUNCTIONAL
- ***NEW*** MarineMat w/cockpit flooring kit (dealer installed)

TRAILER
- Brakes for standard trailer

GRIZZLY ALL-WELDED BOATS

NEW 2026 GRIZZLY® 1756 T MARSH

w/Mercury® 40 ELHPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• No Motor	-	
• 60 ELHPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- Bow & stern eyes

INTERIOR
- Roomy front deck w/more space for fishing/hunting
- Bow & aft pedestal seat base locations
- Recessed trolling motor pedal tray/day box in bow deck
- Bow deck lockable storage
- Oversized bow storage w/90° lid
- Port side lockable gun box
- Angled aft bench seat w/storage
- Sure Tread™ non-skid interior
- Floor & rail-mounted tie-down points

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Structurally-aligned transom system
- HD multi-chamber transom extrusion
- Icebreaker keel w/keel-spine technology
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- 3" (7.62 cm) Sch 40 bull nose bow
- Integrated spud pole tubes in bow cap & rear step pods
- Heavy-duty extruded aluminum gunnels for structural strength & rigidity
- Heavy-duty extruded bow chines & keel for a stronger hull
- 2-piece, .125 5052 marine grade aluminum hull
- Integrated rear transom steps
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability
- Welded, drained rain channels for drier storage in bow compartment(s)
- 2" (5.08 cm) washout drain & plug

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Rocker switches for nav lights & bilge pump
- Pre-routed rigging tubes for accessories

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) aluminum wheels/tires w/matching spare
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	17' 6"
Beam	6' 6"
Bottom Width	4' 8"
Max. Recommended HP	60 HP
Fuel Capacity (Portable)	6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	1,250 lbs.
Interior Depth	21.3"
Transom Height	21"
Deadrise	7°
Hull Material	.0.125 5052 marine alloy
Average Weight	955 lbs.
Average Package Weight	1,735 lbs.
Package Height	5' 4"
Package Width	6' 10"
Towing Length	23' 1"
Storage Length	21' 8"

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

FUNCTIONAL
- Bimini top (dealer installed)
- Millennium seat kit (includes 2 seats & 1 pedestal)
- Dura-Trac® flooring
- Bob's Machine™ manual kickback plate

TRAILER
- Brakes for standard trailer
- EZ Loader® aluminum trailer

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 2072 CC SPORTSMAN

w/Mercury® 115 EXLPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 150 XL FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow & stern eyes
- 4 tie-off cleats
- Navigation lights
- Horn

LIVEWELL SYSTEM
- Bow 15-gal. (56.78 L) rotomolded & aerated livewell w/bait bucket holder & rounded corners

TROLLING MOTOR
- Minn Kota® Riptide Fortrex® SF 36V, 112-lb. (50.80 kg) thrust, 62" (1.57 m) shaft, hand-control trolling motor
- Quick-release trolling motor brackets

CONSOLE
- Rotocasted console w/windscreen
- Lowrance® HOOK Reveal 5 fishfinder
- Sport steering wheel
- BayStar® hydraulic steering
- Storage area w/door & latch
- Vertical rod holders
- Tachometer & fuel gauge
- Textured grab rail

LEANING POST
- Padded helm seat w/flip-up cushion (*NEW* matching TrueTimber® camo cushion when optional camo boat pattern is chosen)
- 2 rod holders
- 2 drink holders
- Dry storage

INTERIOR
- Removable & elevated bow shooting deck w/trim switch, railing, rail-mounted utility tray w/arrow, tool & drink holders, 2 pedestal seat base locations & 160W Outrigger Outdoors® bowfishing lights
- 3 bow & 2 aft pedestal seat base locations w/2 movable bike seats
- Bow center deck storage
- Lockable port & starboard deck storage compartments for bows
- 2 rear cooler/storage compartments
- Lockable aft deck storage
- Sure Tread™ non-skid interior

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Built-in fuel tank

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Integrated sponsons at the stern for quicker planing & better shallow-water performance
- Rubberized grip steps on sponsons for dogs boarding from the water
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Six 160W Outrigger Outdoors® Swamp Eye® HD bowfishing lights gradually adjust an improved output of 24,000+ lumens from warm white to cool white to increase visibility in clear or muddy water, w/building block wiring harness & control dial
- LED bow navigation light
- Console courtesy lighting
- Interior strip lights
- 3-bank battery charger
- 4 Interstate® batteries: 1 cranking & 3 trolling

SPECIFICATIONS

Length w/Sponsons	21' 5"
Beam	8' 6"
Bottom Width	6'
Max. Recommended HP	150 HP
Fuel Capacity	19.2 gal.
Max. Person Capacity	5 persons
Max. Person Weight	1,000 lbs.
Max. Person, Motor & Gear Weight	1,800 lbs.
Interior Depth	18"
Transom Height	25"
Deadrise	7°
Draft	11"
Hull Material	0.100 5052 marine alloy
Average Weight	1,930 lbs.
Average Package Weight	3,560 lbs.
Package Height	6' 9"
Package Width	8' 2"
Towing Length	27' 8"
Storage Length	27' 8"

STANDARD FEATURES (CONT.)
- Onboard FIRMAN® W2100i, 1700W Inverter generator to power LED lighting
- Lighted rocker switches for nav lights, bilge pump & aerator pump
- Remote light switch for fishing lights on bowfishing deck

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Brakes on both axles
- 13" (33.02 cm) wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern

GRIZZLY ALL-WELDED BOATS

2026 GRIZZLY® 2072 CC SPORTSMAN KICKER

w/Mercury® 150 XL FourStroke, 9.9 EL FourStroke Kicker Motor & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 EXLPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- Backed by the TRACKER® PROMISE—the best factory warranty in aluminum boats
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Propeller guard on kicker motor
- Bow & stern eyes
- 4 tie-off cleats
- Horn

KICKER & TROLLING MOTOR
- Mercury® 9.9 EL FourStroke kicker motor
- Minn Kota® Riptide Fortrex® SF 36V, 112-lb. (50.80 kg) thrust, 62" (1.57 m) shaft, hand-control trolling motor
- 2 quick-release trolling motor brackets

CONSOLE
- Rotocasted console w/windscreen
- Lowrance® HOOK Reveal 5 fishfinder
- Sport steering wheel
- BayStar® hydraulic steering
- Searchlight/docking switch
- Wet Sounds® head unit w/2 speakers
- Storage area w/door & latch
- Vertical rod holders
- Tachometer & fuel gauge
- Textured grab rail

LEANING POST
- Padded helm seat w/flip-up cushion (*NEW* matching TrueTimber® camo cushion when optional camo boat pattern is chosen)
- 2 rod holders
- 2 drink holders
- Dry storage

INTERIOR
- Fixed & elevated bow shooting deck w/railing, rail-mounted utility tray w/arrow, tool & drink holders, 2 pedestal seat base locations, 160W Outrigger Outdoors® bowfishing lights & under-deck storage compartments
- Kicker-outboard control tower on elevated bow shooting deck w/throttle & stick-steering system w/drive-by wire (folds down for storage/towing)
- 2 lighted, port & starboard lockable storage compartments for up to 4 bows in shooting deck
- Lighted center lockable large storage compartment in shooting deck
- Port & starboard side storage compartments
- 2 rear cooler/storage compartments
- Outrigger Outdoors® light control dial on shooting deck
- Syntec® non-skid mat flooring for shooting deck
- Sure Tread™ non-skid interior

PERFORMANCE
- 4" (10.16 cm) hydraulic jack plate for kicker motor
- 12" (30.48 cm) manually adjustable jack plate for main motor

FUNCTIONAL
- Exclusive VERSATRACK® accessory-mounting channel in gunnels
- Built-in fuel tank

CONSTRUCTION & EXTERIOR
- Color: Forest Green
- Available in optional TrueTimber® Grassland or TrueTimber® Woodland camo patterns (at additional cost)
- Industry-exclusive, baked-on powdercoat finish w/Sure Tread™ for long-lasting durability, color & good looks
- 100% aluminum, wood-free construction
- Thick .190 aluminum floor for added rigidity & a quieter ride
- 7° deadrise for a smoother, drier ride
- Welded-in, foam-filled interior side walls for quieter ride & structural strength
- Heavy-duty 1-piece, extruded aluminum gunnels for structural strength & rigidity
- Extruded bow chines for a stronger hull
- .100 5052 marine grade aluminum hull
- All-aluminum box-beam transom w/corner braces—welded in to unitize & strengthen the hull
- Transom motor-mounting plate for increased strength & durability
- Welded-in longitudinal stringer system for full-length support along the running surface
- Pressed-in strakes for structural strength & tracking stability

SPECIFICATIONS

Length w/Kicker Extension	21' 5"
Beam	8' 6"
Bottom Width	6'
Max. Recommended HP	150 HP
Fuel Capacity	30 gal.
Max. Person Capacity	5 persons
Max. Person Weight	1,000 lbs.
Max. Person, Motor & Gear Weight	1,800 lbs.
Interior Depth	18"
Transom Height	25"
Deadrise	7°
Draft	11"
Hull Material	0.100 5052 marine alloy
Average Weight	2,060 lbs.
Average Package Weight	3,850 lbs.
Package Height	7' 4"
Package Width	8' 2"
Towing Length	27' 8"
Storage Length	27' 8"

STANDARD FEATURES (CONT.)

ELECTRICAL
- 800 GPH (3,028 LPH) bilge pump
- Outrigger Outdoors® DURANAV® marine-grade LED searchlight on bow for search & rescue, docking & safe driving practices
- Eight 160W Outrigger Outdoors® Swamp Eye® HD bowfishing lights gradually adjust an improved output of 24,000+ lumens from warm white to cool white to increase visibility in clear or muddy water, w/building block wiring harness & control dial
- LED bow navigation light
- Console courtesy lighting
- Interior strip lights
- 3-bank battery charger
- 5 Interstate® batteries: 1 cranking, 3 trolling & 1 kicker
- Onboard FIRMAN® W2100i, 1700W Inverter generator to power LED lighting
- Lighted rocker switches for nav lights & bilge pump
- Remote light switch for fishing lights at console

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Brakes on both axles
- 13" (33.02 cm) wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Pivot-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Heavy-duty upright load guides for easy, centered loading
- Carpeted bunks to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package)
- Safety cables

OPTIONS

EXTERIOR
- TrueTimber® Grassland camo pattern
- TrueTimber® Woodland camo pattern


NITRO
PERFORMANCE FISHING BOATS

NITRO PERFORMANCE FISHING BOATS

2026 Z17

w/Mercury® 115 ELPT Pro XS® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 ELPT Pro XS® FourStroke Command Thrust		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel, angled cleats flushed w/gunnels
- 2 grab handles (1 at passenger, 1 at transom)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 23-gal. (87.06 L) rotomolded GUARDIAN™ livewell w/divider, timer & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) livewell recirculation/pump-out system

TROLLING MOTOR
- Minn Kota® Edge® 12V, 55-lb. (24.95 kg) thrust, 45" (1.14 m) shaft trolling motor w/mount
- Trolling motor pedal recess

CONSOLE
- Custom-molded modular console w/2-tone gelcoat
- Removable acrylic, tinted plexiglass windscreen
- Lowrance® Eagle 4 flush-mounted fishfinder
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Water-resistant switch panels
- Mechanical tilt rotary steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console
- Room to flush-mount optional, exchanged 9" (22.86 cm) fishfinder

INTERIOR
- 32-sq.-ft. (3.0-sq.-m) bow deck for casting mobility
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers for rods up to 7' (2.13 m)
- Oversized lockable bow center storage locker w/lift assist & organizer for 4 rods up to 7' 6" (2.29 m)
- Step to bow deck w/42-qt. (39.75 L) insulated cooler
- Footrest w/non-skid mat under console(s)
- Driver & passenger bucket seats w/molded-in storage below
- Step to aft deck w/polymer lid
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Lockable latches

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Black hardware

ELECTRICAL
- Bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount 9" (22.86 cm) fishfinder
- LED console courtesy light
- Interstate® cranking battery
- Heavy-duty Interstate® trolling battery

SPECIFICATIONS

Length	17' 4"
Beam	7' 6"
Bottom Width	6'
Max. Recommended HP	115 HP
Fuel Capacity	24 gal.
Max. Person Capacity	3 persons
Max. Person Weight	460 lbs.
Max. Person, Motor & Gear Weight	1,100 lbs.
Interior Depth	16.25"
Transom Height	20.5"
Deadrise	16°
Draft	15"
Average Weight	1,450 lbs.
Average Package Weight	2,650 lbs.
Bridge Clearance	6' 2"
Package Height	5' 3.5"
Package Width	7' 11.5"
Towing Length	23' 8"
Storage Length	20' 9"

STANDARD FEATURES (CONT.)
- 2-bank, 10-amp battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, single-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) chrome wheels w/radial tires
- Spare tire carrier (spare tire available at additional cost)
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

BOW FISHFINDER
- Bow Lowrance® Eagle 5
- Bow Lowrance® Eagle 7
- Bow Lowrance® Elite FS® 7

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Eagle 5
- Console Lowrance® Eagle 7

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM60 trolling battery (for 12V system)
- 2 TRACKER® Lithium WRM60 trolling batteries (for 24V system)

CUSHION & SEATING
- Hydraulic pedestal (exchange)
- Center seat

PERFORMANCE & STEERING
- Tilt hydraulic steering

TROLLING MOTOR
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m) shaft trolling motor

FUNCTIONAL
- Removable port console & hardware (factory installed)
- Automatic bilge pump
- 2 oxygen generators
- Keel protector—Black
- Keel protector—White

COVER
- Mooring cover for side console—Charcoal
- Mooring cover for dual consoles—Charcoal

TRAILER
- Brakes for standard trailer
- 13" (33.02 cm) single-axle aluminum wheels w/spare tire

NITRO PERFORMANCE FISHING BOATS

2026 Z18

w/Mercury® 150 L Pro XS® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 175 L Pro XS® FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Black non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 30-gal. (113.56 L) rotomolded GUARDIAN™ livewell w/divider, timer & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) livewell recirculation/pump-out system
- Livewell control valve

TROLLING MOTOR
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m) shaft trolling motor w/mount
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- Lowrance® Eagle 5 flush-mounted fishfinder
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Water-resistant switch panels
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- 34-sq.-ft. (3.2-sq.-m) bow deck for casting mobility
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)
- Oversized lockable bow center storage locker
- Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash receptacle
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Low driver & passenger flat seat mounting
- Designated net storage behind seating
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Lockable latches

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

SPECIFICATIONS

Length	18' 8"
Beam	7' 10"
Bottom Width	6' 3"
Max. Recommended HP	175 HP
Fuel Capacity	40 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	1,350 lbs.
Interior Depth	18.5"
Transom Height	22.5"
Deadrise	16°
Draft	15"
Average Weight	1,700 lbs.
Average Package Weight	3,200 lbs.
Package Height	6' 4"
Package Width	8' 6"
Towing Length	24' 1"
Storage Length	21' 3"

STANDARD FEATURES (CONT.)

ELECTRICAL
- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount most 12" (30.5 cm) fishfinders
- LED console courtesy light
- Interstate® cranking battery
- 2 heavy-duty Interstate® trolling batteries
- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, single-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) chrome wheels w/radial tires
- Hub system w/1-year limited warranty
- Spare tire
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Eagle 5
- Bow Lowrance® Eagle 7
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- 2nd bow Garmin® ECHOMAP™ UHD2 93sv w/LiveScope™ Plus System (uninstalled)
- 2nd bow Garmin® ECHOMAP™ Ultra 2 106sv w/LiveScope™ Plus System (uninstalled)
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv w/LiveScope™ Plus System (uninstalled)

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Elite FS® 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™

OPTIONS (CONT.)

- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ UHD2 93sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER

- NOCO® GB40 jump starter pack
- 1 TRACKER® Lithium WRM100 starting battery & 2 WRM100 trolling batteries (for 24V system)

LIGHTING

- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING

- Hydraulic pedestal (exchange)
- Center seat
- Center seat storage (replaces seat)

PERFORMANCE & STEERING

- Hot Foot® throttle
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR

- Lowrance® Ghost® 24V, 97-lb. (44.0 kg) thrust, 47" (1.19 m) shaft trolling motor
- Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Down Imaging®
- Minn Kota® Ultrex™ QUEST™ 24V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 24V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ QUEST™ 24V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 24V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Garmin® Force® Pro 24V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Garmin® Force® Pro 24V, 100-lb. (45.36 kg) thrust, 57" (1.45 m) shaft trolling motor

FUNCTIONAL

- Removable port console & hardware (factory installed)
- Port under deck storage drawer
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- Automatic bilge pump
- 2 oxygen generators
- TACKLE MANAGEMENT SYSTEM™ w/center box dividers
- Port rod organizer
- Snap-in sandwich tray for cooler box
- Bow NITRO® carpet graphic
- Anti-fatigue mat
- Keel protector—Black
- Keel protector—White
- 6" (15.24 cm) R&R Design adjustable jack plate—Black
- 6" (15.24 cm) Bob's Machine™ hydraulic jack plate—Black
- 1 Minn Kota® Talon 10' (3.05 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Talon 10' (3.05 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER

- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for side console w/pod—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal
- 2-tone mooring cover for dual consoles w/pod—Black & Charcoal

TRAILER

- Brakes for standard trailer
- Tandem-axle trailer upgrade w/brakes on both axles
- Tandem-axle trailer upgrade w/brakes on both axles, 14" (35.56 cm) tire/wheel upgrade & spare tire (must also order fiberglass fenders option)
- Fiberglass fenders for tandem-axle trailer
- 14" (35.56 cm) single-axle aluminum wheels w/spare tire
- 14" (35.56 cm) tandem-axle aluminum wheels w/spare tire
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 Z18 PRO

w/Mercury® 150 L Pro XS® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 175 L Pro XS® FourStroke	-	

STANDARD FEATURES

PRO
- ***NEW*** Garmin® Force® Pro 24V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ UHD2 7" (17.78 cm) sv flush-mounted fishfinder
- Console Garmin® ECHOMAP™ UHD2 7" (17.78 cm) sv gimbal-mounted fishfinder
- Factory-applied keel protector

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Black non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- Aft 30-gal. (113.56 L) rotomolded GUARDIAN™ livewell w/divider, timer & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 500 GPH (1,893 LPH) livewell recirculation/pump-out system
- Livewell control valve

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Water-resistant switch panels
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- 34-sq.-ft. (3.2-sq.-m) bow deck for casting mobility
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)
- Oversized lockable bow center storage locker
- Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash receptacle
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Low driver & passenger flat seat mounting
- Designated net storage behind seating
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Lockable latches

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

SPECIFICATIONS

Length	18' 8"
Beam	7' 10"
Bottom Width	6' 3"
Max. Recommended HP	175 HP
Fuel Capacity	40 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	1,350 lbs.
Interior Depth	18.5"
Transom Height	22.5"
Deadrise	16°
Draft	15"
Average Weight	1,700 lbs.
Average Package Weight	3,200 lbs.
Package Height	6' 4"
Package Width	8' 6"
Towing Length	24' 1"
Storage Length	21' 3"

STANDARD FEATURES (CONT.)

ELECTRICAL
- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount most 12" (30.5 cm) fishfinders
- LED console courtesy light
- Interstate® cranking battery
- 2 heavy-duty Interstate® trolling batteries
- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, single-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) chrome wheels w/radial tires
- Hub system w/1-year limited warranty
- Spare tire
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Garmin® ECHOMAP™ UHD2 93sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER
- NOCO® GB40 jump starter pack
- 1 TRACKER® Lithium WRM100 starting battery & 2 WRM100 trolling batteries (for 24V system)

LIGHTING
- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING
- Hydraulic pedestal (exchange)
- Center seat
- Center seat storage (replaces seat)

PERFORMANCE & STEERING
- Hot Foot® throttle
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)

FUNCTIONAL
- Removable port console & hardware (factory installed)
- Port under deck storage drawer
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat

OPTIONS (CONT.)

- Automatic bilge pump
- 2 oxygen generators
- TACKLE MANAGEMENT SYSTEM™ w/center box dividers
- Port rod organizer
- Snap-in sandwich tray for cooler box
- Bow NITRO® carpet graphic
- Anti-fatigue mat
- 6" (15.24 cm) R&R Design adjustable jack plate—Black
- 6" (15.24 cm) Bob's Machine™ hydraulic jack plate—Black
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER

- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER

- Brakes for standard trailer
- Tandem-axle trailer upgrade w/brakes on both axles
- Tandem-axle trailer upgrade w/brakes on both axles, 14" (35.56 cm) tire/wheel upgrade & spare tire (must also order fiberglass fenders option)
- Fiberglass fenders for tandem-axle trailer
- 14" (35.56 cm) single-axle aluminum wheels w/spare tire
- 14" (35.56 cm) tandem-axle aluminum wheels w/spare tire
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

NEW 2026 Z19 XL

w/Mercury® 200 L Pro XS® FourStroke & Custom Trailer

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue mat
- Black non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 41-gal. (155.2 L) insulated, rotomolded GUARDIAN™ livewell w/digital timer & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) livewell recirculation/pump-out system
- Livewell control valve
- Port/starboard livewell lid w/culling bracket

TROLLING MOTOR
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m) shaft trolling motor w/mount
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- Lowrance® Eagle 5 flush-mounted fishfinder
- Contura® V rocker switches
- Z3 digital gauges
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- Redesigned 34-sq.-ft. (3.2-sq.-m) bow deck layout for even greater mobility & functionality
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)
- Rod organizer in bow port rod locker
- Bow integrated day box
- Oversized, lockable bow center day box w/redesigned TACKLE MANAGEMENT SYSTEM™
- Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash receptacle
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Low driver & passenger flat seat mounting
- Integrated step to aft deck w/lockable storage & removable tub
- Designated net storage behind seating
- Built-in tournament ruler & holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Lockable latches
- Lift-out tool/rope storage tray in rigging compartment

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate—Black
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

SPECIFICATIONS

Length	19' 3"
Beam	7' 10"
Bottom Width	6' 2"
Max. Recommended HP	200 HP
Fuel Capacity	50 gal.
Max. Person Capacity	4 persons
Max. Person Weight	530 lbs.
Max. Person, Motor & Gear Weight	1,375 lbs.
Interior Depth	18.5"
Transom Height	23"
Deadrise	16°
Draft	15"
Average Weight	1,850 lbs.
Average Package Weight	3,500 lbs.
Package Height	5' 7"
Package Width	8' 6"
Towing Length	26' 7"
Storage Length	24' 5"
Storage Length (w/Outboard Trimmed Down)	23' 8"

STANDARD FEATURES (CONT.)

ELECTRICAL
- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount 10" (25.4 cm) fishfinder
- LED console courtesy light
- Manual LED-lighted bow gear storage
- Interstate® cranking battery
- 2 heavy-duty Interstate® trolling batteries
- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, single-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes
- 15" (38.1 cm) chrome wheels w/radial tires
- Hub system w/1-year limited warranty
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- 6" (15.24 cm) oval LED tail lights w/integrated back-up lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Eagle 5
- Bow Lowrance® Eagle 7
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- 2nd bow Garmin® ECHOMAP™ UHD2 93sv w/LiveScope™ Plus System (uninstalled)
- 2nd bow Garmin® ECHOMAP™ Ultra 2 106sv w/LiveScope™ Plus System (uninstalled)
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv w/LiveScope™ Plus System (uninstalled)

OPTIONS (CONT.)

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® HDS® PRO 9 w/Activelmaging HD™
- Console Lowrance® HDS® PRO 10 w/Activelmaging HD™
- Console Lowrance® HDS® PRO 12 w/Activelmaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ UHD2 93sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER
- NOCO® GB40 jump starter pack
- 1 TRACKER® Lithium WRM100 starting battery & 2 WRM100 trolling batteries (for 24V system)
- 1 TRACKER® Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system)

LIGHTING
- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING
- Hydraulic pedestal (exchange)
- Center seat

PERFORMANCE & STEERING
- Hot Foot® throttle
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR
- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 47" (1.19 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Fortrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Down Imaging®
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Down Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Down Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Side Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Side Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Garmin® Force® Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Garmin® Force® Pro 36V, 100-lb. (45.36 kg) thrust, 57" (1.45 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)

FUNCTIONAL
- Removable port console & hardware (factory installed)
- Port under deck storage drawer
- KICKER® KMC1 Bluetooth®-capable stereo system
- SmartCraft® gauges
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- Automatic bilge pump
- 2 oxygen generators
- Livewell culling system
- HydroWave® electronic fish attractor
- Magnetic under-lid lure holder/organizer
- Ventilation fan in bow storage box
- Snap-in sandwich tray for cooler box
- Bow NITRO® carpet graphic
- All Marine mat (replaces carpet)
- MarineMat cockpit floor (replaces carpet)
- Keel protector—Black
- Keel protector—White
- 10" (25.4 cm) T-H Marine® ATLAS™ hydraulic jack plate—Black
- 10" (25.4 cm) Bob's Machine™ hydraulic jack plate—Black
- 1 Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Minn Kota® Talon 10' (3.05 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Talon 10' (3.05 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

OPTIONS (CONT.)

COVER
- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER
- Tandem-axle trailer upgrade w/brakes on both axles, 14" (35.56 cm) wheels/tires & spare tire
- Fiberglass fenders for tandem-axle trailer
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

NEW 2026 Z19 XL PRO

w/Mercury® 200 L Pro XS® FourStroke & Custom Trailer

STANDARD FEATURES

PRO
- Garmin® Force® Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv gimbal-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv flush-mounted fishfinder w/GT36UHD & GT8HW-IH
- Hot Foot® throttle
- Pro-Trim lever
- Factory-applied keel protector
- Tandem-axle trailer upgrade w/brakes on both axles, 14" (35.56 cm) wheels/tires & spare tire

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue mat
- Black non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 41-gal. (155.2 L) insulated, rotomolded GUARDIAN™ livewell w/digital timer & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) livewell recirculation/pump-out system
- Livewell control valve
- Port/starboard livewell lid w/culling bracket

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- Contura® V rocker switches
- Z3 digital gauges
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- Redesigned 34-sq.-ft. (3.2-sq.-m) bow deck layout for even greater mobility & functionality
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)
- Rod organizer in bow port rod locker
- Bow integrated day box
- Oversized, lockable bow center day box w/redesigned TACKLE MANAGEMENT SYSTEM™
- Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash receptacle
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Low driver & passenger flat seat mounting
- Integrated step to aft deck w/lockable storage & removable tub
- Designated net storage behind seating
- Built-in tournament ruler & holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Lockable latches
- Lift-out tool/rope storage tray in rigging compartment

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate—Black
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

ELECTRICAL
- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount 10" (25.4 cm) fishfinder
- LED console courtesy light
- Manual LED-lighted bow gear storage
- Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Surge disc brakes
- Hub system w/1-year limited warranty
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- 6" (15.24 cm) oval LED tail lights w/integrated back-up lights
- Retractable transom tie downs
- Safety cables

SPECIFICATIONS

Length	19' 3"
Beam	7' 10"
Bottom Width	6' 2"
Max. Recommended HP	200 HP
Fuel Capacity	50 gal.
Max. Person Capacity	4 persons
Max. Person Weight	530 lbs.
Max. Person, Motor & Gear Weight	1,375 lbs.
Interior Depth	18.5"
Transom Height	23"
Deadrise	16°
Draft	15"
Average Weight	1,850 lbs.
Average Package Weight	3,500 lbs.
Package Height	5' 7"
Package Width	8' 6"
Towing Length	26' 7"
Storage Length	24' 5"
Storage Length (w/Outboard Trimmed Down)	23' 8"

OPTIONS

COLOR
- Custom color
- Elite 4-color

BOW FISHFINDER
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER
- NOCO® GB40 jump starter pack
- 1 TRACKER® Lithium WRM100 starting battery & 2 WRM100 trolling batteries (for 24V system)
- 1 TRACKER® Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system)

LIGHTING
- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING
- Hydraulic pedestal (exchange)
- Center seat

PERFORMANCE & STEERING
- Dual trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)

FUNCTIONAL
- Removable port console & hardware (factory installed)
- Port under deck storage drawer
- KICKER® KMC1 Bluetooth®-capable stereo system
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- Automatic bilge pump
- 2 oxygen generators
- Magnetic under-lid lure holder/organizer
- Ventilation fan in bow storage box
- Snap-in sandwich tray for cooler box

OPTIONS (CONT.)

- Bow NITRO® carpet graphic
- All Marine mat (replaces carpet)
- MarineMat cockpit floor (replaces carpet)
- 10" (25.4 cm) T-H Marine® ATLAS™ hydraulic jack plate—Black
- 10" (25.4 cm) Bob's Machine™ hydraulic jack plate—Black
- 1 Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER

- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER

- Fiberglass fenders for tandem-axle trailer
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 Z20 XL

w/Mercury® 250 L Pro XS® FourStroke w/Torque Master & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 225 L Pro XS® FourStroke w/Torque Master		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue, padded comfort bow deck
- Digital Camo non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 2 aft 19-gal. (71.92 L) insulated, rotomolded GUARDIAN™ livewells w/digital timers & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) livewell recirculation/pump-out system
- Livewell control valve
- Dual remote drain controls

TROLLING MOTOR
- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m) shaft trolling motor w/mount
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- Lowrance® Eagle 5 flush-mounted fishfinder
- 5" (12.7 cm) digital touchscreen control
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- 42.5-sq.-ft. (4.0-sq.-m) anti-fatigue, padded bow deck for comfort & casting mobility
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)
- Rod organizer in bow port rod locker
- ***NEW*** bow integrated day box
- Oversized lockable bow center storage locker w/TACKLE MANAGEMENT SYSTEM™
- Step to bow deck w/62-qt. (58.67 L) insulated cooler, removable trash receptacle & snap-in sandwich tray
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Low driver & passenger flat seat mounting
- Step to aft deck w/lockable storage & removable tub
- Designated net storage behind seating
- Built-in tournament ruler & holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Stainless steel lockable slam latches
- Lift-out tool/rope storage tray in rigging compartment

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- 12" (30.48 cm) adjustable jack plate—Black
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system

SPECIFICATIONS

Length	20' 2"
Beam	7' 10"
Bottom Width	6' 3"
Max. Recommended HP	250 HP
Fuel Capacity	50 gal.
Max. Person Capacity	4 persons
Max. Person Weight	575 lbs.
Max. Person, Motor & Gear Weight	1,750 lbs.
Interior Depth	18"
Transom Height	22"
Deadrise	16°
Draft	16"
Average Weight	2,000 lbs.
Average Package Weight	4,050 lbs.
Package Height	6' 1"
Package Width	8' 6"
Towing Length	27'
Storage Length	23' 8"

STANDARD FEATURES (CONT.)
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

ELECTRICAL
- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount most 12" (30.5 cm) fishfinders
- ***NEW*** wireless bow keypad
- LED console courtesy light
- Manual LED-lighted bow gear storage
- Interstate® cranking battery
- 2 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- ***NEW*** single, completely-sealed ECM
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer w/enhanced stability & performance
- Surge disc brakes on both axles
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hub system w/1-year limited warranty
- Spare tire carrier w/matching spare
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated winch stand step & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- 6" (15.24 cm) oval LED tail lights w/integrated back-up lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Eagle 5
- Bow Lowrance® Eagle 7
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- ***NEW*** 2nd bow Lowrance® Elite FS® 9 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Lowrance® HDS® PRO 9 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)

OPTIONS (CONT.)

- ***NEW*** 2nd bow Lowrance® HDS® PRO 10 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Lowrance® HDS® PRO 12 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Humminbird® XPLORE™ 9" (22.86 cm) (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Humminbird® XPLORE™ 10" (25.4 cm) (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Humminbird® XPLORE™ 12" (30.48 cm) (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Garmin® ECHOMAP™ UHD2 93sv (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Garmin® ECHOMAP™ Ultra 2 106sv (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)

CONSOLE FISHFINDER EXCHANGE

- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER

- 1 TRACKER® Lithium WRM100 starting battery & 2 WRM100 trolling batteries (for 24V system)
- 1 TRACKER® Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system)

LIGHTING

- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING

- Hydraulic pedestal (exchange)
- Dowco® CruiseAir® fully-adjustable air suspension driver seat
- Dowco® CruiseAir® fully-adjustable air suspension driver & passenger seats
- Power-adjust pneumatic lumbar support for driver's seat
- Center seat

PERFORMANCE & STEERING

- Hot Foot® throttle
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR

- Trolling motor backout (credit given)
- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 47" (1.19 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Fortrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Down Imaging®
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Down Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Down Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Side Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Side Imaging® (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Garmin® Force® Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Garmin® Force® Pro 36V, 100-lb. (45.36 kg) thrust, 57" (1.45 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)

FUNCTIONAL

- Removable port console & hardware (factory installed)
- Port under deck storage drawer
- KICKER® KMC1 Bluetooth®-capable stereo system
- SmartCraft® gauges
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- Automatic bilge pump

OPTIONS (CONT.)

- 2 oxygen generators
- 2 oxygen generators w/shut-off switch
- Livewell culling system
- Magnetic under-lid lure holder/organizer
- Starboard spinning rod organizer
- Ventilation fan in bow storage box
- Bow NITRO® carpet graphic
- ***NEW*** All Marine mat (replaces carpet)
- MarineMat cockpit floor (replaces carpet)
- Keel protector—Black
- Keel protector—White
- 12" (30.48 cm) T-H Marine® ATLAS™ hydraulic jack plate—Black
- 12" (30.48 cm) Bob's Machine™ hydraulic jack plate—Black
- 1 Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Minn Kota® Talon 10' (3.05 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Talon 10' (3.05 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER

- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER

- Fiberglass fenders for tandem-axle trailer
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 Z20 XL PRO

w/Mercury® 250 L Pro XS® FourStroke
w/Torque Master & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 225 L Pro XS® FourStroke w/Torque Master		

STANDARD FEATURES

PRO
- ***NEW*** Garmin® Force® Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv gimbal-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv flush-mounted fishfinder w/GT36UHD & GT8HW-IH
- Power-adjust pneumatic lumbar support for driver's seat
- Hot Foot® throttle
- Pro-Trim lever
- Livewell culling system
- Factory-applied keel protector
- 1 standard & 1 automatic bilge pump
- 4-bank, 40-amp battery charger

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue, padded comfort bow deck
- Digital Camo non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 2 aft 19-gal. (71.92 L) insulated, rotomolded GUARDIAN™ livewells w/digital timers & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) livewell recirculation/pump-out system
- Livewell control valve
- Dual remote drain controls

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- 5" (12.7 cm) digital touchscreen control
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- 42.5-sq.-ft. (4.0-sq.-m) anti-fatigue, padded bow deck for comfort & casting mobility
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)
- Rod organizer in bow port rod locker
- ***NEW*** bow integrated day box
- Oversized lockable bow center storage locker w/TACKLE MANAGEMENT SYSTEM™
- Step to bow deck w/62-qt. (58.67 L) insulated cooler, removable trash receptacle & snap-in sandwich tray
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Low driver & passenger flat seat mounting
- Step to aft deck w/lockable storage & removable tub
- Designated net storage behind seating
- Built-in tournament ruler & holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Stainless steel lockable slam latches
- Lift-out tool/rope storage tray in rigging compartment

SPECIFICATIONS

Length	20' 2"
Beam	7' 10"
Bottom Width	6' 3"
Max. Recommended HP	250 HP
Fuel Capacity	50 gal.
Max. Person Capacity	4 persons
Max. Person Weight	575 lbs.
Max. Person, Motor & Gear Weight	1,750 lbs.
Interior Depth	18"
Transom Height	22"
Deadrise	16°
Draft	16"
Average Weight	2,000 lbs.
Average Package Weight	4,050 lbs.
Package Height	6' 1"
Package Width	8' 6"
Towing Length	27'
Storage Length	23' 8"

STANDARD FEATURES (CONT.)

PERFORMANCE
- NITRO VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier ride
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- 12" (30.48 cm) adjustable jack plate—Black
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

ELECTRICAL
- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount most 12" (30.5 cm) fishfinders
- ***NEW*** wireless bow keypad
- LED console courtesy light
- Manual LED-lighted bow gear storage
- Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- ***NEW*** single, completely-sealed ECM
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer w/enhanced stability & performance
- Surge disc brakes on both axles
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hub system w/1-year limited warranty
- Spare tire carrier w/matching spare
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated winch stand step & safety handle for boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- 6" (15.24 cm) oval LED tail lights w/integrated back-up lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

BOW FISHFINDER
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- 2nd bow Garmin® ECHOMAP™ UHD2 93sv w/LiveScope™ Plus System (uninstalled)
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv w/LiveScope™ Plus System (uninstalled)

CONSOLE FISHFINDER EXCHANGE
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system)

LIGHTING
- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

OPTIONS (CONT.)

CUSHION & SEATING
- Hydraulic pedestal (exchange)
- Dowco® CruiseAir® fully-adjustable air suspension driver seat
- Dowco® CruiseAir® fully-adjustable air suspension driver & passenger seats
- Center seat

PERFORMANCE & STEERING
- Dual trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)

FUNCTIONAL
- Removable port console & hardware (factory installed)
- Port under deck storage drawer
- KICKER® KMC1 Bluetooth®-capable stereo system
- SmartCraft® gauges
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- 2 oxygen generators
- 2 oxygen generators w/shut-off switch
- Magnetic under-lid lure holder/organizer
- Starboard spinning rod organizer
- Ventilation fan in bow storage box
- Bow NITRO® carpet graphic
- ***NEW*** All Marine mat (replaces carpet)
- MarineMat cockpit floor (replaces carpet)
- 12" (30.48 cm) T-H Marine® ATLAS™ hydraulic jack plate—Black
- 12" (30.48 cm) Bob's Machine™ hydraulic jack plate—Black
- Dual Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER
- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER
- Fiberglass fenders for tandem-axle trailer
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 Z21 XL

w/Mercury® 250 L Pro XS® FourStroke w/Torque Master & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 300 L Pro XS® FourStroke w/Torque Master		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue, padded comfort bow deck
- Digital Camo non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- Spare propeller holder
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 2 aft 19-gal. (71.92 L) insulated, rotomolded GUARDIAN™ livewells w/digital timers & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) livewell recirculation/pump-out system
- Oxygen generator in each livewell
- Livewell control valve
- Dual remote drain controls

TROLLING MOTOR
- Minn Kota® Fortrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- Lowrance® Elite FS® 7 flush-mounted fishfinder
- 7" (17.78 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Shallow Water & Hole Shot modes, auto trims, motor & hydraulic jackplate (If equipped)
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- 45-sq.-ft., (4.2-sq.-m) anti-fatigue, padded bow deck for comfort & casting mobility
- Bike seat w/hydraulic pedestal
- Folding fishing seat w/composite frame & hydraulic pedestal
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Bow dual day box
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m) & 23 tapered tubes in port locker
- Rod organizer in bow port rod locker
- Bow dual center box w/room for 18, 3700 tackle boxes w/removable dividers, 7-across rod storage, magnetic under-lid lure organizer & easy view of plastics holder
- Ventilation fan in bow storage box
- Step to bow deck w/86-qt. (81.39 L) insulated cooler, removable trash receptacle & snap-in sandwich tray
- Port below-console pull-out storage drawer
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Adjustable sliding driver & passenger seats
- Integrated center storage between seats
- Designated net storage behind seating
- Built-in tournament ruler & holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- MarineMat cockpit floor

SPECIFICATIONS

Length	21' 2"
Beam	7' 11"
Bottom Width	6' 2"
Max. Recommended HP	300 HP
Fuel Capacity	60 gal.
Max. Person Capacity	4 persons
Max. Person Weight	825 lbs.
Max. Person, Motor & Gear Weight	1,800 lbs.
Interior Depth	18.5"
Transom Height	22.5"
Deadrise	16°
Draft	16"
Average Weight	2,150 lbs.
Average Package Weight	4,050 lbs.
Package Height	6' 3"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 4"

STANDARD FEATURES (CONT.)

- 24-oz. (.68 kg) plush, marine-grade cut pile carpet on deck
- Stainless steel lockable slam latches
- Lift-out tool/rope storage tray in rigging compartment

PERFORMANCE
- 16° variable deadrise hull
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- 12" (30.48 cm) adjustable jack plate—Black
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

ELECTRICAL
- 1,600 GPH (6,057 LPH) bilge pump
- Automatic bilge pump
- ***NEW*** wireless bow keypad
- LED console courtesy light
- Manual LED-lighted bow gear storage
- Automatic LED-lighted bow port & starboard rod storage
- Remote drain plug
- Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- ***NEW*** single, completely-sealed ECM
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer w/enhanced stability & performance
- Surge disc brakes on both axles
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hub system w/1-year limited warranty
- Spare tire carrier w/matching spare
- All-welded rectangular GALVASHIELD® frame
- Lockable storage box that will hold folding 4-way cross wrench & chocks (not included)
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- 1,600-lb. (725.75 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated winch stand step & safety handle for boarding at bow while boat is on trailer
- Fiberglass fenders w/integrated back-up lights
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- ***NEW*** 2nd bow Lowrance® Elite FS® 9 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Lowrance® HDS® PRO 9 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Lowrance® HDS® PRO 10 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Lowrance® HDS® PRO 12 (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Humminbird® XPLORE™ 9" (22.86 cm) (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Humminbird® XPLORE™ 10" (25.4 cm) (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Humminbird® XPLORE™ 12" (30.48 cm) (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Garmin® ECHOMAP™ UHD2 93sv (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Garmin® ECHOMAP™ Ultra 2 106sv (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)
- ***NEW*** 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv (installed on Bass Boat Technologies mount alongside accompanying bow fishfinder)

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Elite FS® 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 2 WRM100 trolling batteries (for 24V system)
- 1 TRACKER® Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system)

LIGHTING
- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING
- Dowco® CruiseAir® fully-adjustable air suspension driver seat
- Dowco® CruiseAir® fully-adjustable air suspension driver & passenger seats
- Power-adjust pneumatic lumbar support for driver's seat
- Center seat

PERFORMANCE & STEERING
- Hot Foot® throttle
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR
- Trolling motor backout (credit given)
- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 47" (1.19 m) shaft trolling motor
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Down Imaging®
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Down Imaging®
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Down Imaging®
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 52" (1.32 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Garmin® Force® Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Garmin® Force® Pro 36V, 100-lb. (45.36 kg) thrust, 57" (1.45 m) shaft trolling motor

OPTIONS (CONT.)

FUNCTIONAL
- Removable port console & hardware (factory installed)
- KICKER® KMC1 Bluetooth®-capable stereo system
- SmartCraft® gauges
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- 2 automatic bilge pumps
- 2 oxygen generators w/shut-off switch
- Livewell culling system
- Line spooler
- Starboard spinning rod organizer
- Bow NITRO® carpet graphic
- ***NEW*** All Marine mat (replaces carpet)
- Cockpit carpet (replaces standard MarineMat cockpit floor)
- Keel protector—Black
- Keel protector—White
- 12" (30.48 cm) T-H Marine® ATLAS™ hydraulic jack plate—Black
- 12" (30.48 cm) Bob's Machine™ hydraulic jack plate—Black
- 1 Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Minn Kota® Talon 10' (3.05 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Minn Kota® Talon 10' (3.05 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- 1 Power-Pole® Blade 8' (2.44 m) shallow-water anchor w/remote & bracket—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER
- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire

NITRO PERFORMANCE FISHING BOATS

2026 Z21 XL PRO

w/Mercury® 250 L Pro XS® FourStroke w/Torque Master & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 300 L Pro XS® FourStroke w/Torque Master		

STANDARD FEATURES

PRO
- ***NEW*** Garmin® Force® Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ Ultra 12" (30.48 cm) sv gimbal-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ Ultra 12" (30.48 cm) sv flush-mounted fishfinder w/GT36UHD & GT8HW-IH
- Power-adjust pneumatic lumbar support for driver's seat
- Hot Foot® throttle
- Pro-Trim lever
- Livewell culling system
- Factory-applied keel protector
- 2 automatic bilge pumps

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue, padded comfort bow deck
- Digital Camo non-skid bow & stern mats
- Low-profile gunnels to maximize deck size & for easier casting
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional shallow-water anchor
- Spare propeller holder
- 4 stainless steel pull-up cleats
- 4 grab handles (1 at each seat)
- Fire extinguisher
- Horn
- Paddle

LIVEWELL SYSTEM
- 2 aft 19-gal. (71.92 L) insulated, rotomolded GUARDIAN™ livewells w/digital timers & rounded corners
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) livewell recirculation/pump-out system
- Oxygen generator in each livewell
- Livewell control valve
- Dual remote drain controls

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Modular, aerodynamic console design w/expanded leg clearance & large fishfinder surface
- Removable acrylic, tinted plexiglass windscreen
- 7" (17.78 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Shallow Water & Hole Shot modes, auto trims, motor & hydraulic jackplate (If equipped)
- ***NEW*** Z3 digital gauges
- Dash light dimmer
- Tilt hydraulic steering
- 12V outlet
- LED courtesy light
- Ready to accept optional removable port console

INTERIOR
- 45-sq.-ft., (4.2-sq.-m) anti-fatigue, padded bow deck for comfort & casting mobility
- Bike seat w/hydraulic pedestal
- Folding fishing seat w/composite frame & hydraulic pedestal
- Bow tool/drink holder
- Bow port & starboard rod hold-down straps
- Bow dual day box
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m) & 23 tapered tubes in port locker
- Rod organizer in bow port rod locker
- Bow dual center box w/room for 18, 3700 tackle boxes w/removable dividers, 7-across rod storage, magnetic under-lid lure organizer & easy view of plastics holder
- Ventilation fan in bow storage box
- Step to bow deck w/86-qt. (81.39 L) insulated cooler, removable trash receptacle & snap-in sandwich tray
- Port below-console pull-out storage drawer
- Footrest w/non-skid mat under console(s)
- Z-CORE™ seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- Adjustable sliding driver & passenger seats
- Integrated center storage between seats
- Designated net storage behind seating

SPECIFICATIONS

Length	21' 2"
Beam	7' 11"
Bottom Width	6' 2"
Max. Recommended HP	300 HP
Fuel Capacity	60 gal.
Max. Person Capacity	4 persons
Max. Person Weight	825 lbs.
Max. Person, Motor & Gear Weight	1,800 lbs.
Interior Depth	18.5"
Transom Height	22.5"
Deadrise	16°
Draft	16"
Average Weight	2,150 lbs.
Average Package Weight	4,050 lbs.
Package Height	6' 3"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 4"

STANDARD FEATURES (CONT.)
- Built-in tournament ruler & holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- MarineMat cockpit floor
- 24-oz. (.68 kg) plush, marine-grade cut pile carpet on deck
- Stainless steel lockable slam latches
- Lift-out tool/rope storage tray in rigging compartment

PERFORMANCE
- 16° variable deadrise hull
- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & maximized speed
- 12" (30.48 cm) adjustable jack plate—Black
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Splashwell protective film
- Black hardware

ELECTRICAL
- 1,600 GPH (6,057 LPH) bilge pump
- ***NEW*** wireless bow keypad
- LED console courtesy light
- Manual LED-lighted bow gear storage
- Automatic LED-lighted bow port & starboard rod storage
- Remote drain plug
- Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- ***NEW*** single, completely-sealed ECM
- Automotive-style labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer w/enhanced stability & performance
- Surge disc brakes on both axles
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hub system w/1-year limited warranty
- Spare tire carrier w/matching spare
- All-welded rectangular GALVASHIELD® frame
- Lockable storage box that will hold folding 4-way cross wrench & chocks (not included)
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- 1,600-lb. (725.75 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & bow safety strap
- Integrated winch stand step & safety handle for boarding at bow while boat is on trailer
- Fiberglass fenders w/integrated back-up lights
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

2ND BOW FISHFINDER
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv w/LiveScope™ Plus System (uninstalled)

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 WRM100 trolling batteries (for 36V system)

LIGHTING
- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only)

CUSHION & SEATING
- Dowco® CruiseAir® fully-adjustable air suspension driver seat
- Dowco® CruiseAir® fully-adjustable air suspension driver & passenger seats
- Center seat

PERFORMANCE & STEERING
- Dual trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)

FUNCTIONAL
- Removable port console & hardware (factory installed)
- KICKER® KMC1 Bluetooth®-capable stereo system
- SmartCraft® gauges
- Below-console RAM® X-Grip® phone holder
- Cleat at driver seat
- 2 oxygen generators w/shut-off switch
- Line spooler
- Starboard spinning rod organizer
- Bow NITRO® carpet graphic
- ***NEW*** All Marine mat (replaces carpet)
- Cockpit carpet (replaces standard MarineMat cockpit floor)
- 12" (30.48 cm) T-H Marine® ATLAS™ hydraulic jack plate—Black
- 12" (30.48 cm) Bob's Machine™ hydraulic jack plate—Black
- Dual Minn Kota® Raptor™ 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)
- Dual Power-Pole® Blade 8' (2.44 m) shallow-water anchors w/remote & brackets—Black (dealer installed)

COVER
- 2-tone mooring cover for side console—Black & Charcoal
- 2-tone mooring cover for dual consoles—Black & Charcoal

TRAILER
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire

NITRO PERFORMANCE FISHING BOATS

2026 ZV19 SPORT

w/Mercury® 150 XL Pro XS® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL Pro XS® FourStoke w/DTS controls		
• 225 XL Pro XS® FourStoke w/DTS controls		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- Removable tournament-style ski tow pylon
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) rotomolded GUARDIAN™ livewell w/timer & rounded corners
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for each livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for each livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) composite shaft trolling motor w/Universal Sonar 2
- Quick-release bracket for Minn Kota® or MotorGuide® trolling motor
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Heavy-duty molded, tinted plexiglass windscreens
- Oversized carpeted, lockable port glovebox
- Lowrance® Eagle 5 gimbal-mounted fishfinder
- 5" (12.7 cm) digital touchscreen control
- ***NEW*** Z3 digital gauges
- Tilt hydraulic steering
- Port & starboard below-console shelves
- Helm below-console recess
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/pedestal
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- Extra-large integrated port net holder
- Footrest w/non-skid mat under each console
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Centric X driver & passenger seats
- 2 folding jump seats integrated into aft fishing deck
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept four 3700 tackle trays
- Insulated aluminum lids w/welded corners
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V performance hull
- 10" (25.4 cm) adjustable jack plate
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom

SPECIFICATIONS

Length	18' 11"
Beam	8' 6"
Bottom Width	6' 4"
Max. Recommended HP	225 HP
Fuel Capacity	45 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,050 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25.5"
Transom Height	25"
Deadrise	17°
Draft	19.75"
Average Weight	2,300 lbs.
Average Package Weight	4,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	26' 7"
Storage Length	22' 7"

STANDARD FEATURES (CONT.)

- Hand-laid, heavy-duty performance hull w/reinforced sides
- Black hardware

ELECTRICAL
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 2 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 3-bank, 30-amp battery charger
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- ***NEW*** single, completely-sealed ECM
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Steel fenders w/non-skid mats
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Eagle 5
- Bow Lowrance® Eagle 7
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Eagle 7
- Console Lowrance® Elite FS® 7 w/ActiveImaging HD™
- Console Lowrance® Elite FS® 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™

OPTIONS (CONT.)

- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER

- 2nd console Lowrance® Elite FS® 7
- 2nd console Lowrance® Elite FS® 9
- 2nd console Lowrance® HDS® PRO 9
- 2nd console Lowrance® HDS® PRO 10
- 2nd console Lowrance® HDS® PRO 12
- 2nd console Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd console Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd console Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER

- 1 TRACKER® Lithium WRM100 starting battery & 2 RB100 trolling batteries (for 24V system)
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING

- Smooth Moves® seat suspension
- Fishing chair w/pedestal

PERFORMANCE & STEERING

- Lenco trim tabs
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR

- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 60" (1.52 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® Link™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)

KICKER MOTOR

- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- ***NEW*** tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL

- Bimini top (factory installed)
- Walk-thru glass windshield
- KICKER® KMC1 Bluetooth®-capable stereo system
- Port or starboard aft deck jumpseat drawer
- SmartCraft® gauges (required w/DTS motors)
- Below-console RAM® X-Grip® phone holder
- 2 oxygen generators
- Automatic bilge pump
- Bow & cockpit under-carpet anti-fatigue mats
- MarineMat cockpit mat
- Bow under-carpet anti-fatigue mat & MarineMat cockpit mat
- Emergency ladder
- Keel protector—Black
- Keel protector—White
- 6" (15.24 cm) Bob's Machine™ hydraulic jack plate—Black

COVER

- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & windshield—Black & Charcoal

NITRO PERFORMANCE FISHING BOATS

2026 ZV19 SPORT PRO

w/Mercury® 200 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 225 XL Pro XS® FourStoke w/DTS controls		

STANDARD FEATURES

PRO
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv RAM®-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv RAM®-mounted fishfinder w/GT36UHD & GT8HW-IH
- Bimini top (factory installed)
- Walk-thru glass windshield (or optional plexiglass windscreens)
- SmartCraft® gauges
- KICKER® KMC1 Bluetooth®-capable stereo system w/speakers
- Factory-applied keel protector
- 4-bank, 40-amp battery charger
- 1 additional SRM31 battery coupon for trolling motor
- Spare tire kit

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- Removable tournament-style ski tow pylon
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) rotomolded GUARDIAN™ livewell w/timer & rounded corners
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for each livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for each livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Quick-release bracket for Minn Kota® or MotorGuide® trolling motor
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Oversized carpeted, lockable port glovebox
- 5" (12.7 cm) digital touchscreen control
- ***NEW*** Z3 digital gauges
- Tilt hydraulic steering
- Port & starboard below-console shelves
- Helm below-console recess
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/pedestal
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- Extra-large integrated port net holder
- Footrest w/non-skid mat under each console
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Centric X driver & passenger seats
- 2 folding jump seats integrated into aft fishing deck
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept four 3700 tackle trays
- Insulated aluminum lids w/welded corners
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V performance hull
- 10" (25.4 cm) adjustable jack plate
- Lifting strakes to maximize overall handling & performance

SPECIFICATIONS

Length	18' 11"
Beam	8' 6"
Bottom Width	6' 4"
Max. Recommended HP	225 HP
Fuel Capacity	45 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,050 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25.5"
Transom Height	25"
Deadrise	17°
Draft	19.75"
Average Weight	2,300 lbs.
Average Package Weight	4,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	26' 7"
Storage Length	22' 7"

STANDARD FEATURES (CONT.)

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Black hardware

ELECTRICAL
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- ***NEW*** single, completely-sealed ECM
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Steel fenders w/non-skid mats
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

BOW FISHFINDER
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Fishing chair w/pedestal

PERFORMANCE & STEERING
- Lenco trim tabs
- Trim lever on steering wheel
- Dual trim lever on steering wheel

OPTIONS (CONT.)

TROLLING MOTOR

- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; exchange)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)

KICKER MOTOR

- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- ***NEW*** tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL

- Plexiglass windscreens (exchange)
- Port or starboard aft deck jumpseat drawer
- Below-console RAM® X-Grip® phone holder
- 2 oxygen generators
- Automatic bilge pump
- Bow & cockpit under-carpet anti-fatigue mats
- MarineMat cockpit mat
- Bow under-carpet anti-fatigue mat & MarineMat cockpit mat
- Emergency ladder
- 6" (15.24 cm) Bob's Machine™ hydraulic jack plate—Black

COVER

- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & windshield—Black & Charcoal

NITRO PERFORMANCE FISHING BOATS

2026 ZV19

w/Mercury® 200 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 225 XL Pro XS® FourStoke w/DTS controls		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 5.5-gal. (20.82 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/ fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell control valve
- Overflow screens
- Pump-out systems
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) composite shaft trolling motor w/Universal Sonar 2
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Heavy-duty molded, tinted plexiglass windscreens
- Oversized carpeted, lockable port glovebox
- Lowrance® Eagle 5 gimbal-mounted fishfinder
- 5" (12.7 cm) digital touchscreen control
- Veethree® multifunction instrumentation gauges w/speedometer/fuel gauge, tach/ trim gauge, voltmeter gauge & water pressure gauge
- SmartCraft® gauges
- Tilt hydraulic steering
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- 3-level center rod locker for rods up to 8' (2.44 m) w/tapered rod tubes to protect rod tips
- Extra-large integrated port net holder
- Footrest w/non-skid mat under each console
- Step to bow deck w/storage for two 3600 tackle boxes
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Folding Centric X driver & passenger seats
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept seven 3700 tackle trays
- Insulated aluminum lids w/welded corners
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V performance hull
- 10" (25.4 cm) adjustable jack plate
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety

SPECIFICATIONS

Length	18' 11"
Beam	8' 6"
Bottom Width	6' 4"
Max. Recommended HP	225 HP
Fuel Capacity	45 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,050 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25.5"
Transom Height	25"
Deadrise	17°
Draft	19.75"
Average Weight	2,300 lbs.
Average Package Weight	4,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	26' 7"
Storage Length	22' 7"

STANDARD FEATURES (CONT.)

- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Black hardware

ELECTRICAL
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 2 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 3-bank, 30-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Fold-away tongue jack
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Steel fenders w/non-skid mats
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Eagle 5
- Bow Lowrance® Eagle 7
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Eagle 7
- Console Lowrance® Elite FS® 7 w/ActiveImaging HD™
- Console Lowrance® Elite FS® 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™

OPTIONS (CONT.)

- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER

- 2nd console Lowrance® Elite FS® 7
- 2nd console Lowrance® Elite FS® 9
- 2nd console Lowrance® HDS® PRO 9
- 2nd console Lowrance® HDS® PRO 10
- 2nd console Lowrance® HDS® PRO 12
- 2nd console Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd console Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd console Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER

- 1 TRACKER® Lithium WRM100 starting battery & 2 RB80 trolling batteries (for 24V system)
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING

- Smooth Moves® seat suspension
- Fishing chair w/pedestal

PERFORMANCE & STEERING

- Lenco trim tabs
- Trim lever on steering wheel
- Dual trim lever on steering wheel

TROLLING MOTOR

- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 60" (1.52 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® Link™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; must upgrade battery & battery charger if upgrading from 24V to 36V)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (must upgrade battery & battery charger if upgrading from 24V to 36V)
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor (must upgrade battery & battery charger if upgrading from 24V to 36V)

KICKER MOTOR

- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL

- Bimini top (factory installed)
- Walk-thru glass windshield
- Ski tow pylon
- KICKER® KMC1 Bluetooth®-capable stereo system
- Below-console RAM® X-Grip® phone holder
- 2 oxygen generators
- Automatic bilge pump
- Bow & cockpit under-carpet anti-fatigue mats
- MarineMat cockpit mat
- Bow under-carpet anti-fatigue mat & MarineMat cockpit mat
- Emergency ladder
- Keel protector—Black
- Keel protector—White
- 6" (15.24 cm) Bob's Machine™ hydraulic jack plate—Black

COVER

- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

NITRO PERFORMANCE FISHING BOATS

2026 ZV19 PRO

w/Mercury® 200 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 225 XL Pro XS® FourStoke w/DTS controls		

STANDARD FEATURES

PRO
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv RAM®-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ UHD2 9" (22.86 cm) sv RAM®-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- KICKER® KMC1 Bluetooth®-capable stereo system w/speakers
- Factory-applied keel protector
- 4-bank, 40-amp battery charger

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 5.5-gal. (20.82 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell control valve
- Overflow screens
- Pump-out systems
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Oversized carpeted, lockable port glovebox
- 5" (12.7 cm) digital touchscreen control
- Veethree® multifunction instrumentation gauges w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- SmartCraft® gauges
- Tilt hydraulic steering
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- 3-level center rod locker for rods up to 8' (2.44 m) w/tapered rod tubes to protect rod tips
- Extra-large integrated port net holder
- Footrest w/non-skid mat under each console
- Step to bow deck w/storage for two 3600 tackle boxes
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Folding Centric X driver & passenger seats
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept seven 3700 tackle trays
- Insulated aluminum lids w/welded corners
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V performance hull
- 10" (25.4 cm) adjustable jack plate
- Lifting strakes to maximize overall handling & performance

SPECIFICATIONS

Length	18' 11"
Beam	8' 6"
Bottom Width	6' 4"
Max. Recommended HP	225 HP
Fuel Capacity	45 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,050 lbs.
Max. Person, Motor & Gear Weight	2,000 lbs.
Interior Depth	25.5"
Transom Height	25"
Deadrise	17°
Draft	19.75"
Average Weight	2,300 lbs.
Average Package Weight	4,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	26' 7"
Storage Length	22' 7"

STANDARD FEATURES (CONT.)

- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Black hardware

ELECTRICAL
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- Fold-away tongue jack
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Steel fenders w/non-skid mats
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

BOW FISHFINDER
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Fishing chair w/pedestal

PERFORMANCE & STEERING
- Lenco trim tabs
- Trim lever on steering wheel
- Dual trim lever on steering wheel

OPTIONS (CONT.)

TROLLING MOTOR

- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; exchange)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)

KICKER MOTOR

- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL

- Bimini top (factory installed)
- Plexiglass windscreens (exchange)
- Ski tow pylon
- Below-console RAM® X-Grip® phone holder
- 2 oxygen generators
- Automatic bilge pump
- Bow & cockpit under-carpet anti-fatigue mats
- MarineMat cockpit mat
- Bow under-carpet anti-fatigue mat & MarineMat cockpit mat
- Emergency ladder
- 6" (15.24 cm) Bob's Machine™ hydraulic jack plate—Black

COVER

- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

NITRO PERFORMANCE FISHING BOATS

2026 ZV20

w/Mercury® 225 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 XL Pro XS® FourStoke w/DTS controls		
• 250 XL Verado® FourStoke	-	
• 300 XL Pro XS® FourStoke w/DTS controls		
• 300 XL Verado® FourStoke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- ***NEW*** bow under-carpet anti-fatigue mat
- ***NEW*** Aquatraction cockpit mat
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Oxygen generators
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) composite shaft trolling motor w/Dual Spectrum CHIRP™
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/finished bottom
- Heavy-duty molded, tinted plexiglass windscreens
- Oversized carpeted, lockable port glovebox w/dual access
- Lowrance® Elite FS® 7 RAM®-mounted fishfinder w/ActiveImaging HD™
- 5" (12.7 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- SmartCraft® gauges
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Verado® tilt electro-hydraulic steering
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/hydraulic pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists & retractable rod holders w/port tapered rod tube to protect rod tips
- Bow port cooler w/removable tray
- 2-layer center rod locker for rods up to 8' (2.44 m)
- Extra-large integrated port net holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- Footrest w/storage under each console
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Folding Centric X driver & passenger seats
- Midship port & starboard insulated storage boxes designed to accept tackle trays
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept seven 3700 tackle trays
- Insulated aluminum lids w/welded corners
- Rod holders for aft rail
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

SPECIFICATIONS

Length	20' 2"
Beam	8' 4"
Bottom Width	6' 5"
Max. Recommended HP	300 HP
Fuel Capacity	55 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	25"
Transom Height	26"
Deadrise	18°
Draft	18"
Average Weight	2,900 lbs.
Average Package Weight	5,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 1"

STANDARD FEATURES (CONT.)

PERFORMANCE
- Deep V NVT™ performance hull w/RAPID PLANING SYSTEM™ (RPS™) transom
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate; 8" (20.32 cm) w/225HP motor
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Cisco accessory-mounting track system
- Black hardware

ELECTRICAL
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- 1,500-lb. (680.39 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Elite FS® 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER
- 2nd console Lowrance® Elite FS® 7
- 2nd console Lowrance® Elite FS® 9
- 2nd console Lowrance® HDS® PRO 9
- 2nd console Lowrance® HDS® PRO 10
- 2nd console Lowrance® HDS® PRO 12
- 2nd console Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd console Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd console Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Fishing chair w/pedestal
- Aft deck fishing chair w/pedestal
- Cockpit & aft deck fishing chairs w/pedestals

PERFORMANCE & STEERING
- Tilt hydraulic power steering for Pro XS® motor
- Lenco trim tabs
- Paddle trim lever on steering wheel
- Dual paddle trim lever on steering wheel

TROLLING MOTOR
- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 60" (1.52 m) shaft trolling motor
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® Link™
- Minn Kota® Ulterra® 36V, 115-lb. (52.16 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® QUEST™ 36V, 115-lb. (52.16 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor

KICKER MOTOR
- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for Mercury® 9.9 or 15 ELHPT ProKicker & ELPT remote ProKicker (motor & battery sold separately)
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

OPTIONS (CONT.)

FUNCTIONAL
- Bimini top (factory installed)
- Walk-thru glass windshield
- Ski tow pylon
- KICKER® KMC1 Bluetooth®-capable stereo system
- Below-console RAM® X-Grip® phone holder
- Aft rod holder
- Emergency ladder
- Keel protector—Black
- Keel protector—White
- 10" (25.4 cm) Bob's Machine™ Extreme hydraulic jack plate—Black

COVER
- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

TRAILER
- Fiberglass fenders
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 ZV20 PRO

w/Mercury® 225 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 XL Pro XS® FourStoke w/DTS controls		
• 250 XL Verado® FourStoke	-	
• 300 XL Pro XS® FourStoke w/DTS controls		
• 300 XL Verado® FourStoke	-	

STANDARD FEATURES

PRO
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ Ultra 2 12" (30.48 cm) sv RAM®-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ Ultra 2 12" (30.48 cm) sv RAM®-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- Additional cockpit fishing seat
- KICKER® KMC1 Bluetooth®-capable stereo system w/speakers
- Factory-applied keel protector
- Lenco trim tabs

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- ***NEW*** bow under-carpet anti-fatigue mat
- ***NEW*** Aquatraction cockpit mat
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- 5 stainless steel pull-up cleats, including cleat at driver seat
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/ fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Oxygen generators
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/finished bottom
- Oversized carpeted, lockable port glovebox w/dual access
- 5" (12.7 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- SmartCraft® gauges
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Verado® tilt electro-hydraulic steering
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/hydraulic pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists & retractable rod holders w/port tapered rod tube to protect rod tips
- Bow port cooler w/removable tray
- 2-layer center rod locker for rods up to 8' (2.44 m)
- Extra-large integrated port net holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- Footrest w/storage under each console
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Folding Centric X driver & passenger seats
- Midship port & starboard insulated storage boxes designed to accept tackle trays
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept seven 3700 tackle trays

SPECIFICATIONS

Length	20' 2"
Beam	8' 4"
Bottom Width	6' 5"
Max. Recommended HP	300 HP
Fuel Capacity	55 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	25"
Transom Height	26"
Deadrise	18°
Draft	18"
Average Weight	2,900 lbs.
Average Package Weight	5,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 1"

STANDARD FEATURES (CONT.)
- Insulated aluminum lids w/welded corners
- Rod holders for aft rail
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V NVT™ performance hull w/RAPID PLANING SYSTEM™ (RPS™) transom
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate; 8" (20.32 cm) w/225HP motor
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Cisco accessory-mounting track system
- Black hardware

ELECTRICAL
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- 1,500-lb. (680.39 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

2ND CONSOLE FISHFINDER
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Aft deck fishing chair w/pedestal

PERFORMANCE & STEERING
- Tilt hydraulic power steering for Pro XS® motor
- Paddle trim lever on steering wheel
- Dual paddle trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; exchange)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor (exchange)

KICKER MOTOR
- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for Mercury® 9.9 or 15 ELHPT ProKicker & ELPT remote ProKicker (motor & battery sold separately)
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL
- Bimini top (factory installed)
- Plexiglass windscreens (exchange)
- Ski tow pylon
- Below-console RAM® X-Grip® phone holder
- Aft rod holder
- Emergency ladder
- 10" (25.4 cm) Bob's Machine™ Extreme hydraulic jack plate—Black

COVER
- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

TRAILER
- Fiberglass fenders
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 ZV20 SPORT

w/Mercury® 225 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 XL Pro XS® FourStoke w/DTS controls		
• 250 XL Verado® FourStoke	-	
• 300 XL Pro XS® FourStoke w/DTS controls		
• 300 XL Verado® FourStoke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow under-carpet anti-fatigue mat
- ***NEW*** Aquatraction cockpit mat
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/split livewell lid, removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/ fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Oxygen generators
- Insulated aluminum lids w/welded corners
- Dual livewell lid latching to keep lid closed at speed & in rough conditions

TROLLING MOTOR
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) composite shaft trolling motor w/Dual Spectrum CHIRP™
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/finished bottom
- Heavy-duty molded, tinted plexiglass windscreens
- Oversized carpeted, lockable port glovebox w/dual access
- Lowrance® Elite FS® 7 RAM®-mounted fishfinder w/ActiveImaging HD™
- 5" (12.7 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- SmartCraft® gauges
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Tilt hydraulic steering for Pro XS® motors
- Verado® tilt electro-hydraulic steering for Verado® motors
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/hydraulic pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists & retractable rod holders w/port tapered rod tube to protect rod tips
- Bow port cooler w/removable tray
- 2-layer center rod locker for rods up to 8' (2.44 m)
- Extra-large integrated port net holder
- Footrest w/storage under each console
- Midship in-floor storage for 5 batteries
- Folding Centric X driver & passenger seats
- Midship port & starboard cargo net storages that will each accept three 3700 storage or miscellaneous gear
- Optional midship port & starboard tilt-out drawer systems that will each accept three 3700 storage or miscellaneous gear
- 2 aft stainless steel folding drink holders
- Aft magnetic tool holder
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept four 3700 tackle trays
- Insulated aluminum lids w/welded corners
- Integrated aft folding jump seats
- Centered aft deck seat base

SPECIFICATIONS

Length	20' 2"
Beam	8' 4"
Bottom Width	6' 5"
Max. Recommended HP	300 HP
Fuel Capacity	55 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	25"
Transom Height	26"
Deadrise	18°
Draft	18"
Average Weight	2,900 lbs.
Average Package Weight	5,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 1"

STANDARD FEATURES (CONT.)
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V NVT™ performance hull w/RAPID PLANING SYSTEM™ (RPS™) transom
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate; 8" (20.32 cm) w/225HP motor
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Cisco accessory-mounting track system
- Black hardware

ELECTRICAL
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- 1,500-lb. (680.39 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Non-skid fender mats w/stylized design
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

PACKAGE
- Fish & Play package: KICKER® KMC1 Bluetooth®-capable stereo system & ski tow pylon

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- 2nd bow Lowrance® Elite FS® 9
- 2nd bow Lowrance® HDS® PRO 9
- 2nd bow Lowrance® HDS® PRO 10
- 2nd bow Lowrance® HDS® PRO 12
- 2nd bow Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd bow Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd bow Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd bow Garmin® ECHOMAP™ UHD2 93sv
- 2nd bow Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Elite FS® 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 9 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 10 w/ActiveImaging HD™
- Console Lowrance® HDS® PRO 12 w/ActiveImaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER
- 2nd console Lowrance® Elite FS® 7
- 2nd console Lowrance® Elite FS® 9
- 2nd console Lowrance® HDS® PRO 9
- 2nd console Lowrance® HDS® PRO 10
- 2nd console Lowrance® HDS® PRO 12
- 2nd console Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd console Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd console Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Fishing chair w/pedestal
- Aft deck fishing chair w/pedestal
- Cockpit & aft deck fishing chairs w/ pedestals

PERFORMANCE & STEERING
- Tilt hydraulic power steering for Pro XS® motor
- Lenco trim tabs
- Paddle trim lever on steering wheel
- Dual paddle trim lever on steering wheel

TROLLING MOTOR
- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 60" (1.52 m) shaft trolling motor
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® Link™
- Minn Kota® Ulterra® 36V, 115-lb. (52.16 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® QUEST™ 36V, 115-lb. (52.16 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor

KICKER MOTOR
- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)

OPTIONS (CONT.)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL
- Midship port & starboard tilt-out drawer systems that will each accept three 3700 storage or miscellaneous gear
- Bimini top (factory installed)
- Walk-thru glass windshield
- Ski tow pylon
- KICKER® KMC1 Bluetooth®-capable stereo system
- Below-console RAM® X-Grip® phone holder
- Aft rod holder
- Emergency ladder
- Keel protector—Black
- Keel protector—White
- 10" (25.4 cm) Bob's Machine™ Extreme hydraulic jack plate—Black

COVER
- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

TRAILER
- Fiberglass fenders
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 ZV20 SPORT PRO

w/Mercury® 225 XL Pro XS® FourStroke w/DTS controls & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 XL Pro XS® FourStoke w/DTS controls		
• 250 XL Verado® FourStoke	-	
• 300 XL Pro XS® FourStoke w/DTS controls		
• 300 XL Verado® FourStoke	-	

STANDARD FEATURES

PRO
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ Ultra 2 12" (30.48 cm) sv RAM®-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ Ultra 2 12" (30.48 cm) sv RAM®-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- KICKER® KMC1 Bluetooth®-capable stereo system w/speakers
- Factory-applied keel protector
- Lenco trim tabs

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Bow under-carpet anti-fatigue mat
- ***NEW*** Aquatraction cockpit mat
- Tactically-designed gunnels to maximize interior space & fishing room
- Fold-down 4-step stainless steel reboarding ladder
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/split livewell lid, removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Oxygen generators
- Insulated aluminum lids w/welded corners
- Dual livewell lid latching to keep lid closed at speed & in rough conditions

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/finished bottom
- Oversized carpeted, lockable port glovebox w/dual access
- 5" (12.7 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- SmartCraft® gauges
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Tilt hydraulic steering for Pro XS® motors
- Verado® tilt electro-hydraulic steering for Verado® motors
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/hydraulic pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists & retractable rod holders w/port tapered rod tube to protect rod tips
- Bow port cooler w/removable tray
- 2-layer center rod locker for rods up to 8' (2.44 m)
- Extra-large integrated port net holder
- Footrest w/storage under each console
- Midship in-floor storage for 5 batteries
- Folding Centric X driver & passenger seats
- Midship port & starboard cargo net storages that will each accept three 3700 storage or miscellaneous gear
- Optional midship port & starboard tilt-out drawer systems that will each accept three 3700 storage or miscellaneous gear

SPECIFICATIONS

Length	20' 2"
Beam	8' 4"
Bottom Width	6' 5"
Max. Recommended HP	300 HP
Fuel Capacity	55 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,100 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	25"
Transom Height	26"
Deadrise	18°
Draft	18"
Average Weight	2,900 lbs.
Average Package Weight	5,500 lbs.
Package Height	7' 2"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 1"

STANDARD FEATURES (CONT.)

- 2 aft stainless steel folding drink holders
- Aft magnetic tool holder
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept four 3700 tackle trays
- Insulated aluminum lids w/welded corners
- Integrated aft folding jump seats
- Centered aft deck seat base
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V NVT™ performance hull w/RAPID PLANING SYSTEM™ (RPS™) transom
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate; 8" (20.32 cm) w/225HP motor
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Cisco accessory-mounting track system
- Black hardware

ELECTRICAL
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Manual LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle steel NITRO® trailer
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- 1,500-lb. (680.39 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Non-skid fender mats w/stylized design
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

2ND BOW FISHFINDER
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv w/LiveScope™ Plus System

2ND CONSOLE FISHFINDER
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Aft deck fishing chair w/pedestal

PERFORMANCE & STEERING
- Tilt hydraulic power steering for Pro XS® motor
- Paddle trim lever on steering wheel
- Dual paddle trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; exchange)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor (exchange)

KICKER MOTOR
- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL
- Midship port & starboard tilt-out drawer systems that will each accept three 3700 storage or miscellaneous gear
- Bimini top (factory installed)
- Plexiglass windscreens (exchange)
- Ski tow pylon
- Below-console RAM® X-Grip® phone holder
- Aft rod holder
- Emergency ladder
- 10" (25.4 cm) Bob's Machine™ Extreme hydraulic jack plate—Black

COVER
- 2-tone Pro mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone Pro mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

TRAILER
- Fiberglass fenders
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire (must also order fiberglass fenders option)

NITRO PERFORMANCE FISHING BOATS

2026 ZV21

w/Mercury® 250 XL Verado® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 300 XL Verado® FourStoke	-	
• 350 XL Verado® V10	-	
• 400 XL Verado® V10	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- ***NEW*** bow under-carpet anti-fatigue mat
- ***NEW*** Aquatraction cockpit mat
- Tactically-designed gunnels to maximize interior space & fishing room
- Rear fold-up boarding ladder
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 5.5-gal. (20.82 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Oxygen generators
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) composite shaft trolling motor w/Dual Spectrum CHIRP™
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Heavy-duty molded, tinted plexiglass windscreens
- Oversized carpeted, lockable port glovebox
- Lowrance® Elite FS® 7 RAM®-mounted fishfinder w/ActiveImaging HD™
- 5" (12.7 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- SmartCraft® gauges
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Verado® tilt electro-hydraulic steering
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/hydraulic pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- 3-level tubeless center rod locker for rods up to 8' (2.44 m)
- Extra-large integrated port net holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- Footrest w/non-skid mat under each console
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Folding Centric X driver & passenger seats
- Midship port & starboard insulated storage boxes designed to accept tackle trays
- Built-in tournament ruler & holder
- 2 lift-out, molded & lockable aft storage boxes that will each accept seven 3700 tackle trays
- Insulated aluminum lids w/welded corners
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V NVT™ performance hull w/RAPID PLANING SYSTEM™ (RPS™) transom
- 12" (30.48 cm) R&R Design Slidemaster adjustable jack plate

SPECIFICATIONS

Length	21' 7"
Beam	8' 4"
Bottom Width	6' 5"
Max. Recommended HP	400 HP
Fuel Capacity	80 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,200 lbs.
Max. Person, Motor & Gear Weight	2,500 lbs.
Interior Depth	25"
Transom Height	28"
Deadrise	18°
Draft	18"
Average Weight	2,900 lbs.
Average Package Weight	5,500 lbs.
Package Height	6' 9"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 7"

STANDARD FEATURES (CONT.)

- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Cisco accessory-mounting track system
- Black hardware

ELECTRICAL
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Automatic LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- 1,600-lb. (725.75 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Fiberglass fenders w/integrated back-up lights
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

FISHFINDER TECHNOLOGY
- Add ActiveTarget® to all Lowrance® fishfinders
- Add LiveScope™ Plus System to all Garmin® fishfinders

BOW FISHFINDER
- Bow Lowrance® Elite FS® 7
- Bow Lowrance® Elite FS® 9
- Bow Lowrance® HDS® PRO 9
- Bow Lowrance® HDS® PRO 10
- Bow Lowrance® HDS® PRO 12
- Bow Humminbird® XPLORE™ 9" (22.86 cm)
- Bow Humminbird® XPLORE™ 9" (22.86 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 10" (25.4 cm)
- Bow Humminbird® XPLORE™ 10" (25.4 cm) w/MEGA Live 2
- Bow Humminbird® XPLORE™ 12" (30.48 cm)
- Bow Humminbird® XPLORE™ 12" (30.48 cm) w/MEGA Live 2
- Bow Garmin® ECHOMAP™ UHD2 93sv
- Bow Garmin® ECHOMAP™ Ultra 2 106sv
- Bow Garmin® ECHOMAP™ Ultra 2 126sv

2ND BOW FISHFINDER
- 2nd bow Lowrance® Elite FS® 9
- 2nd bow Lowrance® HDS® PRO 9
- 2nd bow Lowrance® HDS® PRO 10
- 2nd bow Lowrance® HDS® PRO 12
- 2nd bow Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd bow Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd bow Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd bow Garmin® ECHOMAP™ UHD2 93sv
- 2nd bow Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv

CONSOLE FISHFINDER EXCHANGE
- Console Lowrance® Elite FS® 9 w/Activelmaging HD™
- Console Lowrance® HDS® PRO 9 w/Activelmaging HD™
- Console Lowrance® HDS® PRO 10 w/Activelmaging HD™
- Console Lowrance® HDS® PRO 12 w/Activelmaging HD™
- Console Humminbird® XPLORE™ 9" (22.86 cm)
- Console Humminbird® XPLORE™ 10" (25.4 cm)
- Console Humminbird® XPLORE™ 12" (30.48 cm)
- Console Garmin® ECHOMAP™ Ultra 2 106sv w/GT36UHD & GT8HW-IH
- Console Garmin® ECHOMAP™ Ultra 2 126sv w/GT36UHD & GT8HW-IH

2ND CONSOLE FISHFINDER
- 2nd console Lowrance® Elite FS® 7
- 2nd console Lowrance® Elite FS® 9
- 2nd console Lowrance® HDS® PRO 9
- 2nd console Lowrance® HDS® PRO 10
- 2nd console Lowrance® HDS® PRO 12
- 2nd console Humminbird® XPLORE™ 9" (22.86 cm)
- 2nd console Humminbird® XPLORE™ 10" (25.4 cm)
- 2nd console Humminbird® XPLORE™ 12" (30.48 cm)
- 2nd console Garmin® ECHOMAP™ UHD2 93sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 106sv
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Fishing chair w/pedestal
- Aft deck fishing chair w/pedestal
- Cockpit & aft deck fishing chairs w/pedestals

PERFORMANCE & STEERING
- Lenco trim tabs
- Paddle trim lever on steering wheel
- Dual paddle trim lever on steering wheel

TROLLING MOTOR
- Lowrance® Ghost® 36V, 120-lb. (54.43 kg) thrust, 60" (1.52 m) shaft trolling motor
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™
- Minn Kota® Terrova® 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® Link™
- Minn Kota® Ulterra® 36V, 115-lb. (52.16 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ulterra® QUEST™ 36V, 115-lb. (52.16 kg) thrust, 72" (1.83 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/MEGA Side Imaging®
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor

KICKER MOTOR
- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker

OPTIONS (CONT.)
- Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for Mercury® 9.9 or 15 ELHPT ProKicker & ELPT remote ProKicker (motor & battery sold separately)
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL
- Bimini top (factory installed)
- Walk-thru glass windshield
- Ski tow pylon
- KICKER® KMC1 Bluetooth®-capable stereo system
- Below-console RAM® X-Grip® phone holder
- Aft rod holder
- Emergency ladder
- Keel protector—Black
- Keel protector—White
- 12" (30.48 cm) Bob's Machine™ Extreme hydraulic jack plate—Black

COVER
- 2-tone mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

TRAILER
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire

NITRO PERFORMANCE FISHING BOATS

2026 ZV21 PRO

w/Mercury® 250 XL Verado® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 300 XL Verado® FourStoke	-	
• 350 XL Verado® V10	-	
• 400 XL Verado® V10	-	

STANDARD FEATURES

PRO
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor
- Bow Garmin® ECHOMAP™ Ultra 2 12" (30.48 cm) sv RAM®-mounted fishfinder w/LiveScope™ Plus System
- Console Garmin® ECHOMAP™ Ultra 2 12" (30.48 cm) sv RAM®-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- Additional cockpit fishing seat
- KICKER® KMC1 Bluetooth®-capable stereo system w/speakers
- Factory-applied keel protector
- Lenco trim tabs

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- ***NEW*** bow under-carpet anti-fatigue mat
- ***NEW*** Aquatraction cockpit mat
- Tactically-designed gunnels to maximize interior space & fishing room
- Rear fold-up boarding ladder
- 5 stainless steel pull-up cleats, including cleat at driver seat
- Stainless steel bow & stern eyes
- Passenger grab handle
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 5.5-gal. (20.82 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated, rotomolded GUARDIAN™ anti-slosh livewell w/removable divider, bait bucket & rounded corners
- Dual 500 GPH (1,893 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Dual 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Livewell culling system
- Livewell control valve
- Overflow screens
- Pump-out systems
- Oxygen generators
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners

TROLLING MOTOR
- Trolling motor pedal recess

CONSOLE
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Oversized carpeted, lockable port glovebox
- 5" (12.7 cm) NITRO® Z-TOUCH™ digital touchscreen control w/1-touch boat controls including First Fish & Nite modes; master power; trim; lighting; bilge; livewells & more
- SmartCraft® gauges
- Key fob remote w/First Fish & Nite modes, trim control & master power on/off
- First Fish feature fills & recirculates livewell w/1 touch for stress-free livewell prep
- Verado® tilt electro-hydraulic steering
- Port & starboard below-console shelves
- Side-mounted LED courtesy light
- Space to mount additional electronics

INTERIOR
- Ergonomic bow panel for easy electronic mounting
- Bike seat w/hydraulic pedestal
- Folding Centric X fishing seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- 3-level tubeless center rod locker for rods up to 8' (2.44 m)
- Extra-large integrated port net holder
- Passenger rod ramp w/rod handle organizer & hold-down strap
- Footrest w/non-skid mat under each console
- Midship in-floor storage for 5 batteries
- Starboard tool holder
- Folding Centric X driver & passenger seats
- Midship port & starboard insulated storage boxes designed to accept tackle trays
- Built-in tournament ruler & holder

SPECIFICATIONS

Length	21' 7"
Beam	8' 4"
Bottom Width	6' 5"
Max. Recommended HP	400 HP
Fuel Capacity	80 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,200 lbs.
Max. Person, Motor & Gear Weight	2,500 lbs.
Interior Depth	25"
Transom Height	28"
Deadrise	18°
Draft	18"
Average Weight	2,900 lbs.
Average Package Weight	5,500 lbs.
Package Height	6' 9"
Package Width	8' 6"
Towing Length	27' 11"
Storage Length	24' 7"

STANDARD FEATURES (CONT.)

- 2 lift-out, molded & lockable aft storage boxes that will each accept seven 3700 tackle trays
- Insulated aluminum lids w/welded corners
- ***NEW*** upholstery
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Stainless steel lockable latches
- Easy access to rigging & pumps

PERFORMANCE
- Deep V NVT™ performance hull w/RAPID PLANING SYSTEM™ (RPS™) transom
- 12" (30.48 cm) R&R Design Slidemaster adjustable jack plate
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- 100% composite deck core w/superior thermal stability & strength-to-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides
- Cisco accessory-mounting track system
- Black hardware

ELECTRICAL
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- ***NEW*** wireless bow keypad
- Bow navigation lights integrated into gunnels
- Automatic LED-lighted bow storage compartments
- Remote drain plug
- Heavy-duty Interstate® cranking battery
- 3 heavy-duty Interstate® trolling batteries
- NOCO® GB40 jump starter pack
- 4-bank, 40-amp battery charger
- ***NEW*** single, completely-sealed ECM
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch connectors on gauges
- Water- & abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER
- Custom-fit, tandem-axle NITRO® trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Surge disc brakes on both axles
- 14" (35.56 cm) NITRO® aluminum wheels w/radial tires
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue to reduce storage length
- All-welded rectangular GALVASHIELD® frame
- 7-pin connector
- 1,600-lb. (725.75 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap
- Integrated step & safety handle for boarding at bow while boat is on trailer
- Boarding ladder
- Fiberglass fenders w/integrated back-up lights
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Retractable transom tie downs
- Safety cables

OPTIONS

COLOR
- Custom color
- Elite 4-color

2ND BOW FISHFINDER
- 2nd bow Garmin® ECHOMAP™ Ultra 2 126sv w/LiveScope™ Plus System

2ND CONSOLE FISHFINDER
- 2nd console Garmin® ECHOMAP™ Ultra 2 126sv

BATTERY & BATTERY CHARGER
- 1 TRACKER® Lithium WRM100 starting battery & 3 RB100 trolling batteries (for 36V system)

CUSHION & SEATING
- Smooth Moves® seat suspension
- Fishing chair w/pedestal
- Aft deck fishing chair w/pedestal

PERFORMANCE & STEERING
- Paddle trim lever on steering wheel
- Dual paddle trim lever on steering wheel

TROLLING MOTOR
- Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ & i-Pilot® (no longer available; exchange)
- Minn Kota® Ultrex™ QUEST™ 36V, 115-lb. (52.16 kg) thrust, 60" (1.52 m) shaft trolling motor w/Dual Spectrum CHIRP™ (exchange)
- Garmin® Force® Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor (exchange)

KICKER MOTOR
- Fuel tank attachment & rigging bracket for Mercury® 9.9 or 15 ELPT ProKicker
- Fuel tank attachment, rigging bracket & 1 TRACKER® Lithium WRM100 battery for Mercury® 9.9 or 15 ELPT ProKicker
- Tiller handle rigging kit for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor & battery sold separately)
- Tiller handle rigging kit & 1 TRACKER® Lithium WRM100 battery for starboard mounted Mercury® 9.9 or 15 ELHPT FourStroke ProKicker (motor sold separately)
- Remote shifter for Mercury® 9.9 or 15 ELPT ProKicker
- Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for Mercury® 9.9 or 15 ELHPT ProKicker & ELPT remote ProKicker (motor & battery sold separately)
- Factory-installed Mercury® 9.9 ELHPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELHPT FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 9.9 ELPT EFI FourStroke ProKicker (battery sold separately)
- Factory-installed Mercury® 15 ELPT FourStroke ProKicker (battery sold separately)

FUNCTIONAL
- Bimini top (factory installed)
- Plexiglass windscreens (exchange)
- Ski tow pylon
- Below-console RAM® X-Grip® phone holder
- Aft rod holder
- Emergency ladder
- 12" (30.48 cm) Bob's Machine™ Extreme hydraulic jack plate—Black

COVER
- 2-tone mooring cover w/dual consoles & windscreens—Black & Charcoal
- 2-tone mooring cover w/dual consoles & walk-thru windshield—Black & Charcoal

TRAILER
- 18" (45.72 cm) aluminum tire/wheel upgrade w/spare tire
- 18" (45.72 cm) Black tire/wheel upgrade w/spare tire


Sun
TRACKER

2026 BASS BUGGY® 16 XL SELECT

w/Mercury® 20 ELPT FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 50 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- ***NEW*** 7' (2.13 m) Black polyester Bimini top w/easy-adjusting straps, trailering-position arms & protective boot
- Easy-to-use, manual Bimini top deployment system
- Integrated LED navigation & anchor lights
- 4 stainless steel mooring cleats
- Port wheelchair-accessible gate
- Fore & rear boarding platforms w/ ***NEW*** wider rear 4-step telescoping boarding ladder & grab rails
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Forward-console 9-gal. (34.07 L) aerated livewell w/shutoff valve

CONSOLE
- Wraparound tinted windscreen
- ***NEW*** console design & color
- Driver console w/vertical rod holder, integrated storage, drink holders & side-mounted controls
- 4:2 ratio no-feedback steering w/sport steering wheel
- Wet Sounds® stereo w/Bluetooth® & two 6.5" (16.51 cm) speakers, strategically located within the seat bases
- Illuminated tachometer
- Rocker switches
- 12V outlet
- Below-console storage space w/curtain

INTERIOR
- 2 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- Forward-console seat w/molded-in grab handles & below-cushion livewell
- Aft L-lounge couches w/underseat storage
- Adjustable & swiveling helm bucket seat
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- ***NEW*** all-welded, all-aluminum extended motor pod
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage & furniture for superior strength & longevity
- Gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Charcoal fencing
  - Copper Red fencing
  - Indigo Blue fencing
- ***NEW*** graphics
- ***NEW*** redesigned fencing w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Marine-grade fuse panel
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

SPECIFICATIONS

Length	18' 5"
Deck Length	16'
Deck Width	8'
Max. Recommended HP	50 HP
Fuel Capacity	9 gal.
Pontoon Log Length	16' 7"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity (U.S.)	7 persons
Max. Person Weight	1,090 lbs.
Max. Person, Motor & Gear Weight	1,550 lbs.
Interior Depth	24"
Average Weight	1,310 lbs.
Average Package Weight	2,430 lbs.
Package Height	8' 8"
Package Width	8' 3"
Towing Length	25' 1"
Storage Length	24' 10"

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 4x fishfinder
  - Minn Kota® PowerDrive™ 12V, 55-lb. (24.95 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor w/quick-release bracket (does not include trolling battery)

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Single-axle trailer (additional freight charge applies for standalone trailer purchase)
- Single-axle trailer w/brakes (additional freight charge applies for standalone trailer purchase)

2026 BASS BUGGY® 18 DLX

w/Mercury® 40 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 20 ELPT FourStroke	12–14	
• 25 ELPT FourStroke	10–14	
• 60 ELPT FourStroke Command Thrust		
• 75 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- ***NEW*** 9' (2.74 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- Integrated LED navigation & anchor lights
- 4 stainless steel mooring cleats
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- ***NEW*** forward-console 9-gal. (34.07 L) aerated livewell w/shutoff valve
- Aft 8-gal. (30.28 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- Wraparound sport console shroud & tinted windscreen
- ***NEW*** console design & color
- Driver console w/vertical rod holder, integrated storage, drink holders & side-mounted controls
- 4:2 ratio no-feedback steering w/sport steering wheel
- Wet Sounds® stereo w/Bluetooth® & two 6.5" (16.51 cm) speakers, strategically located within the seat bases
- Illuminated tachometer & fuel gauge
- Rocker switches
- 12V outlet
- Below-console storage space w/curtain

INTERIOR
- 3 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- Front fishing station w/2 pedestal seat base locations; rail-mounted rod & tool holders; & bow starboard storage compartment w/rod & drink holders
- ***NEW*** port storage compartment for battery w/rod & drink holder
- ***NEW*** starboard storage compartment w/rod & drink holder
- Aft L-lounge couches w/underseat storage
- Adjustable & swiveling helm bucket seat
- Aft fishing station w/1 pedestal seat base location; & rail-mounted rod & tool holders
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage & furniture for superior strength & longevity
- Gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

SPECIFICATIONS

Length	20'
Deck Length	17' 8"
Deck Width	8' 2"
Max. Recommended HP	75 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	18' 4"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	8 persons
Max. Person Weight	1,200 lbs.
Max. Person, Motor & Gear Weight	1,775 lbs.
Interior Depth	24"
Average Weight	1,470 lbs.
Average Package Weight	2,985 lbs.
Package Height	8' 8"
Package Width	8' 2"
Towing Length	27' 5"
Storage Length	27' 5"

STANDARD FEATURES (CONT.)

EXTERIOR
- Colors available:
  - ***NEW*** Charcoal fencing
  - Copper Red fencing
  - Indigo Blue fencing
- ***NEW*** graphics
- ***NEW*** redesigned fencing w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Marine-grade fuse panel
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 4x fishfinder
  - Minn Kota® PowerDrive™ 12V, 55-lb. (24.95 kg) thrust, 54" (1.37 m) shaft, foot-control trolling motor w/quick-release bracket (does not include trolling battery)

FUNCTIONAL
- Underpinning kit

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Single-axle trailer (additional freight charge applies for standalone trailer purchase)
- Single-axle trailer w/brakes (additional freight charge applies for standalone trailer purchase)

2026 FISHIN' BARGE® 20 DLX

w/Mercury® 60 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 20 ELPT FourStroke	-	
• 25 ELPT FourStroke	-	
• 90 ELPT FourStroke Command Thrust	21–29	
• 115 ELPT FourStroke Command Thrust	-	
• 115 ELPT Pro XS® FourStroke Command Thrust		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 9' (2.74 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- 4 folding mooring cleats
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 10-gal. (37.85 L) aerated livewell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- ***NEW*** 4 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- Front fishing station w/2 pedestal seat base locations; rail-mounted rod & tool holders; & bow starboard storage compartment w/rod & drink holders
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Aft L-lounge couches w/underseat, lockable storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride

SPECIFICATIONS

Length	21' 11"
Deck Length	19' 10"
Deck Width	8' 6"
Max. Recommended HP	115 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	20' 4"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	10 persons
Max. Person Weight	1,370 lbs.
Max. Person, Motor & Gear Weight	1,900 lbs.
Interior Depth	27.25"
Average Weight	1,940 lbs.
Average Package Weight	3,605 lbs.
Package Height	8' 6"
Package Width	8' 6"
Towing Length	30' 4"
Storage Length	30' 4"

STANDARD FEATURES (CONT.)

- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - Charcoal fencing
  - ***NEW*** Sky Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

FUNCTIONAL
- Underpinning kit

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 FISHIN' BARGE® 22 DLX

w/Mercury® 90 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 25 ELPT FourStroke	11–14	
• 115 ELPT FourStroke Command Thrust	23–33	
• 115 ELPT Pro XS® FourStroke Command Thrust		
• 150 L FourStroke	27–38	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM

- Bow 16-gal. (60.57 L) aerated livewell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE

- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- 4 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- Front fishing station w/2 pedestal seat base locations; rail-mounted rod & tool holders; & bow starboard storage compartment w/drink holder, rod holder & composite lid w/fish ruler
- Bow starboard console couch w/underseat, lockable storage
- ***NEW*** integrated drink holders w/storage area
- Aft L-lounge couches w/underseat storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Aft starboard lockable rod box for 6 rods to 7' 6" (2.29 m) w/lid, rod tube holders & organizer
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE

- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	150 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,500 lbs.
Max. Person, Motor & Gear Weight	2,145 lbs.
Interior Depth	27.25"
Average Weight	2,040 lbs.
Average Package Weight	3,875 lbs.
Package Height	9'
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)

- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR

- Colors available:
  - Charcoal fencing
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL

- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE

- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

FUNCTIONAL

- Underpinning kit

COVER

- Snapless, genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 FISHIN' BARGE® 22 XP3

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 16-gal. (60.57 L) aerated livewell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt hydraulic steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- 4 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- Front fishing station w/2 pedestal seat base locations; rail-mounted rod & tool holders; & bow starboard storage compartment w/drink holder, rod holder & composite lid w/fish ruler
- Bow starboard console couch w/underseat, lockable storage
- ***NEW*** integrated drink holders w/storage area
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep — w/bilge pump in center log
- Aft L-lounge couches w/underseat storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Aft starboard lockable rod box for 6 rods to 7' 6" (2.29 m) w/lid, rod tube holders & organizer
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	200 HP
Fuel Capacity	52 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,575 lbs.
Max. Person, Motor & Gear Weight	2,350 lbs.
Interior Depth	27.25"
Average Weight	2,880 lbs.
Average Package Weight	4,875 lbs.
Package Height	9' 2"
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - Charcoal fencing
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Battery disconnect switch
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 SPORTFISH™ 20 DLX

w/Mercury® 60 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 20 ELPT FourStroke	-	
• 25 ELPT FourStroke	-	
• 90 ELPT FourStroke Command Thrust	21–28	
• 115 ELPT FourStroke Command Thrust	-	
• 115 ELPT Pro XS® FourStroke Command Thrust		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 9' (2.74 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Reclining, low-back swiveling bow bucket seat w/self-leveling armrests
- Port side drink holders w/USB charger
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Aft L-lounge couches w/underseat, lockable storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** 2 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity

SPECIFICATIONS

Length	21' 11"
Deck Length	19' 10"
Deck Width	8' 6"
Max. Recommended HP	115 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	20' 4"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	10 persons
Max. Person Weight	1,370 lbs.
Max. Person, Motor & Gear Weight	1,900 lbs.
Interior Depth	27.25"
Average Weight	1,940 lbs.
Average Package Weight	3,605 lbs.
Package Height	8' 6"
Package Width	8' 6"
Towing Length	30' 4"
Storage Length	30' 4"

STANDARD FEATURES (CONT.)
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Copper Red fencing
  - ***NEW*** Indigo Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

FUNCTIONAL
- Underpinning kit

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 SPORTFISH™ 22 DLX

w/Mercury® 90 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 25 ELPT FourStroke	11–14	
• 115 ELPT FourStroke Command Thrust	27–38	
• 115 ELPT Pro XS® FourStroke Command Thrust		
• 150 L FourStroke	27–38	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Aft L-lounge couches w/underseat, lockable storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- 2 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Aft starboard lockable rod box for 6 rods to 7' 6" (2.29 m) w/lid, rod tube holders & organizer
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	150 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	10 persons
Max. Person Weight	1,450 lbs.
Max. Person, Motor & Gear Weight	2,115 lbs.
Interior Depth	27.25"
Average Weight	2,380 lbs.
Average Package Weight	4,215 lbs.
Package Height	9'
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Copper Red fencing
  - ***NEW*** Indigo Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

FUNCTIONAL
- Underpinning kit

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 SPORTFISH™ 22 XP3

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt hydraulic steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep — w/bilge pump in center log
- Aft L-lounge couches w/underseat, lockable storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- 2 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Aft starboard lockable rod box for 6 rods to 7' 6" (2.29 m) w/lid, rod tube holders & organizer
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- All-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	200 HP
Fuel Capacity	52 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,500 lbs.
Max. Person, Motor & Gear Weight	2,300 lbs.
Interior Depth	27.25"
Average Weight	3,250 lbs.
Average Package Weight	5,250 lbs.
Package Height	9' 1"
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Copper Red fencing
  - ***NEW*** Indigo Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Battery disconnect switch
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 SPORTFISH™ 24 XP3

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke	-	
• 250 L FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

LIVEWELL SYSTEM
- Bow 16-gal. (60.57 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler
- Aft 15-gal. (56.78 L) aerated livewell/baitwell w/shutoff valve, drink holder, rod holder & composite lid w/fish ruler

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt hydraulic steering w/deluxe soft-touch steering wheel
- ***NEW*** Wet Sounds® pre-tuned speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- 2 swiveling bow bucket seats w/self-leveling armrests
- Front fishing station w/2 pedestal seat base locations; rail-mounted rod & tool holders; & bow starboard storage compartment w/drink holder, rod holder & composite lid w/fish ruler
- Port side drink holders
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep — w/bilge pump in center log
- Aft L-lounge couches w/underseat, lockable storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** 2 removable & folding fishing chairs w/heavy-duty 2-3/8" (6 cm) diameter pedestals
- ***NEW*** aft fishing station w/dual gates & aft platform; 2 pedestal seat base locations; & incorporated rod & tool holders
- Aft starboard lockable rod box for 6 rods to 7' 6" (2.29 m) w/lid, rod tube holders & organizer
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- All-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity

SPECIFICATIONS

Length	26' 2"
Deck Length	24' 1"
Deck Width	8' 6"
Max. Recommended HP	250 HP
Fuel Capacity	52 gal.
Pontoon Log Length	24' 11"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	12 persons
Max. Person Weight	2,100 lbs.
Max. Person, Motor & Gear Weight	2,965 lbs.
Interior Depth	27.25"
Average Weight	2,960 lbs.
Average Package Weight	5,280 lbs.
Package Height	8' 10"
Package Width	8' 6"
Towing Length	34' 4"
Storage Length	34' 4"

STANDARD FEATURES (CONT.)
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Copper Red fencing
  - ***NEW*** Indigo Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Elevated fence panels for deck drainage & ventilation

ELECTRICAL
- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Battery disconnect switch
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors
- Pre-wired for optional fishing package

OPTIONS

FISHING PACKAGE
- ***NEW*** fishing package:
  - Lowrance® Eagle 5 fishfinder w/SplitShot™
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft, remote-control trolling motor w/i-Pilot® & quick-release bracket (does not include trolling battery)

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 16 DLX

w/Mercury® 20 ELPT FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 50 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 7' (2.13 m) Black polyester Bimini top w/easy-adjusting straps, trailering-position arms & protective boot
- Easy-to-use, manual Bimini top deployment system
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 stainless steel mooring cleats
- Port wheelchair-accessible gate
- Fore & rear boarding platforms w/ ***NEW*** wider rear 4-step telescoping boarding ladder & grab rails
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE
- Wraparound tinted windscreen
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders & side-mounted controls
- 4:2 ratio no-feedback steering w/sport steering wheel
- Wet Sounds® stereo w/Bluetooth® & two 6.5" (16.51 cm) upholstery speakers
- Illuminated tachometer & fuel gauge
- Rocker switches
- USB charging receptacle
- Below-console storage space w/curtain

INTERIOR
- Bow port & starboard couches w/underseat storage
- Aft L-lounge couches w/underseat storage
- Adjustable & swiveling helm bucket seat
- Interior courtesy lighting
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow structure
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage & furniture for superior strength & longevity
- Gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
- ***NEW*** graphics
- ***NEW*** redesigned fencing w/high-sheen finish for long-lasting cosmetics
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

SPECIFICATIONS

Length	18' 5"
Deck Length	16'
Deck Width	8'
Max. Recommended HP	50 HP
Fuel Capacity	9 gal.
Pontoon Log Length	16' 7"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	8 persons
Max. Person Weight	1,150 lbs.
Max. Person, Motor & Gear Weight	1,600 lbs.
Interior Depth	27.25"
Average Weight	1,310 lbs.
Average Package Weight	2,430 lbs.
Package Height	8' 8"
Package Width	8' 3"
Towing Length	25' 1"
Storage Length	24' 10"

OPTIONS

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Single-axle trailer (additional freight charge applies for standalone trailer purchase)
- Single-axle trailer w/brakes (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 18 DLX

w/Mercury® 40 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 20 ELPT FourStroke	12–14	
• 25 ELPT FourStroke	10–14	
• 60 ELPT FourStroke Command Thrust		
• 75 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 9' (2.74 m) Black Bimini top w/LED courtesy lights, storage pockets, protective boot & accepts optional drop-down changing curtain
- Easy-to-use, manual Bimini top deployment system
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 stainless steel mooring cleats
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- 4:2 ratio no-feedback steering w/sport steering wheel
- 2 Wet Sounds® 6.5" (16.51 cm) upholstery speakers
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Aft L-lounge couches w/underseat storage
- Adjustable & swiveling helm bucket seat
- Aft port rear-facing double lounge w/underseat storage
- Interior courtesy lighting
- Full-width aft swim deck
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow structure
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR
- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- ***NEW*** redesigned fencing
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

SPECIFICATIONS

Length	20'
Deck Length	17' 8"
Deck Width	8' 2"
Max. Recommended HP	75 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	18' 4"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	9 persons
Max. Person Weight	1,220 lbs.
Max. Person, Motor & Gear Weight	1,750 lbs.
Interior Depth	27.25"
Average Weight	1,450 lbs.
Average Package Weight	2,965 lbs.
Package Height	9'
Package Width	8' 2"
Towing Length	27' 3"
Storage Length	27' 3"

STANDARD FEATURES (CONT.)

ELECTRICAL
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

FUNCTIONAL
- Underpinning kit

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Single-axle trailer (additional freight charge applies for standalone trailer purchase)
- Single-axle trailer w/brakes (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 20 DLX

w/Mercury® 60 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 20 ELPT FourStroke	-	
• 25 ELPT FourStroke	-	
• 90 ELPT FourStroke Command Thrust	23–29	
• 115 ELPT FourStroke Command Thrust	-	
• 115 ELPT Pro XS® FourStroke Command Thrust		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 9' (2.74 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats
- Port wheelchair-accessible gate
- Rear boarding platform w/***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE
- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- 4 Wet Sounds® 6.5" (16.51 cm) upholstery speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR
- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Aft L-lounge couches w/underseat, lockable storage
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- Interior courtesy lighting
- Full-width aft swim deck
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE
- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow structure
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

SPECIFICATIONS

Length	21' 11"
Deck Length	19' 10"
Deck Width	8' 6"
Max. Recommended HP	115 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	20' 4"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity (U.S.)	10 persons
Max. Person Weight (U.S.)	1,370 lbs.
Max. Person, Motor & Gear Weight (U.S.)	1,900 lbs.
Max. Person Capacity (Canada)	8 persons
Max. Person Weight (Canada)	1,335 lbs.
Max. Person, Motor & Gear Weight (Canada)	1,980 lbs.
Interior Depth	27.25"
Average Weight	2,080 lbs.
Average Package Weight	3,745 lbs.
Package Height	8' 9"
Package Width	8' 6"
Towing Length	30' 2"
Storage Length	30' 2"

STANDARD FEATURES (CONT.)

EXTERIOR
- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- ***NEW*** redesigned fencing, gates & color
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

FUNCTIONAL
- Underpinning kit

COVER
- Snapless, genuine mooring cover—Black

TRAILER
- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 22 DLX

w/Mercury® 90 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 25 ELPT FourStroke	-	
• 115 ELPT FourStroke Command Thrust		
• 115 ELPT Pro XS® FourStroke Command Thrust		
• 150 L FourStroke	29–38	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- 4 Wet Sounds® 6.5" (16.51 cm) upholstery speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Midship port side drink holder
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling port & helm bucket seats w/self-leveling armrests
- Aft port couch w/underseat storage
- Aft starboard couch w/underseat, lockable storage
- Interior courtesy lighting
- Full-width aft swim deck
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE

- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow structure
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	150 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,500 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	27.25"
Average Weight	2,080 lbs.
Average Package Weight	3,915 lbs.
Package Height	8' 10"
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)

EXTERIOR

- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- ***NEW*** redesigned fencing, gates & color
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL

- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

FUNCTIONAL

- Underpinning kit

COVER

- Snapless, genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 22 XP3

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt hydraulic steering w/deluxe soft-touch steering wheel
- 4 Wet Sounds® 6.5" (16.51 cm) upholstery speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Midship port side drink holder
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep — w/bilge pump in center log
- Reclining, high-back swiveling port & helm bucket seats w/self-leveling armrests
- Aft port couch w/underseat storage
- Aft starboard couch w/underseat, lockable storage
- Interior courtesy lighting
- Full-width aft swim deck
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE

- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow & stern structures
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	200 HP
Fuel Capacity	52 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,600 lbs.
Max. Person, Motor & Gear Weight	2,400 lbs.
Interior Depth	27.25"
Average Weight	2,980 lbs.
Average Package Weight	4,975 lbs.
Package Height	8' 11"
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)

EXTERIOR

- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- ***NEW*** redesigned fencing, gates & color
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL

- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Battery disconnect switch
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

COVER

- Snapless, genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 22 RF DLX

w/Mercury® 90 ELPT FourStroke Command Thrust

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 9.9 ELPT FourStroke Command Thrust ProKicker		
• 25 ELPT FourStroke	-	
• 115 ELPT FourStroke Command Thrust	29–38	
• 115 ELPT Pro XS® FourStroke Command Thrust		
• 150 L FourStroke	29–38	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt steering w/deluxe soft-touch steering wheel
- 4 Wet Sounds® 6.5" (16.51 cm) upholstery speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** aft port, 3-position switchback double lounge w/underseat storage
- Interior courtesy lighting
- Full-width aft swim deck
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE

- 24" (60.96 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow structure
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	150 HP
Fuel Capacity	32.1 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	24"
Pontoon Log Material	0.080 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,500 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	27.25"
Average Weight	2,300 lbs.
Average Package Weight	4,135 lbs.
Package Height	8' 10"
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)

EXTERIOR

- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
  - ***NEW*** Starlite Black fencing
- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- ***NEW*** redesigned fencing, gates & color
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL

- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

FUNCTIONAL

- Underpinning kit

COVER

- Snapless, genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

2026 PARTY BARGE® 22 RF XP3

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- ***NEW*** integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/ ***NEW*** wider 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- ***NEW*** console design & color
- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/ ***NEW*** integrated GPS & ***NEW*** stereo control
- ***NEW*** 12-button switch panel location
- Tilt hydraulic steering w/deluxe soft-touch steering wheel
- 4 Wet Sounds® 6.5" (16.51 cm) upholstery speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- ***NEW*** integrated drink holders w/storage area
- Removable table w/4 molded-in drink holders; ***NEW*** color-coordinated, soft-touch mat; & ***NEW*** tailored table location per dealer (dealer installed)
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep — w/bilge pump in center log
- Reclining, high-back swiveling helm bucket seat w/self-leveling armrests
- ***NEW*** aft port, 3-position switchback double lounge w/underseat storage
- Interior courtesy lighting
- Full-width aft swim deck
- ***NEW*** woven 16-oz. (.45 kg) marine-grade flooring throughout
- ***NEW*** marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE

- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow & stern structures
- ***NEW*** all-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity
- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR

- Colors available:
  - ***NEW*** Heritage Red fencing
  - ***NEW*** Pearl White fencing
  - ***NEW*** Sky Blue fencing
  - ***NEW*** Starlite Black fencing

SPECIFICATIONS

Length	24' 2"
Deck Length	22' 1"
Deck Width	8' 6"
Max. Recommended HP	200 HP
Fuel Capacity	52 gal.
Pontoon Log Length	22' 3"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	11 persons
Max. Person Weight	1,600 lbs.
Max. Person, Motor & Gear Weight	2,400 lbs.
Interior Depth	27.25"
Average Weight	2,980 lbs.
Average Package Weight	4,970 lbs.
Package Height	8' 11"
Package Width	8' 6"
Towing Length	32' 4"
Storage Length	32' 4"

STANDARD FEATURES (CONT.)

- ***NEW*** graphics
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- ***NEW*** redesigned fencing, gates & color
- ***NEW*** full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL

- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Battery disconnect switch
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

COVER

- Snapless, genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)

NEW 2026 PARTY BARGE® 24 XP3

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke	-	
• 225 L FourStroke	-	
• 250 L FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- 10' (3.05 m) Black SUN TRACKER® QuickLift™ Bimini top w/LED courtesy lights, storage pockets & protective boot
- Integrated LED docking lights
- Integrated LED navigation & anchor lights
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- Rear boarding platform w/wide 4-step telescoping boarding ladder & grab rails
- Aft receptacle base for optional ski tow pylon
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- Driver console w/integrated storage, drink holders, built-in footrest & ergonomically-positioned controls
- SUN TRACKER FLARE™ touchscreen gauge display w/integrated GPS & stereo control
- 12-button switch panel
- Tilt hydraulic steering w/deluxe soft-touch steering wheel
- 4 Wet Sounds® 6.5" (16.51 cm) upholstery speakers, strategically located & shielded within the seat bases
- Master power on/off switch
- Recessed mobile phone cubbies
- USB charging receptacle

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all couches & lounges
- Bow port couch w/underseat storage & armrest w/drink holder
- Bow starboard console couch w/underseat storage
- 2 fixed deluxe high-back swiveling bucket seats, reclining & w/self-leveling arms on bow port side
- Bow port side drink holder
- Integrated drink holders w/storage area
- Removable table w/4 molded-in drink holders; color-coordinated, soft-touch mat; & tailored table location per dealer (dealer installed)
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep — w/bilge pump in center log
- Reclining, high-back swiveling port & helm bucket seats w/self-leveling armrests
- Aft port rear-facing double lounge w/underseat storage & pop-up changing room
- Aft starboard couch w/underseat, lockable storage
- Bumper storage compartment
- Interior courtesy lighting
- Full-width aft swim deck
- Woven 16-oz. (.45 kg) marine-grade flooring throughout
- Marine-grade, UV-resistant, top-coated upholstery w/26-oz. (.74 kg) base material & multiple densities of foam

CONSTRUCTION & PERFORMANCE

- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- Heavy-duty aluminum U-channel reinforcement behind bow deck trim
- Reinforced bow & stern structures
- All-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm), .090" (.23 cm) thick anodized aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Extruded & anodized aluminum deck edging w/polished aft corner covers
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Rotomolded storage, furniture & console for superior strength & longevity

SPECIFICATIONS

Length	26' 2"
Deck Length	24' 1"
Deck Width	8' 6"
Max. Recommended HP	250 HP
Fuel Capacity	52 gal.
Pontoon Log Length	24' 11"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	12 persons
Max. Person Weight	1,900 lbs.
Max. Person, Motor & Gear Weight	2,800 lbs.
Interior Depth	27.25"
Average Weight	3,360 lbs.
Average Package Weight	5,685 lbs.
Package Height	8' 10"
Package Width	8' 6"
Towing Length	37' 9"
Storage Length	37' 9"

STANDARD FEATURES (CONT.)

- Nylon gate latches & heavy-duty hinges that open inward
- Stainless or coated corrosion-resistant fasteners
- Factory-matched aluminum propeller

EXTERIOR

- Colors available:
  - Heritage Red fencing
  - Pearl White fencing
  - Sky Blue fencing
  - Starlite Black fencing
- Patent-pending TRACK FORMED® fence design w/high-sheen finish for long-lasting cosmetics
- Full-height, elevated fence panels for deck drainage & ventilation

ELECTRICAL

- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Battery disconnect switch
- Easy-access marine-grade automotive-style fuse panel w/latching fuse block door
- Protective abrasion-resistant wire wrap
- Water-resistant connectors

OPTIONS

TRAILER

- Tandem-axle trailer w/brakes on both axles (additional freight charge applies for standalone trailer purchase)


REGENCY™

REGENCY

NEW 2026 230 DL

w/Mercury® 150 L FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 L FourStroke w/DTS controls		
• 250 L Verado®	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- *NEW* 10' (3.05 m) Bimini top w/power up & down, aft facing camera, LED courtesy lighting & protective boot
- Integrated LED docking lights
- Integrated LED navigation & anchor lights
- *NEW* full RGB lighting package: lighted drink holders throughout, speakers, couch trim, corner couch base & side log lights; custom lighting controls on the touchscreen can be used to sync lights to music played onscreen
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- *NEW* telescoping, stainless steel & wide-step boarding ladder w/framed platform & grab rails
- Removable tournament-style ski tow pylon w/ *NEW* dedicated in-floor storage system
- Ski tow pylon rating for ABYC compliance
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- *NEW* raised helm design & console top w/integrated glovebox & drink holder
- *NEW* REGENCY® omni2™ 12" (30.48 cm) touchscreen w/integrated Bluetooth®
- Power-assisted tilt hydraulic steering & digital throttle & shift
- Wet Sounds® stereo system & four 6.5" (16.51 cm) speakers w/amp
- *NEW* integrated Scanstrut® wireless charging mobile phone holder in dash
- *NEW* improved USB type A & C receptacle at helm for convenient charging of multiple mobile device models
- Under-console storage w/door

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all lounges
- *NEW* REGENCY®-exclusive STOW MORE™ quiet-close hinges
- Rotomolded furniture & storage for superior strength & longevity
- Pillow-top lounge construction using the REGENCY® multi-density foam package
- REGENCY®-exclusive seat suspension system
- Wraparound bow port & starboard lounges w/extra-deep cushions, pillowtop backs, lumbar support & lockable storage
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep
- Plush, adjustable-height, reclining & swiveling captain & co-captain chairs w/lift-assists, self-leveling arms & vinyl back storage pouches
- Aft port & starboard lounges w/extra-deep cushions, pillowtop backs, lumbar support, arm storage & underseat lockable storage
- *NEW* extended aft full-width swim platform
- *NEW* woven vinyl flooring
- *NEW* upholstery color packages available
- 2 movable drink holders/armrests
- Removable table w/molded-in drink holders

CONSTRUCTION & PERFORMANCE

- DIAMOND COAT™ 3.0-finished fencing & logs for a long-lasting, lustrous finish
- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- All-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-welded, all-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm) DIAMOND COAT™ 3.0-finished aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Stainless steel gate latches & *NEW* constant torque gate hinges that open inward
- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Heavy-duty extruded powdercoated rub rail w/oversized insert & corner castings
- Factory-matched stainless steel propeller

SPECIFICATIONS

Length	25' 4"
Deck Length	23' 3"
Deck Width	8' 6"
Max. Recommended HP	250 HP
Fuel Capacity	52 gal.
Pontoon Log Length	23' 1"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	12 persons
Max. Person Weight	TBD
Max. Person, Motor & Gear Weight	TBD
Interior Depth	29.5"
Average Weight	3,885 lbs.
Average Package Weight	6,125 lbs.
Package Height	8' 8"
Package Width	8' 6"
Towing Length	33' 4"
Storage Length	33' 4"

STANDARD FEATURES (CONT.)

EXTERIOR

- Patent-pending TRACK FORMED® fence design
- *NEW* fully-integrated RGB exterior log lighting
- White LED underwater rear lighting
- *NEW* dimensional graphics & colors
- *NEW* bow camera
- Elevated fence panels for deck drainage & ventilation
- *NEW* standard color packages:
  - Package 1: Starlite Black exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 2: Starlite Black exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 3: Celtic Green exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 4: Celtic Green exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 5: Ironwine exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Black decals
  - Package 6: Ironwine exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 7: Pearl White exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Black decals
  - Package 8: Pearl White exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 9: Lunar Gray exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Black decals
  - Package 10: Lunar Gray exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 11: Starlite Black exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Silver decals

ELECTRICAL

- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Interstate® cranking battery w/mounting tray
- Lithium-capable 6-amp onboard battery charger
- Easy-to-access, automotive-style fuse panel
- *NEW* enhanced harness connections provide quality improvement & easier plug-&-play
- *NEW* enhanced dual circuit ACR board combines house & crank batteries for shared charge cycles, or isolates each
- *NEW* state-of-charge modules allow for battery levels & battery charge indication to be monitored onscreen
- 12V outlets

OPTIONS

BATTERY

- 2 TRACKER® Lithium WRM100 batteries

COVER

- Snapless, trailerable genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/disc brakes on both axles (additional freight charge applies for standalone trailer purchase)

REGENCY

NEW 2026 250 DL

w/Mercury® 200 L FourStroke w/DTS controls

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 L Verado®	-	
• 300 L Verado®	-	
• 350 L Verado® V10	-	
• 400 L Verado® V10	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- *NEW* 10' (3.05 m) Bimini top w/power up & down, aft facing camera, LED courtesy lighting & protective boot
- Integrated LED docking lights
- Integrated LED navigation & anchor lights
- *NEW* full RGB lighting package: lighted drink holders throughout, speakers, couch trim, corner couch base & side log lights; custom lighting controls on the touchscreen can be used to sync lights to music played onscreen
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- *NEW* telescoping, stainless steel & wide-step boarding ladder w/framed platform & grab rails
- Removable tournament-style ski tow pylon w/ *NEW* dedicated in-floor storage system
- Ski tow pylon rating for ABYC compliance
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- *NEW* raised helm design & console top w/integrated glovebox & drink holder
- *NEW* REGENCY® omni2™ 12" (30.48 cm) touchscreen w/integrated Bluetooth®
- Power-assisted tilt hydraulic steering & digital throttle & shift
- Wet Sounds® stereo system & four 6.5" (16.51 cm) speakers w/amp
- *NEW* integrated Scanstrut® wireless charging mobile phone holder in dash
- *NEW* improved USB type A & C receptacle at helm for convenient charging of multiple mobile device models
- Under-console storage w/door

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all lounges
- *NEW* REGENCY®-exclusive STOW MORE™ quiet-close hinges
- Rotomolded furniture & storage for superior strength & longevity
- Pillow-top lounge construction using the REGENCY® multi-density foam package
- REGENCY®-exclusive seat suspension system
- Wraparound bow port & starboard lounges w/extra-deep cushions, pillowtop backs, lumbar support & lockable storage
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep
- Plush, adjustable-height, reclining & swiveling captain & co-captain chairs w/lift-assists, self-leveling arms & vinyl back storage pouches
- Aft port & starboard lounges w/extra-deep cushions, pillowtop backs, lumbar support, arm storage & underseat lockable storage
- *NEW* extended aft full-width swim platform
- *NEW* woven vinyl flooring
- *NEW* upholstery color packages available
- 2 movable drink holders/armrests
- Removable table w/molded-in drink holders

CONSTRUCTION & PERFORMANCE

- DIAMOND COAT™ 3.0-finished fencing & logs for a long-lasting, lustrous finish
- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- All-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-welded, all-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm) DIAMOND COAT™ 3.0-finished aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Stainless steel gate latches & *NEW* constant torque gate hinges that open inward

SPECIFICATIONS

Length	27' 5"
Deck Length	26' 5"
Deck Width	8' 6"
Max. Recommended HP	400 HP
Fuel Capacity	52 gal.
Pontoon Log Length	25' 4"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	14 persons
Max. Person Weight	1,905 lbs.
Max. Person, Motor & Gear Weight	2,925 lbs.
Interior Depth	30"
Average Weight	4,040 lbs.
Average Package Weight	6,815 lbs.
Package Height	8' 8"
Package Width	8' 6"
Towing Length	35' 5"
Storage Length	35' 5"

STANDARD FEATURES (CONT.)

- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Heavy-duty extruded powdercoated rub rail w/oversized insert & corner castings
- Factory-matched stainless steel propeller

EXTERIOR

- Patent-pending TRACK FORMED® fence design
- *NEW* fully-integrated RGB exterior log lighting
- White LED underwater rear lighting
- *NEW* dimensional graphics & colors
- *NEW* bow camera
- Elevated fence panels for deck drainage & ventilation
- *NEW* standard color packages:
  - Package 1: Starlite Black exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 2: Starlite Black exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 3: Celtic Green exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 4: Celtic Green exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 5: Ironwine exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Black decals
  - Package 6: Ironwine exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 7: Pearl White exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Black decals
  - Package 8: Pearl White exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 9: Lunar Gray exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Black decals
  - Package 10: Lunar Gray exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 11: Starlite Black exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Silver decals

ELECTRICAL

- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Interstate® cranking battery w/mounting tray
- Lithium-capable 6-amp onboard battery charger
- Easy-to-access, automotive-style fuse panel
- *NEW* enhanced harness connections provide quality improvement & easier plug-&-play
- *NEW* enhanced dual circuit ACR board combines house & crank batteries for shared charge cycles, or isolates each
- *NEW* state-of-charge modules allow for battery levels & battery charge indication to be monitored onscreen
- 12V outlets

OPTIONS

BATTERY

- 2 TRACKER® Lithium WRM100 batteries

COVER

- Snapless, trailerable genuine mooring cover—Black

TRAILER

- Tandem-axle trailer w/disc brakes on both axles (additional freight charge applies for standalone trailer purchase)

REGENCY

NEW 2026 250 DL RF

w/Mercury® 200 L FourStroke w/DTS controls

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 L Verado®	-	
• 300 L Verado®	-	
• 350 L Verado® V10	-	
• 400 L Verado® V10	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- 10+LIFE™ Limited Lifetime Warranty: 10-year bow-to-stern warranty + limited lifetime structural & deck warranty
- NMMA® certified
- *NEW* 10' (3.05 m) Bimini top w/power up & down, aft facing camera, LED courtesy lighting & protective boot
- Integrated LED docking lights
- Integrated LED navigation & anchor lights
- *NEW* full RGB lighting package: lighted drink holders throughout, speakers, couch trim, corner couch base & side log lights; custom lighting controls on the touchscreen can be used to sync lights to music played onscreen
- 4 folding mooring cleats & starboard side tie-off mooring eye
- Port wheelchair-accessible gate
- *NEW* telescoping, stainless steel & wide-step boarding ladder w/framed platform & grab rails
- Removable tournament-style ski tow pylon w/ *NEW* dedicated in-floor storage system
- Ski tow pylon rating for ABYC compliance
- Motor-stop safety lanyard
- Fire extinguisher
- Horn

CONSOLE

- *NEW* raised helm design & console top w/integrated glovebox & drink holder
- *NEW* REGENCY® omni2™ 12" (30.48 cm) touchscreen w/integrated Bluetooth®
- Power-assisted tilt hydraulic steering & digital throttle & shift
- Wet Sounds® stereo system & four 6.5" (16.51 cm) speakers w/amp
- *NEW* integrated Scanstrut® wireless charging mobile phone holder in dash
- *NEW* improved USB type A & C receptacle at helm for convenient charging of multiple mobile device models
- Under-console storage w/door

INTERIOR

- Patented built-in STOW MORE™ seat-back storage system for all lounges
- *NEW* REGENCY®-exclusive STOW MORE™ quiet-close hinges
- Rotomolded furniture & storage for superior strength & longevity
- Pillow-top lounge construction using the REGENCY® multi-density foam package
- REGENCY®-exclusive seat suspension system
- Wraparound bow port & starboard lounges w/extra-deep cushions, pillowtop backs, lumbar support & lockable storage
- In-floor lighted storage compartment — 88" (2.24 m) long, 23" (58.42 cm) deep
- Plush, adjustable-height, reclining & swiveling captain & co-captain chairs w/lift-assists, self-leveling arms & vinyl back storage pouches
- *NEW* aft port & starboard rear-facing lounges w/extra-deep cushions, pillowtop backs, lumbar support, arm storage & underseat storage
- *NEW* extended aft full-width swim platform
- *NEW* woven vinyl flooring
- *NEW* upholstery color packages available
- 2 movable drink holders/armrests
- Removable table w/molded-in drink holders

CONSTRUCTION & PERFORMANCE

- DIAMOND COAT™ 3.0-finished fencing & logs for a long-lasting, lustrous finish
- Three 26" (66.04 cm) diameter high-buoyancy multichambered & internally-braced pontoon logs
- XP3 performance strakes & wave-deflecting nose cone for maximum performance
- Full-length, 1-piece longitudinal M-bracket deck supports
- Full-width, heavy-duty extruded Z-bar deck supports that are thru-bolted to longitudinal M-brackets
- All-welded, all-aluminum extended motor pod w/built-in EPA-compliant fuel system
- All-welded, all-aluminum box-beam transom for strength & longevity
- Factory-installed underpinning (under-deck shielding) for improved performance
- Pressure-treated 3/4" (1.91 cm) deck w/Limited Lifetime Warranty
- 1-1/4" (3.18 cm) DIAMOND COAT™ 3.0-finished aluminum fence rails
- Sound- & vibration-deadening fence insulation for a quiet ride
- Stainless steel gate latches & *NEW* constant torque gate hinges that open inward

SPECIFICATIONS

Length	27' 5"
Deck Length	26' 5"
Deck Width	8' 6"
Max. Recommended HP	400 HP
Fuel Capacity	52 gal.
Pontoon Log Length	25' 4"
Pontoon Log Diameter	26"
Pontoon Log Material	0.100 5052 marine alloy
Max. Person Capacity	14 persons
Max. Person Weight	1,905 lbs.
Max. Person, Motor & Gear Weight	3,000 lbs.
Interior Depth	30"
Average Weight	TBD
Average Package Weight	TBD
Package Height	8' 8"
Package Width	8' 6"
Towing Length	35' 5"
Storage Length	35' 5"

STANDARD FEATURES (CONT.)

- Precision fit & finish via plasma & laser-cut parts & robotically-welded construction
- Heavy-duty extruded powdercoated rub rail w/oversized insert & corner castings
- Factory-matched stainless steel propeller

EXTERIOR

- Patent-pending TRACK FORMED® fence design
- *NEW* fully-integrated RGB exterior log lighting
- White LED underwater rear lighting
- *NEW* dimensional graphics & colors
- *NEW* bow camera
- Elevated fence panels for deck drainage & ventilation
- *NEW* standard color packages:
  - Package 1: Starlite Black exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 2: Starlite Black exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 3: Celtic Green exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 4: Celtic Green exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Silver decals
  - Package 5: Ironwine exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Black decals
  - Package 6: Ironwine exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 7: Pearl White exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Black decals
  - Package 8: Pearl White exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 9: Lunar Gray exterior/fencing — Ironwine interior/upholstery — Black railing/logs — Satin Black decals
  - Package 10: Lunar Gray exterior/fencing — Cognac interior/upholstery — Black railing/logs — Satin Black decals
  - Package 11: Starlite Black exterior/fencing — Graphite interior/upholstery — Black railing/logs — Satin Silver decals

ELECTRICAL

- 500 GPH (1,893 LPH) Ultima automatic bilge pump
- Interstate® cranking battery w/mounting tray
- Lithium-capable 6-amp onboard battery charger
- Easy-to-access, automotive-style fuse panel
- *NEW* enhanced harness connections provide quality improvement & easier plug-&-play
- *NEW* enhanced dual circuit ACR board combines house & crank batteries for shared charge cycles, or isolates each
- *NEW* state-of-charge modules allow for battery levels & battery charge indication to be monitored onscreen
- 12V outlets

OPTIONS

BATTERY

- 2 TRACKER® Lithium WRM100 batteries

TRAILER

- Tandem-axle trailer w/disc brakes on both axles (additional freight charge applies for standalone trailer purchase)


TAHOE

2026 T16

w/Mercury® 60 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 75 ELPT FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- 9 drink holders
- 4 mooring cleats
- Aft swim platforms w/4-step, telescoping boarding ladder
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Ice White console w/acrylic windscreen & soft-lined storage trays w/phone connectors
- TAHOE CRUISE™ digital touchscreen dashboard featuring a 7" (17.78 cm) multi-color & waterproof display w/high brightness for easy use in direct sunlight & w/anti-glare coating
- Water-resistant toggle switches
- KICKER® KMC1 stereo w/2 speakers
- Sport steering wheel
- Storage trays
- Non-skid mats
- Molded-in starboard footrest

INTERIOR
- Bow seating w/molded-in storage & reversible backrest for use as spotter seat
- Midship port flip-up cushion allows easy side entry w/out stepping on upholstery
- In-floor storage
- 3-across bench seating w/molded-in storage & flip-down seatback w/non-skid surface
- Aft sunpad w/flip-up cushions & storage below
- Hinged mid-cushion for aft sunpad & fold-down seatback allows easy entry w/out stepping on upholstery
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery w/color-keyed accents & stain-resistant top coating

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** dome graphics
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened

ELECTRICAL
- 500 GPH (1,893 LPH) automatic bilge pump
- Removable bow & stern navigation lights
- Interstate® cranking battery
- Water-resistant electrical connections on all pumps & navigation lights
- USB receptacle & 12V outlet at console

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 13" (33.02 cm) Silver Metallic powdercoated wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- 4 carpeted bunks
- Submersible LED lights
- Safety cables

SPECIFICATIONS

Length	16' 5"
Beam	7' 6"
Bottom Width	6' 4"
Max. Recommended HP	75 HP
Fuel Capacity	13 gal.
Max. Person Capacity	6 persons
Max. Person Weight	950 lbs.
Max. Person, Motor & Gear Weight	1,600 lbs.
Interior Depth	28"
Transom Height	20"
Deadrise	15°
Draft (Trimmed Up)	12.5"
Draft (Trimmed Down)	26.5"
Average Hull Weight	1,250 lbs.
Average Hull Weight w/Motor	1,500 lbs.
Average Package Weight	2,200 lbs.
Bridge Clearance	4' 2"
Package Height	5' 5"
Package Width	8' 4.5"
Towing Length	22' 3"
Towing Length w/Optional Swing-Away Tongue	22' 6"
Storage Length	21' 5"
Storage Length w/Optional Swing-Away Tongue	19'

OPTIONS

COLOR
- Solid White hull gelcoat
- Solid Black hull gelcoat
- Solid Mint hull gelcoat
- Solid Red hull gelcoat

PERFORMANCE & STEERING
- SeaStar® hydraulic steering

FUNCTIONAL
- TurboSwing ski tow bar
- Soft touch flooring, adhesive backed for interior & aft deck—Gray w/Black accent
- Soft touch flooring, snap-in for interior & aft deck—Gray w/Black accent
- Bimini top w/stainless steel frame & boot—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)

COVER
- Trailerable ratchet mooring cover—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)

TRAILER
- Brakes for standard trailer
- ***NEW*** 13" (33.02 cm) aluminum wheels w/radial tires for standard trailer

2026 T18

w/Mercury® 90 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 ELPT Fourstroke	-	
• 115 EXLPT Pro XS®	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- 11 drink holders
- ***NEW*** Six 6" (15.24 cm) fixed mooring cleats
- Aft swim platforms w/4-step, telescoping boarding ladder
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Ice White console w/acrylic windscreen & soft-lined storage trays w/phone connectors
- TAHOE CRUISE™ digital touchscreen dashboard featuring a 7" (17.78 cm) multi-color & waterproof display w/high brightness for easy use in direct sunlight & w/anti-glare coating
- Water-resistant toggle switches
- KICKER® KMC1 stereo w/4 speakers
- Sport steering wheel
- SeaStar® hydraulic steering
- Storage trays
- Non-skid mats
- Molded-in starboard footrest

INTERIOR
- Bow seating w/molded-in storage & reversible backrest for use as spotter seat
- Midship port flip-up cushion allows easy side entry w/out stepping on upholstery
- In-floor storage
- 3-across bench seating w/molded-in storage & flip-down seatback w/non-skid surface
- Aft sunpad w/flip-up cushions & storage below
- Hinged mid-cushion for aft sunpad & fold-down seatback allows easy entry w/out stepping on upholstery
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery w/color-keyed accents & stain-resistant top coating

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- ***NEW*** dome graphics
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened

ELECTRICAL
- 500 GPH (1,893 LPH) automatic bilge pump
- Removable bow & stern navigation lights
- Interstate® cranking battery
- Water-resistant electrical connections on all pumps & navigation lights
- USB receptacle & 12V outlet at console
- USB receptacles at bow backrest & port bench seat

TRAILER
- Custom-fit, single-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- 6 carpeted bunks
- Submersible LED lights
- Safety cables

SPECIFICATIONS

Length	18' 5"
Beam	7' 10"
Bottom Width	6' 8"
Max. Recommended HP	115 HP
Fuel Capacity	20 gal.
Max. Person Capacity	9 persons
Max. Person Weight	1,235 lbs.
Max. Person, Motor & Gear Weight	2,585 lbs.
Interior Depth	28"
Transom Height	20"
Deadrise	15°
Draft (Trimmed Up)	11"
Draft (Trimmed Down)	25"
Average Hull Weight	1,580 lbs.
Average Hull Weight w/Motor	1,940 lbs.
Average Package Weight	2,605 lbs.
Bridge Clearance	4' 6"
Package Height At Top Of Windscreen	5' 8"
Package Height w/Bimini In Trailering Position	6' 6"
Package Width	8' 6"
Towing Length	24' 5"
Storage Length	21' 8"

OPTIONS

COLOR
- Solid White hull gelcoat
- Solid Black hull gelcoat
- Solid Mint hull gelcoat
- Solid Red hull gelcoat

ELECTRONICS
- KICKER® KMC50 stereo upgrade:
  - Two 4" (10.16 cm) bow speakers
  - Two 8" (20.32 cm) aft speakers

PERFORMANCE & STEERING
- Stainless steel propeller (w/115HP motor only)

FUNCTIONAL
- TurboSwing ski tow bar
- Soft touch flooring, adhesive backed for interior & aft deck—Gray w/Black accent
- Soft touch flooring, snap-in for interior & aft deck—Gray w/Black accent
- Bimini top w/stainless steel frame & boot—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)

COVER
- Trailerable ratchet mooring cover—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)

TRAILER
- Brakes for standard trailer
- EZ Loader® aluminum trailer w/swing-away tongue & no brakes
- EZ Loader® aluminum trailer w/swing-away tongue & brakes

2026 T21

w/Mercury® 150 XL Pro XS® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL FourStroke	-	
• 200 XL Pro XS®	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant 42-gal. (159 L) fuel system
- 12 drink holders
- ***NEW*** Six 6" (15.24 cm) fixed mooring cleats
- Aft swim platforms w/4-step, telescoping boarding ladder
- Removable aluminum ski tow pylon
- Fire extinguisher
- Horn
- Paddle

DRIVER CONSOLE
- Rotomolded console w/tinted acrylic windscreen
- TAHOE CRUISE™ digital touchscreen dashboard featuring an 8" (20.32 cm) multi-color & waterproof display w/high brightness for easy use in direct sunlight & w/anti-glare coating
- Digital switch panel for control of all boat functions
- Sport steering wheel
- Hydraulic steering
- Phone management station w/padded landing, dual USB receptacle & 12V outlet
- Molded-in footrest

PASSENGER CONSOLE
- Rotomolded console w/tinted acrylic windscreen
- Lockable glovebox
- KICKER® stereo w/Bluetooth® & 4 speakers
- Phone management station w/padded landing & dual USB receptacle
- Molded-in footrest

INTERIOR
- Bow seating w/molded-in storage & insulated cooler compartment w/overboard drain
- In-floor storage
- Adjustable driver & passenger bucket seats w/slides & swivels
- ***NEW*** aft starboard Black grab handle
- 3-across bench seating w/molded-in storage & flip-down seatback w/non-skid surface
- Aft sunpad w/flip-up cushions & storage below
- Hinged mid-cushion for aft sunpad & fold-down seatback allows easy entry w/out stepping on upholstery
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery w/color-keyed accents & stain-resistant top coating

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Stainless steel propeller

CONSTRUCTION & EXTERIOR
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened

ELECTRICAL
- 1,100 GPH (4,164 LPH) automatic bilge pump
- Removable bow & stern navigation lights
- Interstate® cranking battery
- Water-resistant electrical connections
- USB receptacles at consoles & bench seats

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Disc brakes on both axles
- 13" (33.02 cm) aluminum wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire mount
- Space-saving swing-away tongue
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Safety cables

SPECIFICATIONS

Length	21' 5"
Beam	8' 2"
Bottom Width	7' 2"
Max. Recommended HP	200 HP
Fuel Capacity	42 gal.
Max. Person Capacity	11 persons
Max. Person, Motor & Gear Weight	1,520 lbs.
Interior Depth	32"
Deadrise	16°
Draft (Trimmed Up)	13"
Draft (Trimmed Down)	26"
Average Dry Weight	2,150 lbs.
Average Dry Weight w/Heaviest Motor	2,660 lbs.
Average Package Weight	3,460 lbs.
Bridge Clearance	3' 10"
Average Trailer Weight	800 lbs.
Average Trailer Weight For Optional Trailer	845 lbs.
Bridge Clearance w/Wakeboard Tower Upright	8'
Bridge Clearance w/Wakeboard Tower Folded	6' 8"
Package Height	6' 5"
Package Height w/Wakeboard Tower Upright	10' 6"
Package Height w/Wakeboard Tower Folded	9' 2"
Package Height On Optional Trailer	6' 9"
Package Height w/Wakeboard Tower Upright On Optional Trailer	10' 10"
Package Height w/Wakeboard Tower Folded On Optional Trailer	9' 6"
Package Width	8' 6"
Towing Length	27'
Storage Length	25'
Towing Length w/Optional Trailer	27' 3"
Storage Length w/Optional Trailer	25' 7"

OPTIONS

COLOR
- Solid White hull gelcoat
- Solid Black hull gelcoat
- Solid Mint hull gelcoat
- Solid Red hull gelcoat

FISHING
- Lowrance® Eagle® 5 flush-mounted fishfinder w/SplitShot™ at driver console
- Freshwater Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 72" (1.83 m) shaft, foot-control trolling motor w/Dual Spectrum CHIRP™
- Saltwater Minn Kota® Riptide Terrova® 24V, 80-lb. (36.29 kg) thrust, 72" (1.83 m) shaft, foot-control trolling motor w/Dual Spectrum CHIRP™
- Fishing package:
  - 6-gal. (22.71 L) aerated livewell & livewell switch panel
  - 2 fishing seats w/pedestals & storage bags
  - Added cockpit seat base location
  - 2 dual cockpit vertical rod holders
  - Trolling battery charger
  - 2 group 27 battery trays
  - Bow trolling motor mounting brackets
  - Harness w/plug mounted to bow panel

ELECTRONICS
- KICKER® stereo upgrade:
  - 3.2" (8.13 cm) color display stereo w/Bluetooth® & remote
  - 10" (25.4 cm) subwoofer & subwoofer amplifier
  - Two 6.5" (16.51 cm) bow speakers
  - Two 8" (20.32 cm) cockpit speakers
- KICKER® wakeboard tower speaker upgrade:
  - 3.2" (8.13 cm) color display stereo w/Bluetooth® & remote
  - 10" (25.4 cm) subwoofer & subwoofer amplifier
  - Two 6.5" (16.51 cm) wakeboard swivel tower speakers
  - Two 6.5" (16.51 cm) bow speakers
  - Two 8" (20.32 cm) cockpit speakers

PERFORMANCE & STEERING
- Tilt hydraulic steering

FUNCTIONAL
- Soft touch flooring, adhesive backed for interior & aft deck—Gray w/Black accent
- Soft touch flooring, snap-in for interior & adhesive backed for aft deck—Gray w/Black accent
- Bimini top w/stainless steel frame & boot—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)
- Folding wakeboard tower & 2 wakeboard racks w/Black textured, powdercoated aluminum frame & Black Bimini top (factory installed only)

COVER
- Trailerable ratchet mooring cover (w/out wakeboard tower)—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)
- Trailerable ratchet mooring cover that fits w/wakeboard tower—Black (Black hull), Light Gray (Mint hull) or Red (White & Red hulls)

OPTIONS (CONT.)

TRAILER

- Spare tire for side spare tire mount
- 14" (35.56 cm) aluminum wheels w/radial tires & spare tire for standard trailer
- EZ Loader® aluminum trailer w/swing-away tongue & 14" (35.56 cm) aluminum wheels w/radial tires & spare tire

2026 210 S

w/Mercury® 150 XL Pro XS® FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL FourStroke	-	
• 200 XL FourStroke Cold Fusion White		
• 200 XL Pro XS®	-	
• 225 XL FourStroke	-	
• 225 XL FourStroke Cold Fusion White		
• 225 XL FourStroke w/DTS controls		
• 225 XL FourStroke Cold Fusion White w/DTS controls		

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- Drink holders
- 7 stainless steel pull-up mooring cleats
- Stainless steel passenger grab handles
- Aft port & starboard swim platforms w/top-mounted, fold-down 4-step boarding ladder & integrated grabrail
- Removable aluminum ski tow pylon
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Walk-thru tempered safety glass windshield w/Black powdercoated aluminum frame
- Molded passenger console w/small items tray & lockable storage compartment w/12V outlet & pass-thru pocket for wires
- TAHOE CRUISE™ digital touchscreen dashboard featuring an 8" (20.32 cm) multi-color & waterproof display w/high brightness for easy use in direct sunlight & w/anti-glare coating
- Digital switch pad
- KICKER® stereo w/Bluetooth®, MP3 & USB input & 6 speakers
- Sport steering wheel
- Hydraulic steering
- Molded-in port & starboard footrests
- Mobile phone holder at starboard console

INTERIOR
- Anchor locker
- Bow lounge seating w/molded-in storage below
- Bow port & bow starboard backrests flip up to provide access to console storage
- Adjustable driver & passenger bucket seats w/slides, swivels & flip-up bolsters
- In-floor wakeboard/ski storage compartment w/hold-open lid assist
- Aft U-lounge w/storage & integrated 38-qt. (35.96 L) cooler w/overboard drain
- 2 removable/stowable U-lounge backrests for lounging or for spotting for watersports
- Trash receptacle-ready storage compartment below starboard U-lounge cushion
- Aft padded cushions (behind U-lounge) w/deep removable storage nets below for stowing fender & miscellaneous gear for easy retrieval at dock
- Step-thru transom
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery w/color-keyed accents & stain-resistant top coating

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened

ELECTRICAL
- Automatic bilge pump
- Navigation lights w/LED bow lights & removable stern light
- LED interior courtesy lights
- Interstate® cranking battery & battery charger
- Automotive-style fuse panel w/circuit breaker-protected harness
- Water-resistant electrical connections on all pumps, courtesy lights & navigation lights
- USB receptacle & 12V outlets at port console

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Disc brakes on both axles

SPECIFICATIONS

Length	21' 5"
Beam	8' 4"
Bottom Width	7' 3"
Max. Recommended HP	225 HP
Fuel Capacity	45 gal.
Max. Person Capacity	10 persons
Max. Person & Gear Weight	1,700 lbs.
Max. Weight Capacity	2,500 lbs.
Interior Depth	33"
Deadrise	20°
Draft (Trimmed Up)	16"
Draft (Trimmed Down)	32"
Average Hull Weight	2,815 lbs.
Average Hull Weight w/Motor	3,225 lbs.
Average Package Weight	4,260 lbs.
Bridge Clearance	4' 2"
Bridge Clearance w/Wakeboard Tower	7' 8"
Package Height	7' 1"
Package Height w/Wakeboard Tower	10' 3"
Package Height w/Wakeboard Tower Folded	7' 10"
Package Width	8' 6"
Towing Length	25' 5"
Storage Length	24' 1"

STANDARD FEATURES (CONT.)
- 14" (35.56 cm) aluminum wheels w/ radial tires
- Hubs designed for quick & easy hub lubrication
- Space-saving swing-away tongue
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Safety cables

OPTIONS

COLOR
- Solid White hull gelcoat w/Sand Dollar interior color theme
- Solid Black hull gelcoat w/Cognac interior color theme
- Solid Black hull gelcoat w/White interior
- Solid Harbor Blue hull gelcoat w/Sand Dollar interior color theme
- Solid Red hull gelcoat w/White interior
- Solid Trigger Gray hull gelcoat w/Cognac interior color theme

PACKAGE
- Limited package:
  - Sleek, low-profile tinted windscreen
  - Tilt hydraulic steering
  - Soft-touch, snap-in flooring for interior & aft deck
  - KICKER® stereo package upgrade:
    - 3.5" (8.89 cm) LCD display
    - Dual-zone control
    - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
    - Two 6.5" (16.51 cm) bow speakers
    - Four 8" (20.32 cm) cockpit speakers
    - Two 6.5" (16.51 cm) swim platform speakers
    - Dash-mounted & swim platform remotes

ELECTRONICS
- KICKER® stereo package upgrade
  - 3.5" (8.89 cm) LCD display
  - Dual-zone control
  - 10" (25.4 cm) subwoofer & subwoofer amplifier
  - Two 6.5" (16.51 cm) bow speakers
  - Four 8" (20.32 cm) cockpit speakers
  - Two 6.5" (16.51 cm) aft speakers
  - Dash-mounted & stern platform remotes
- KICKER® premium wakeboard tower speaker upgrade:
  - 3.5" (8.89 cm) LCD display
  - Dual-zone control
  - 10" (25.4 cm) subwoofer & subwoofer amplifier
  - Two 6.5" (16.51 cm) tower speakers
  - Two 6.5" (16.51 cm) bow speakers
  - Four 8" (20.32 cm) cockpit speakers
  - Two 6.5" (16.51 cm) aft speakers
  - Dash-mounted & stern platform remotes

CUSHION & SEATING
- Bow filler cushion & removable backrest w/substrate, leg support & latches

PERFORMANCE & STEERING
- Tilt steering (w/non-DTS control motors only)
- Verado® tilt steering (w/DTS control motors only)

OPTIONS (CONT.)

FUNCTIONAL

- Removable table
- Soft touch flooring, adhesive backed for interior & aft deck—color matched to interior color
- Soft touch flooring, snap-in for interior & adhesive backed for aft deck—color matched to interior color
- Bimini top w/stainless steel frame, drop-down changing curtain & boot—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)
- Folding wakeboard tower & 2 wakeboard racks w/Black textured, powdercoated aluminum frame & Black Bimini top (factory installed only)

COVER

- Trailerable ratchet mooring cover—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)

TRAILER

- Spare tire for standard trailer
- 17" (43.18 cm) aluminum wheels w/radial tires & spare tire for standard trailer
- EZ Loader® aluminum trailer w/swing-away tongue & 14" (35.56 cm) aluminum wheels w/radial tires & spare tire

2026 210 S LIMITED

STANDARD FEATURES

LIMITED
- Sleek, low-profile tinted windscreen
- Tilt hydraulic steering
- Soft-touch, snap-in flooring for interior & aft deck
- KICKER® stereo package upgrade:
  - 3.5" (8.89 cm) LCD display
  - Dual-zone control
  - 10" (25.4 cm) subwoofer & subwoofer amplifier
  - Two 6.5" (16.51 cm) bow speakers
  - Four 8" (20.32 cm) cockpit speakers
  - Two 6.5" (16.51 cm) swim platform speakers
  - Dash-mounted & swim platform remotes

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- Drink holders
- 7 stainless steel pull-up mooring cleats
- Stainless steel passenger grab handles
- Aft port & starboard swim platforms w/top-mounted, fold-down 4-step boarding ladder & integrated grabrail
- Removable aluminum ski tow pylon
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Molded passenger console w/small items tray & lockable storage compartment w/12V outlet & pass-thru pocket for wires
- TAHOE CRUISE™ digital touchscreen dashboard featuring an 8" (20.32 cm) multi-color & waterproof display w/high brightness for easy use in direct sunlight & w/anti-glare coating
- Digital switch pad
- Sport steering wheel
- Molded-in port & starboard footrests
- Mobile phone holder at starboard console

INTERIOR
- Anchor locker
- Bow lounge seating w/molded-in storage below
- Bow port & bow starboard backrests flip up to provide access to console storage
- Adjustable driver & passenger bucket seats w/slides, swivels & flip-up bolsters
- In-floor wakeboard/ski storage compartment w/hold-open lid assist
- Aft U-lounge w/storage & integrated 38-qt. (35.96 L) cooler w/overboard drain
- 2 removable/stowable U-lounge backrests for lounging or for spotting for watersports
- Trash receptacle-ready storage compartment below starboard U-lounge cushion
- Aft padded cushions (behind U-lounge) w/deep removable storage nets below for stowing fender & miscellaneous gear for easy retrieval at dock
- Step-thru transom
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery w/color-keyed accents & stain-resistant top coating

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened

ELECTRICAL
- Automatic bilge pump
- Navigation lights w/LED bow lights & removable stern light
- LED interior courtesy lights
- Interstate® cranking battery & battery charger
- Automotive-style fuse panel w/circuit breaker-protected harness
- Water-resistant electrical connections on all pumps, courtesy lights & navigation lights
- USB receptacle & 12V outlets at port console

TRAILER
- Custom-fit, tandem-axle trailer powdercoated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- Disc brakes on both axles
- 14" (35.56 cm) aluminum wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- Spare tire carrier w/matching spare tire
- Space-saving swing-away tongue
- Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Safety cables

SPECIFICATIONS

Length	21' 5"
Beam	8' 4"
Bottom Width	7' 3"
Max. Recommended HP	225 HP
Fuel Capacity	45 gal.
Max. Person Capacity	10 persons
Max. Person & Gear Weight	1700 lbs.
Max. Weight Capacity	2500 lbs.
Interior Depth	33"
Deadrise	20°
Draft (Trimmed Up)	17.5"
Draft (Trimmed Down)	32.5"
Average Hull Weight	2,815 lbs.
Average Hull Weight w/Motor	3,225 lbs.
Average Package Weight	4,260 lbs.
Bridge Clearance	3' 8"
Bridge Clearance w/Wakeboard Tower	7' 8"
Package Height	6' 5"
Package Height w/Wakeboard Tower	10' 3"
Package Height w/Wakeboard Tower Folded	7' 10"
Package Width	8' 6"
Towing Length	25' 5"
Storage Length	24' 1"

2026 1950

w/Mercury® 150 XL FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 150 XL Pro XS® FourStroke	-	
• 175 XL Pro XS® FourStroke	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- Bimini top w/aluminum frame, drop-down changing curtain & boot—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)
- Stainless steel drink holders
- Stainless steel bow pull-up anchoring cleat
- 6 stainless steel pull-up mooring cleats
- Stainless steel passenger grab rails
- Aft 4-step boarding ladder
- Removable, solid aluminum ski tow pylon
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Acrylic windscreen
- Driver console w/3-in-1 digital gauges & GPS speedo
- Mercury® 4-position key switch
- Digital depth sounder
- Stereo w/Bluetooth®, MP3 & USB input & 4 speakers
- Sport steering wheel
- Mobile phone holder w/12V outlet

INTERIOR
- Wraparound bow lounge seating w/storage below
- Bow 11.5-gal. (43.53 L) aerated livewell w/500 GPH (1,892.71 LPH) pump, gravity drain, adjustable spray head & dash-mounted switch
- Port refreshment center w/storage
- KICKER® stereo w/Bluetooth®, MP3 & USB input & 4 speakers
- In-floor wakeboard/ski storage compartment w/hold-open lid assist
- Adjustable driver bucket seat w/slide, swivel & flip-up bolster
- Aft L-lounge w/storage, tow rope holder & removable 25-qt. (23.66 L) cooler
- Ski tow pylon storage
- Aft trash receptacle w/lid & removable insert
- Removable table w/2 mounting locations
- Walk-thru transom gate
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened
- Closed-molded interior parts for lightweight, durable construction

ELECTRICAL
- 1,000 GPH (3,785 LPH) bilge pump w/automatic float switch
- Navigation lights w/LED bow lights & removable stern light
- LED interior courtesy lights
- Interstate® cranking battery & battery charger
- Automotive-style fuse panel w/circuit breaker-protected harness
- Water-resistant electrical connections on all pumps, courtesy lights & navigation lights
- 12V outlets

SPECIFICATIONS

Length	19' 5"
Beam	8' 6"
Bottom Width	7' 2"
Max. Recommended HP	175 HP
Fuel Capacity	40 gal.
Max. Person Capacity	10 persons
Max. Person Weight	1,430 lbs.
Max. Person, Motor & Gear Weight	1,900 lbs.
Interior Depth	32.5"
Deadrise	20°
Draft (Trimmed Up)	16.5"
Draft (Trimmed Down)	32"
Average Hull Weight	2,500 lbs.
Average Hull Weight w/Motor	3,135 lbs.
Average Package Weight	4,090 lbs.
Bridge Clearance	3' 10"
Bridge Clearance w/Wakeboard Tower	7' 7"
Package Height	6' 6"
Package Height w/Wakeboard Tower	10' 6"
Package Width	8' 6"
Towing Length	26'
Storage Length	22' 6"

OPTIONS

COLOR
- Solid White hull gelcoat w/Sand Dollar interior color theme
- Solid Black hull gelcoat w/Cognac interior color theme
- Solid Black hull gelcoat w/White interior
- Solid Harbor Blue hull gelcoat w/Sand Dollar interior color theme
- Solid Red hull gelcoat w/White interior
- Solid Trigger Gray hull gelcoat w/Cognac interior color theme

FISHING
- Fish ready package:
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage (does not include trolling motor, trolling motor mount or trolling battery coupon)
- Freshwater fishing package:
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 trolling batteries coupon
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage
- Saltwater fishing package:
  - Minn Kota® Riptide® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft trolling motor
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 trolling batteries coupon
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage

ELECTRONICS
- KICKER® deluxe stereo package:
  - 3.5" (8.89 cm) LCD display
  - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
  - Dash- & aft-mounted remotes
- KICKER® premium wakeboard tower speaker upgrade:
  - 3.5" (8.89 cm) LCD display
  - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
  - 2 additional tower speakers
  - Dash- & aft-mounted remotes

CUSHION & SEATING
- Bow filler cushion

FUNCTIONAL
- Water tank, sink & sprayer
- Removable snap-in flooring
- Soft touch flooring, adhesive backed
- Folding wakeboard tower & 2 wakeboard racks w/Black textured, powder-coated aluminum frame & Black Bimini top (factory installed only)

COVER
- Trailerable ratchet mooring cover—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)

TRAILER
- Custom-fit, tandem-axle trailer w/GALVASHIELD® Impact corrosion protection:
  - 14" (35.56 cm) aluminum wheels w/radial tires & spare tire
  - Brakes on both axles
  - Fold-away tongue jack
  - Space-saving, swing-away tongue
  - Heavy duty winch w/nylon strap & bow safety strap
  - Safety cables
  - LED submersible lights (additional freight charge applies for standalone trailer purchase)
- 17" (43.18 cm) aluminum wheels w/radial tires & spare tire for GALVASHIELD® Impact trailer

OPTIONS (CONT.)

- Tandem-axle EZ Loader® aluminum trailer:
  - Space-saving, swing-away tongue
  - Disc brakes on both spring axles
  - 5" (12.7 cm) boom/tongue roller
  - 12" (30.48 cm) keel rear roller
  - 7-pin connector
  - Aluminum fenders
  - Spare tire carrier w/aluminum wheel spare (additional freight charge applies for standalone trailer purchase)

2026 2150

w/Mercury® 150 XL Pro XS® FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL FourStroke	-	
• 200 XL FourStroke Cold Fusion White		
• 225 XL FourStroke	-	
• 225 XL FourStroke Cold Fusion White		
• 225 XL FourStroke w/DTS controls		
• 225 XL FourStroke Cold Fusion White w/DTS controls	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- Bimini top w/aluminum frame, drop-down changing curtain & boot—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)
- Stainless steel drink holders
- Stainless steel bow pull-up anchoring cleat
- 6 stainless steel pull-up mooring cleats
- Stainless steel passenger grab rails
- Bow platform w/molded non-skid surface, anchor locker & covered 4-step boarding ladder
- Aft 4-step boarding ladder
- Removable, solid aluminum ski tow pylon
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Acrylic windscreen
- Driver console w/3-in-1 digital gauges & GPS speedo
- Mercury® 4-position key switch
- Digital depth sounder
- Sport steering wheel
- Mobile phone holder w/12V outlet

INTERIOR
- Wraparound bow lounge seating w/storage below
- Bow 15-gal. (56.78 L) aerated livewell w/500 GPH (1,892.71 LPH) pump, gravity drain, adjustable spray head & dash-mounted switch
- Port refreshment center w/drained sink, pull-out sprayer & on-demand freshwater w/5-gal. (18.93 L) tank
- KICKER® stereo w/Bluetooth®, MP3 & USB input & 4 speakers
- In-floor wakeboard/ski storage compartment w/dual hold-open lid assists
- Adjustable driver bucket seat w/slide, swivel & flip-up bolster
- Aft L-lounge w/storage, tow rope holder & removable 25-qt. (23.66 L) cooler
- Ski tow pylon storage
- Aft trash receptacle w/lid & removable insert
- Removable table w/2 mounting locations
- Walk-thru transom gate
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened
- Closed-molded interior parts for lightweight, durable construction

ELECTRICAL
- 1,000 GPH (3,785 LPH) bilge pump w/automatic float switch
- Navigation lights w/LED bow lights & removable stern light
- LED interior courtesy lights
- Interstate® cranking battery & battery charger
- Automotive-style fuse panel w/circuit breaker-protected harness
- Water-resistant electrical connections on all pumps, courtesy lights & navigation lights
- 12V outlets

SPECIFICATIONS

Length	21' 1"
Beam	8' 6"
Bottom Width	7' 2"
Max. Recommended HP	225 HP
Fuel Capacity	46 gal.
Max. Person Capacity	11 persons
Max. Person Weight	1,550 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	32.5"
Deadrise	20°
Draft (Trimmed Up)	17"
Draft (Trimmed Down)	32.5"
Average Hull Weight	2,600 lbs.
Average Hull Weight w/Motor	3,235 lbs.
Average Package Weight	4,615 lbs.
Bridge Clearance	3' 10"
Bridge Clearance w/Wakeboard Tower	7' 7"
Package Height	6' 6"
Package Height w/Wakeboard Tower	10' 6"
Package Width	8' 6"
Towing Length	27'
Storage Length	23' 6"

OPTIONS

COLOR
- Solid White hull gelcoat w/Sand Dollar interior color theme
- Solid Black hull gelcoat w/Cognac interior color theme
- Solid Black hull gelcoat w/White interior
- Solid Harbor Blue hull gelcoat w/Sand Dollar interior color theme
- Solid Red hull gelcoat w/White interior
- Solid Trigger Gray hull gelcoat w/Cognac interior color theme

FISHING
- Fish ready package:
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage (does not include trolling motor, trolling motor mount or trolling battery coupon)
- Freshwater fishing package:
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 trolling batteries coupon
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage
- Saltwater fishing package:
  - Minn Kota® Riptide® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft trolling motor
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 trolling batteries coupon
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage

ELECTRONICS
- KICKER® deluxe stereo package:
  - 3.5" (8.89 cm) LCD display
  - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
  - Dash- & aft-mounted remotes
- KICKER® premium wakeboard tower speaker upgrade:
  - 3.5" (8.89 cm) LCD display
  - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
  - 2 additional tower speakers
  - Dash- & aft-mounted remotes

CUSHION & SEATING
- Bow filler cushion

PERFORMANCE & STEERING
- Trim tabs

FUNCTIONAL
- ***NEW*** removable snap-in flooring
- Removable snap-in vinyl flooring
- ***NEW*** soft touch flooring, adhesive backed
- Folding wakeboard tower & 2 wakeboard racks w/Black textured, powder-coated aluminum frame & Black Bimini top (factory installed only)

COVER
- Trailerable ratchet mooring cover—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)

TRAILER
- Custom-fit, tandem-axle trailer w/GALVASHIELD® Impact corrosion protection:
  - 14" (35.56 cm) aluminum wheels w/radial tires & spare tire
  - Brakes on both axles
  - Fold-away tongue jack
  - Space-saving, swing-away tongue
  - Heavy duty winch w/nylon strap & bow safety strap
  - Safety cables
  - LED submersible lights (additional freight charge applies for standalone trailer purchase)
- 17" (43.18 cm) aluminum wheels w/radial tires & spare tire for GALVASHIELD® Impact trailer

OPTIONS (CONT.)

- Tandem-axle EZ Loader® aluminum trailer:
  - Space-saving, swing-away tongue
  - Disc brakes on both spring axles
  - 5" (12.7 cm) boom/tongue roller
  - 12" (30.48 cm) keel rear roller
  - 7-pin connector
  - Aluminum fenders
  - Spare tire carrier w/aluminum wheel spare (additional freight charge applies for standalone trailer purchase)

NEW 2026 2150 FROSTLINE

w/Mercury® 150 XL Pro XS® FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL FourStroke	-	
• 200 XL FourStroke Cold Fusion White		
• 225 XL FourStroke	-	
• 225 XL FourStroke Cold Fusion White		
• 225 XL FourStroke w/DTS controls		
• 225 XL FourStroke Cold Fusion White w/DTS controls	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- Bimini top w/aluminum frame, drop-down changing curtain & boot—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)
- Stainless steel drink holders
- Stainless steel bow pull-up anchoring cleat
- 6 stainless steel pull-up mooring cleats
- Stainless steel passenger grab rails
- Bow platform w/molded non-skid surface, anchor locker & covered 4-step boarding ladder
- Aft 4-step boarding ladder
- Removable, solid aluminum ski tow pylon
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Acrylic windscreen
- Driver console w/3-in-1 digital gauges & GPS speedo
- Mercury® 4-position key switch
- Digital depth sounder
- Sport steering wheel
- Mobile phone holder w/12V outlet

INTERIOR
- Wraparound bow lounge seating w/storage below
- Bow 15-gal. (56.78 L) aerated livewell w/500 GPH (1,892.71 LPH) pump, gravity drain, adjustable spray head & dash-mounted switch
- Port refreshment center w/drained sink, pull-out sprayer & on-demand freshwater w/5-gal. (18.93 L) tank
- KICKER® stereo w/Bluetooth®, MP3 & USB input & 4 speakers
- In-floor wakeboard/ski storage compartment w/dual hold-open lid assists
- Adjustable driver bucket seat w/slide, swivel & flip-up bolster
- Aft L-lounge w/storage, tow rope holder & removable 25-qt. (23.66 L) cooler
- Ski tow pylon storage
- Aft trash receptacle w/lid & removable insert
- Removable table w/2 mounting locations
- Walk-thru transom gate
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- Color: *NEW* Frostline package
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened
- Closed-molded interior parts for lightweight, durable construction

ELECTRICAL
- 1,000 GPH (3,785 LPH) bilge pump w/automatic float switch
- Navigation lights w/LED bow lights & removable stern light
- LED interior courtesy lights
- Interstate® cranking battery & battery charger
- Automotive-style fuse panel w/circuit breaker-protected harness
- Water-resistant electrical connections on all pumps, courtesy lights & navigation lights
- 12V outlets

SPECIFICATIONS

Length	21' 1"
Beam	8' 6"
Bottom Width	7' 2"
Max. Recommended HP	225 HP
Fuel Capacity	46 gal.
Max. Person Capacity	11 persons
Max. Person Weight	1,550 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	32.5"
Deadrise	20°
Draft (Trimmed Up)	17"
Draft (Trimmed Down)	32.5"
Average Hull Weight	2,600 lbs.
Average Hull Weight w/Motor	3,235 lbs.
Average Package Weight	4,615 lbs.
Bridge Clearance	3' 10"
Bridge Clearance w/Wakeboard Tower	7' 7"
Package Height	6' 6"
Package Height w/Wakeboard Tower	10' 6"
Package Width	8' 6"
Towing Length	27'
Storage Length	23' 6"

OPTIONS

FISHING
- Fish ready package:
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage (does not include trolling motor, trolling motor mount or trolling battery coupon)
- Freshwater fishing package:
  - Minn Kota® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 trolling batteries coupon
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage
- Saltwater fishing package:
  - Minn Kota® Riptide® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft trolling motor
  - Lowrance® HOOK² 5x fishfinder
  - Trolling battery charger
  - 2 trolling batteries coupon
  - 2 fishing seats w/pedestals & bags
  - 2 rod holders
  - 2 tackle trays w/dedicated storage

ELECTRONICS
- KICKER® deluxe stereo package:
  - 3.5" (8.89 cm) LCD display
  - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
  - Dash- & aft-mounted remotes
- KICKER® premium wakeboard tower speaker upgrade:
  - 3.5" (8.89 cm) LCD display
  - 10" (25.4 cm) subwoofer & 500W subwoofer amplifier
  - 2 additional tower speakers
  - Dash- & aft-mounted remotes

CUSHION & SEATING
- Bow filler cushion

PERFORMANCE & STEERING
- Trim tabs

FUNCTIONAL
- Removable snap-in flooring
- Removable snap-in vinyl flooring
- Soft touch flooring, adhesive backed
- Folding wakeboard tower & 2 wakeboard racks w/Black textured, powder-coated aluminum frame & Black Bimini top (factory installed only)

COVER
- Trailerable ratchet mooring cover—Black (Black hulls), Charcoal (Trigger Gray hull), Harbor Blue (Harbor Blue hull), Red (Red hull) or Sand (White hull)

TRAILER
- Custom-fit, tandem-axle trailer w/GALVASHIELD® Impact corrosion protection:
  - 14" (35.56 cm) aluminum wheels w/radial tires & spare tire
  - Brakes on both axles
  - Fold-away tongue jack
  - Space-saving, swing-away tongue
  - Heavy duty winch w/nylon strap & bow safety strap
  - Safety cables
  - LED submersible lights (additional freight charge applies for standalone trailer purchase)
- 17" (43.18 cm) aluminum wheels w/radial tires & spare tire for GALVASHIELD® Impact trailer
- Tandem-axle EZ Loader® aluminum trailer:
  - Space-saving, swing-away tongue
  - Disc brakes on both spring axles
  - 5" (12.7 cm) boom/tongue roller
  - 12" (30.48 cm) keel rear roller
  - 7-pin connector
  - Aluminum fenders
  - Spare tire carrier w/aluminum wheel spare (additional freight charge applies for standalone trailer purchase)

2026 2150 CC

w/Mercury® 150 XL Pro XS®

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL FourStroke	-	
• 200 XL FourStroke Cold Fusion White		
• 225 XL FourStroke	-	
• 225 XL FourStroke Cold Fusion White		
• 225 XL FourStroke w/DTS controls		
• 225 XL FourStroke Cold Fusion White w/DTS controls	-	

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified
- EPA-compliant fuel system
- Bimini top w/aluminum frame & boot—Charcoal (Trigger Gray hull), Light Gray (Mint hull), Harbor Blue (Harbor Blue hull) or Sand (White hull)
- Stainless steel drink holders
- Stainless steel bow pull-up anchoring cleat
- 6 stainless steel pull-up mooring cleats
- Stainless steel, powdercoated passenger grab rails
- Bow platform w/molded non-skid surface, anchor locker & covered 4-step boarding ladder
- Aft swim platform w/insulated storage & 4-step boarding ladder
- Ski tow pylon receptacle
- Fire extinguisher
- Horn
- Paddle

CONSOLE
- Front-access, in-console storage compartment w/room for optional portable toilet (works w/drop-down Bimini top curtain)
- Acrylic windscreen & textured brow
- Area to flush-mount optional fishfinder
- TAHOE CRUISE™ digital touchscreen dashboard featuring an 8" (20.32 cm) multi-color & waterproof display w/high brightness for easy use in direct sunlight & w/anti-glare coating
- Digital switch pad
- Stereo w/Bluetooth®, MP3 & USB input & 4 speakers
- Hydraulic steering
- Console grab rail
- Gripped footrests
- Removable storage pouches
- Mobile phone holder w/12V outlet

LEANING POST
- White powdercoated leaning post w/removable backrest & dual flip-up bolsters
- 2 integrated rod holders
- Space for optional 36-qt. (34.07 L) cooler under leaning post

INTERIOR
- Wraparound bow lounge seating w/84-qt. (79.49 L) insulated storage/fishboxes below & non-skid surface to use for casting platform
- Bow 17-gal. (64.35 L) aerated livewell w/600 GPH (2,271.25 LPH) pump, gravity drain, adjustable spray head & dash-mounted switch
- Midship port 18-qt. (17.03 L) integrated cooler w/storage compartment below w/overboard drainage
- Midship starboard catch-all tray w/storage compartment below
- In-floor wakeboard/ski/trolling motor storage compartment w/hold-open lid assist
- Aft lounge w/two 56-qt. (53.0 L) storage compartments & 25-qt. (23.66 L) cooler
- Aft backrest storage/optional ski tow pylon storage
- Walk-thru transom gate
- Non-skid finish on fiberglass floor
- Premium UV-resistant upholstery

PERFORMANCE
- POWERGLIDE® hull design w/reverse chine & HYDROSTEP® strakes for increased overall performance
- Factory-matched propeller

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Hand-laid hull & stringer system for strength & durability
- Full-length fiberglass, foam-filled & gelcoat-finished stringer system bonded to the hull
- Hull & deck chemically bonded & mechanically fastened
- Closed-molded interior parts for lightweight, durable construction

ELECTRICAL
- Automatic bilge pump
- Navigation lights w/LED bow lights & removable stern light
- LED interior courtesy lights w/Amber or White control
- Interstate® cranking battery & battery charger
- Battery switch

SPECIFICATIONS

Length	21' 1"
Beam	8' 6"
Bottom Width	7' 2"
Max. Recommended HP	225 HP
Fuel Capacity	46 gal.
Max. Person Capacity	10 persons
Max. Person Weight	1,475 lbs.
Max. Person, Motor & Gear Weight	2,300 lbs.
Interior Depth	32.5"
Deadrise	20°
Draft (Trimmed Up)	17"
Draft (Trimmed Down)	32.5"
Average Hull Weight	2,600 lbs.
Average Hull Weight w/Motor	3,485 lbs.
Average Package Weight	4,615 lbs.
Bridge Clearance	3' 10"
Bridge Clearance w/Wakeboard Tower	7' 7"
Package Height	7' 11"
Package Height w/Wakeboard Tower	10' 6"
Package Width	8' 6"
Towing Length	27'
Storage Length	23' 6"

STANDARD FEATURES (CONT.)
- Automotive-style fuse panel w/circuit breaker-protected harness
- Water-resistant electrical connections on all pumps, courtesy lights & navigation lights
- 12V outlets

OPTIONS

COLOR
- Solid White hull gelcoat w/Sand Dollar interior color theme
- Solid Harbor Blue hull gelcoat w/Sand Dollar interior color theme
- Solid Mint hull gelcoat
- Solid Trigger Gray hull gelcoat

FISHING
- Lowrance® Elite FS® 7 flush-mounted fishfinder w/Active Imaging™ 3-in-1; FishReveal™; pre-loaded C-MAP Contour+ charting; & high-resolution 7" (17.78 cm) multi-touch display
- Fishing package:
  - Removable splashwell filler panel
  - 2 removable fishing seats w/pedestals & storage bags
  - Forward seat base location (does not include trolling motor, trolling motor mount or trolling battery coupon)
- Freshwater fishing package:
  - Minn Kota® Riptide® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) shaft, remote-ready wireless trolling motor
  - Trolling battery charger
  - 2 trolling batteries coupon
  - Removable splashwell filler panel
  - 2 removable fishing seats w/pedestals & storage bags
  - Forward seat base location
- Saltwater fishing package:
  - Minn Kota® Riptide® PowerDrive™ 24V, 70-lb. (31.75 kg) thrust, 54" (1.37 m) shaft remote-ready wireless trolling motor
  - 2 trolling batteries coupon
  - Removable splashwell filler panel
  - 2 removable fishing seats w/pedestals & storage bags
  - Forward seat base location

ELECTRONICS
- KICKER® deluxe stereo package:
  - 3.5" (8.89 cm) LCD display
  - Dual-zone control
  - Four 8" (20.32 cm) cockpit speakers
  - Aft-mounted remote
- KICKER® deluxe wakeboard tower speaker upgrade:
  - 3.5" (8.89 cm) LCD display
  - Dual-zone control
  - Four 8" (20.32 cm) cockpit speakers
  - 2 additional tower speakers
  - Aft-mounted remote

CUSHION & SEATING
- Bow filler cushion

PERFORMANCE & STEERING
- Trim tabs
- Tilt hydraulic steering

FUNCTIONAL
- Leaning post storage box
- Ski tow pylon w/storage brackets
- 2 midship stainless steel rod holders
- Raw water washdown w/bow & aft outlets
- Removable table w/forward mount
- Soft touch flooring, adhesive backed for interior & aft deck—color matched to interior color
- Soft touch flooring, snap-in for interior & adhesive backed for aft deck—color matched to interior color
- Remove standard Bimini top (credit given)
- Wakeboard tower & 2 wakeboard racks w/Black powder-coated stainless steel frame (factory installed only)

OPTIONS (CONT.)

COVER

- Trailerable ratchet mooring cover—Charcoal (Trigger Gray hull), Light Gray (Mint hull), Harbor Blue (Harbor Blue hull) or Sand (White hull)

TRAILER

- Custom-fit, tandem-axle trailer w/GALVASHIELD® Impact corrosion protection:
  - 14" (35.56 cm) aluminum wheels w/radial tires & spare tire
  - Brakes on both axles
  - Fold-away tongue jack
  - Space-saving, swing-away tongue
  - Heavy duty winch w/nylon strap & bow safety strap
  - Safety cables
  - LED submersible lights (additional freight charge applies for standalone trailer purchase)
- 17" (43.18 cm) aluminum wheels w/radial tires & spare tire for GALVASHIELD® Impact trailer
- Tandem-axle EZ Loader® aluminum trailer:
  - Space-saving, swing-away tongue
  - Disc brakes on both spring axles
  - 5" (12.7 cm) boom/tongue roller
  - 12" (30.48 cm) keel rear roller
  - 7-pin connector
  - Aluminum fenders
  - Spare tire carrier w/aluminum wheel spare (additional freight charge applies for standalone trailer purchase)


MAKO

2026 PRO SKIFF 13 CC

w/Mercury® 25 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 40 ELPT FourStroke	27–31	

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Molded center console w/integrated 8-gal. (30.28 L) baitwell & molded-in grab handles
- Contoured acrylic windscreen
- Single-cable, no-feedback rotary steering
- Panel-mounted control box w/power trim
- Multifunction tachometer/trim gauge
- Stainless steel grab rail
- 5 vertical flush-mounted console rod holders
- 2 drink holders
- Below-console storage area

INTERIOR
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- Raised, integrated bow fishing platform
- Raised, closed-molded aft platform

PERFORMANCE
- Award-winning Advanced Inverted V (AIV) hull design for superb load-carrying abilities & a smoother, drier ride in choppy waters
- Integrated anti-spray hull design
- Factory-matched propeller

HARDWARE
- 4 folding stainless steel cleats
- Reboarding step & powdercoated grab handle
- Stainless steel bow & stern eyes

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density composite core
- Hull/deck joint chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- 1-piece gelcoated fiberglass deck liner injected w/expanding closed-cell foam for flotation, added strength & a quiet ride
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Heavy-duty rub rail

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- 700 GPH (2,650 LPH) bilge pump
- Portable 6.6-gal. (24.98 L) fuel tank w/hold-down strap
- USCG-compliant navigation lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches w/push button breaker protection

TRAILER
- Custom single-axle trailer
- 12" (30.48 cm) hot-dipped galvanized wheels w/radial tires
- Hubs designed for quick & easy hub lubrication
- All-welded, tubular frame for a unitized structure w/exceptional strength-to-weight ratio
- Hot-dipped galvanized construction
- Swing-up locking jack w/swivel wheel
- Heavy-duty winch w/nylon strap & safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Submersible LED lights
- 4 carpeted bunks to protect hull
- Transom tie-down straps (supplied w/boat package)
- Safety cables

SPECIFICATIONS

Length	13' 6"
Beam	6'
Bottom Width	4' 10.5"
Max. Recommended HP	40 HP
Fuel Capacity (Portable)	6.6 gal.
Max. Person Capacity	4 persons
Max. Person Weight	550 lbs.
Max. Person, Motor & Gear Weight	900 lbs.
Interior Depth	15"
Transom Height At Center Line	20"
Draft	8"
Average Dry Weight	845 lbs.
Average Hull Weight	640 lbs.
Average Package Weight	1,490 lbs.
Package Height	4' 11.5"
Storage Length	17' 6"

OPTIONS

COLOR
- Hull in Pompano Silver
- Hull in Seafoam Green
- Hull in Wahoo Blue

FISHFINDER
- ***NEW*** console Lowrance® Eagle 5 w/SplitShot™

TROLLING MOTOR
- Pre-wired for optional trolling motor
- Minn Kota® Riptide® 12V, 55-lb. (24.95 kg) thrust, 42" (1.07 m) shaft trolling motor w/Bowguard 360°® breakaway mount (does not include trolling battery)

PERFORMANCE & STEERING
- Stainless steel propeller

FUNCTIONAL
- Helm seat cushion

TRAILER
- Spare tire for standard trailer

2026 PRO SKIFF 15 CC

w/Mercury® 40 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 60 ELPT FourStroke	32–36	

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Molded center console w/integrated 8-gal. (30.28 L) baitwell, molded-in grab handles & hinged padded seat cushion & back
- Contoured acrylic windscreen
- Single-cable, no-feedback rotary steering
- Panel-mounted control box w/power trim
- Multifunction tachometer/trim gauge
- Area to flush- & surface-mount additional electronics
- Stainless steel grab rail
- 5 vertical flush-mounted console rod holders
- Below-console storage area
- Storage curtain w/integral pocket

INTERIOR
- Integrated trolling motor landing
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- Raised, integrated bow fishing platform w/patterned non-skid surface & lockable storage compartment
- Rotomolded, removable Orion® 65-qt. (61.51 L) foam-filled helm seat/cooler w/superior ice-keeping ability
- Raised, closed-molded aft fishing platform w/patterned non-skid surface & open storage space below

PERFORMANCE
- Award-winning Advanced Inverted V (AIV) hull design for superb load-carrying abilities & a smoother, drier ride in choppy waters
- Integrated anti-spray hull design
- Factory-matched propeller

HARDWARE
- 4 stainless steel cleats
- Reboarding step & stainless steel grab handle
- Stainless steel bow & stern eyes

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density composite core
- Molded, patterned non-skid casting platform & cockpit sole
- Console chemically bonded & mechanically fastened to deck w/.25" (6.35 mm) aluminum backing plates
- Hull/deck joint chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- 1-piece gelcoated fiberglass deck liner injected w/expanding closed-cell foam for flotation, added strength & a quiet ride
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Composite seat substrates
- Heavy-duty rub rail

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- 700 GPH (2,650 LPH) bilge pump
- 600 GPH (2,271 LPH) baitwell pump w/adjustable spray head
- Portable 6.6-gal. (24.98 L) fuel tank w/hold-down strap
- High-speed baitwell water pickup
- USCG-compliant navigation lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches w/push button breaker protection
- 12V outlet

TRAILER
- Custom single-axle trailer
- 13" (33.02 cm) hot-dipped galvanized wheels w/radial tires
- Super Lube hubs
- All-welded, tubular frame for a unitized structure w/exceptional strength-to-weight ratio
- Hot-dipped galvanized construction
- Swing-up locking jack w/swivel wheel
- Outboard motor support to reduce hull & transom stress while towing
- 4 carpeted bunks to protect hull
- Transom tie-down straps (supplied w/boat package)
- Safety chains

SPECIFICATIONS

Length	15' 2"
Beam	6' 5.5"
Bottom Width	4' 9"
Max. Recommended HP	60 HP
Fuel Capacity (Portable)	6.6 gal.
Max. Person Capacity	5 persons
Max. Person Weight	770 lbs.
Max. Person, Motor & Gear Weight	1,300 lbs.
Interior Depth	16"
Transom Height At Center Line	20"
Draft	8"
Average Dry Weight	1,140 lbs.
Average Hull Weight	880 lbs.
Average Package Weight	1,750 lbs.
Package Height	6' 8"
Storage Length	21' 6"

OPTIONS

COLOR
- Hull wrap in Aqua Green (only available on MAKO® Bone White gelcoat)
- Hull wrap in Patriot Blue (only available on MAKO® Bone White gelcoat)
- Hull in Pompano Silver
- Hull in Seafoam Green
- Hull in Wahoo Blue

FISHFINDER
- ***NEW*** console Lowrance® Eagle 5 w/SplitShot™

TROLLING MOTOR
- Minn Kota® Riptide® 12V, 55-lb. (24.95 kg) thrust, 42" (1.07 m) shaft trolling motor (does not include trolling battery)

PERFORMANCE & STEERING
- Hydraulic steering
- Stainless steel propeller

TRAILER
- Spare tire for standard trailer
- Brakes for standard trailer

2026 PRO SKIFF 17 CC

w/Mercury® 60 ELPT FourStroke & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 75 ELPT FourStroke	29–31	

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Molded center console w/integrated 8-gal. (30.28 L) baitwell, molded-in grab handles & hinged padded seat cushion & back
- Contoured acrylic windscreen
- Single-cable, no-feedback rotary steering
- Panel-mounted control box w/power trim
- Multifunction tachometer/trim gauge
- Area to flush- & surface-mount additional electronics
- Stainless steel grab rail
- 5 vertical flush-mounted console rod holders
- Drink holder
- Storage curtain w/integral pocket

INTERIOR
- Integrated trolling motor landing
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- Raised bow fishing platform w/patterned non-skid surface & lockable storage compartment
- Rotomolded, removable Orion® 65-qt. (61.51 L) foam-filled helm seat/cooler w/superior ice-keeping ability
- Raised, closed-molded aft fishing platform w/patterned non-skid surface
- Aft 19-gal. (71.92 L) livewell w/adjustable aerator & overflow
- Fiberglass lids

PERFORMANCE
- Award-winning Advanced Inverted V (AIV) hull design for superb load-carrying abilities & a smoother, drier ride in choppy waters
- Integrated anti-spray hull design
- Factory-matched propeller

HARDWARE
- 4 stainless steel cleats
- Reboarding step & stainless steel grab handle
- Stainless steel bow & stern eyes

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density composite core
- Molded, patterned non-skid casting platform & cockpit sole
- Console chemically bonded & mechanically fastened to deck w/.25" (6.35 mm) aluminum backing plates
- Closed-cavity, closed-cell foam-injected hull & deck system chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Composite seat substrates
- Heavy-duty rub rail

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- 700 GPH (2,650 LPH) bilge pump
- 600 GPH (2,271 LPH) baitwell pump w/adjustable spray head
- Portable 6-gal. (22.71 L) fuel tank w/hold-down strap
- High-speed baitwell water pickup
- USCG-compliant navigation lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches w/push button breaker protection
- 12V outlet

TRAILER
- Custom single-axle trailer
- 13" (33.02 cm) hot-dipped galvanized wheels w/radial tires
- Super Lube hubs
- All-welded, tubular frame for a unitized structure w/exceptional strength-to-weight ratio
- Hot-dipped galvanized construction
- Swing-up locking jack w/swivel wheel
- Outboard motor support to reduce hull & transom stress while towing
- 4 carpeted bunks to protect hull
- Transom tie-down straps (supplied w/boat package)
- Safety chains

SPECIFICATIONS

Length	17' 2.5"
Beam	6' 11"
Bottom Width	5' 3"
Max. Recommended HP	75 HP
Fuel Capacity (Portable)	6.6 gal.
Max. Person Capacity	6 persons
Max. Person Weight	1,000 lbs.
Max. Person, Motor & Gear Weight	1,650 lbs.
Interior Depth	18"
Transom Height At Center Line	20"
Draft	8"
Average Dry Weight	1,210 lbs.
Average Hull Weight	950 lbs.
Average Package Weight	2,050 lbs.
Package Height	6' 8"
Storage Length	22' 4"

OPTIONS

COLOR
- Hull wrap in Aqua Green (only available on MAKO® Bone White gelcoat)
- Hull wrap in True Black (only available on MAKO® Bone White gelcoat)
- Hull in Pompano Silver
- Hull in Seafoam Green
- Hull in Wahoo Blue

FISHFINDER
- ***NEW*** console Lowrance® Eagle 5 w/SplitShot™

TROLLING MOTOR
- Minn Kota® Riptide® 12V, 55-lb. (24.95 kg) thrust, 52" (1.32 m) shaft trolling motor (does not include trolling battery)

BATTERY & BATTERY CHARGER
- Trolling & cranking battery charger

PERFORMANCE & STEERING
- Hydraulic steering
- Stainless steel propeller

FUNCTIONAL
- Upgrade to 9-gal. (34.07 L) fuel tank
- Upgrade to dual 9-gal. (34.07 L) fuel tanks
- Flip-flop helm seat w/70-qt. (66.24 L) cushioned cooler
- Deck mat kit
- 4" (10.16 cm) hydraulic jack plate

COVER & CURTAIN
- Aft deck storage curtain

TRAILER
- Spare tire for standard trailer
- Brakes for standard trailer

NEW 2026 18 PRO SKIFF

w/Mercury® 90 ELPT FourStroke Command Thrust & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 ELPT Pro XS® Command Thrust		
• 150 L Pro XS®	-	
• 175 L Pro XS®	-	

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Fiberglass forward-console seat w/padded seat cushion
- Infused console
- Contoured acrylic windscreen
- SeaStar® hydraulic steering
- Binnacle control w/power trim
- Multifunction speedometer/fuel gauge & tachometer/trim gauge
- Area to flush- & surface-mount additional electronics
- Powdercoated aluminum grab rail
- Console side rails w/6 vertical rod holders & tool holder slots
- Below-console storage area

INTERIOR
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- White powdercoated rails
- Raised bow fishing platform w/yacht style non-skid surface & closed storage compartments
- Raised aft fishing platform w/yacht style non-skid surface & insulated storage/fishboxes
- Aft 26-gal. (98.42 L) baitwell w/Pro-Air® aeration system

PERFORMANCE
- Gen 2 RAPID PLANING SYSTEM™ hull design for better lift, faster holeshot & better handling
- Integrated anti-spray hull design
- 6" (15.24 cm) hydraulic jack plate
- Factory-matched stainless steel propeller

HARDWARE
- Reboarding step & powdercoated aluminum grab handle
- Stainless steel bow & stern eyes
- Stainless steel fuel fill

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density Coosa® Bluewater composite core
- Yacht style non-skid grit on decks & cockpit sole
- Console chemically bonded & mechanically fastened to deck
- Hull/deck joint chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- 1-piece gelcoated fiberglass deck liner injected w/expanding closed-cell foam for flotation, added strength & a quiet ride
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Composite seat substrates
- Heavy-duty rub rail

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- Pre-rigged for trolling motor w/70A receptacle
- 1,000 GPH (3,785 LPH) bilge pump w/automatic switch
- 1,000 GPH (3,785 LPH) baitwell pump w/adjustable spray head
- Integrated EPA-compliant fuel system w/rotocast corrosion-free fuel tank
- High-speed baitwell water pickup
- USCG-compliant integrated navigation lights
- Cockpit courtesy lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches
- Marine-grade tinned wiring w/submersible connectors
- Multiple 12V outlets

TRAILER
- Custom aluminum single-axle trailer
- 15" (38.1 cm) hot-dipped galvanized wheels w/bias ply tires
- Torsion axles
- Super Lube hubs
- Aluminum I-beam construction
- Swing-up locking jack w/swivel wheel
- Outboard motor support to reduce hull & transom stress while towing
- Submersible lights
- 4 carpeted bunks to protect hull
- Safety cables

SPECIFICATIONS

Length	18' 6"
Beam	7' 10"
Bottom Width	6' 2"
Max. Recommended HP	175 HP
Fuel Capacity	37 gal.
Max. Person Capacity	5 persons
Max. Person Weight	850 lbs.
Max. Person, Motor & Gear Weight	1,850 lbs.
Interior Depth	17.5"
Transom Height At Center Line	25"
Draft	12"
Average Dry Weight	1,740 lbs.
Average Hull Weight	1,100 lbs.
Average Package Weight	2,700 lbs.
Package Height	6' 9"
Package Height w/Optional Power Pole(s)	7' 1"
Storage Length	23' 3"

OPTIONS

COLOR
- 2-tone hull in Bay Blue
- 2-tone hull in Bay Green
- 2-tone hull in Gulfstream Blue
- 2-tone hull in Pompano Silver
- 2-tone hull in Seafoam Green

FISHFINDER
- Console Garmin® ECHOMAP™ UHD2 74cv
- Console Garmin® ECHOMAP™ UHD2 94cv

TROLLING MOTOR
- Minn Kota® Riptide® Maxxum® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor (does not include trolling battery)
- Minn Kota® Riptide Terrova® 24V, 80-lb. (36.29 kg) thrust, 54" (1.37 m) shaft trolling motor w/wireless remote (does not include trolling battery)

BATTERY & BATTERY CHARGER
- NOCO Genius® GEN5X1 1-bank, 5-amp battery charger
- NOCO Genius® GENPRO10X2 2-bank, 20-amp battery charger

PERFORMANCE & STEERING
- SeaStar® tilt hydraulic steering
- Stainless steel steering wheel w/knob

FUNCTIONAL
- 7" (17.78 cm) Sharktooth™ digital gauge
- Wet Sounds® 4-channel speaker sound package
- 7-gal. (26.5 L) insulated baitwell for forward-console seat
- Bow cooler
- Bow tournament seat
- Helm seat backrest
- Aft bench seat
- Cockpit mats
- Deck & cockpit mats
- Matte Black powdercoated rails (exchange)
- Poling platform w/push-pole holders & dual aft rod holders
- Aft reboarding ladder w/platform
- Lenco trim tabs
- 1 Power-Pole® Pro II Series 8' (2.44 m) shallow-water anchor—White (starboard mounted; dealer installed)
- Dual Power-Pole® Pro II Series 8' (2.44 m) shallow-water anchors—White (dealer installed)

TRAILER
- Deluxe trailer upgrade:
  - Bow step
  - Hydraulic brakes
  - Space-saving swing-away tongue
  - 15" (38.1 cm) aluminum wheels w/radial tires
  - Spare tire carrier

2026 18 PRO SKIFF BACKWATER EDITION

w/Mercury® 115 ELPT Pro XS® Command Thrust & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 150 L Pro XS®	-	
• 175 L Pro XS®	-	

STANDARD FEATURES

BACKWATER EDITION
- Color: 2-tone hull in MAKO® Sand & Army Green w/MAKO® Sand decks & lids
- Minn Kota® Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot®
- SeaStar® tilt hydraulic steering
- Black anodized steering wheel w/knob
- 7" (17.78 cm) Sharktooth™ digital gauge
- Wet Sounds® 4-channel speaker sound package
- Helm seat backrest
- 7-gal. (26.5 L) insulated baitwell added to forward-console seat
- Aft reboarding ladder w/platform
- Matte Black powdercoated rails
- BACKWATER EDITION marine decking
- TRACKER® Lithium trolling batteries
- NOCO Genius® GENPRO10X2 2-bank, 20-amp battery charger
- 1 Power-Pole® Pro II Series 8' (2.44 m) shallow-water anchor—Black (starboard mounted)
- Deluxe trailer upgrade:
  - Bow step
  - Hydraulic brakes
  - Space-saving swing-away tongue
  - 15" (38.1 cm) aluminum wheels w/radial tires
  - Spare tire carrier

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Fiberglass forward-console seat w/padded seat cushion
- Infused console
- Contoured acrylic windscreen
- Binnacle control w/power trim
- Area to flush- & surface-mount additional electronics
- Powdercoated aluminum grab rail
- Console side rails w/6 vertical rod holders & tool holder slots
- Below-console storage area

INTERIOR
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- Raised bow fishing platform w/yacht style non-skid surface & closed storage compartments
- Raised aft fishing platform w/yacht style non-skid surface & insulated storage/fishboxes
- Aft 26-gal. (98.42 L) baitwell w/Pro-Air® aeration system

PERFORMANCE
- Gen 2 RAPID PLANING SYSTEM™ hull design for better lift, faster holeshot & better handling
- Integrated anti-spray hull design
- 6" (15.24 cm) hydraulic jack plate
- Factory-matched stainless steel propeller

HARDWARE
- Stainless steel bow & stern eyes
- Stainless steel fuel fill

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density Coosa® Bluewater composite core
- Yacht style non-skid grit on decks & cockpit sole
- Console chemically bonded & mechanically fastened to deck
- Hull/deck joint chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- 1-piece gelcoated fiberglass deck liner injected w/expanding closed-cell foam for flotation, added strength & a quiet ride
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Composite seat substrates
- Heavy-duty rub rail

SPECIFICATIONS

Length	18' 6"
Beam	7' 10"
Bottom Width	6' 2"
Max. Recommended HP	175 HP
Fuel Capacity	37 gal.
Max. Person Capacity	5 persons
Max. Person Weight	850 lbs.
Max. Person, Motor & Gear Weight	1,850 lbs.
Interior Depth	17.5"
Transom Height At Center Line	25"
Draft	12"
Average Dry Weight	1,740 lbs.
Average Hull Weight	1,100 lbs.
Average Package Weight	2,700 lbs.
Package Height	7' 1"
Storage Length	23' 3"

STANDARD FEATURES (CONT.)

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- Pre-rigged for trolling motor w/70A receptacle
- 1,000 GPH (3,785 LPH) bilge pump w/automatic switch
- 1,000 GPH (3,785 LPH) baitwell pump w/adjustable spray head
- Integrated EPA-compliant fuel system w/rotocast corrosion-free fuel tank
- High-speed baitwell water pickup
- USCG-compliant integrated navigation lights
- Cockpit courtesy lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches
- Marine-grade tinned wiring w/submersible connectors
- Multiple 12V outlets

TRAILER
- Custom aluminum single-axle trailer
- Torsion axles
- Super Lube hubs
- Aluminum I-beam construction
- Swing-up locking jack w/swivel wheel
- Outboard motor support to reduce hull & transom stress while towing
- Submersible lights
- 4 carpeted bunks to protect hull
- Safety cables

OPTIONS

TROLLING MOTOR
- Minn Kota® Riptide Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® (does not include trolling battery)

FUNCTIONAL
- Aft bench seat

2026 18 PRO SKIFF PATRIOT EDITION

w/Mercury® 115 ELPT Pro XS® Command Thrust & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 150 L Pro XS®	-	
• 175 L Pro XS®	-	

STANDARD FEATURES

PATRIOT EDITION
- Color: 2-tone hull in MAKO® Bone White & Mariner Blue w/MAKO® Bone White decks & lids
- Minn Kota® Riptide Terrova® 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot®
- SeaStar® tilt hydraulic steering
- Stainless steel steering wheel w/knob
- 7" (17.78 cm) Sharktooth™ digital gauge
- Wet Sounds® 4-channel speaker sound package
- Helm seat backrest
- 7-gal. (26.5 L) insulated baitwell added to forward-console seat
- Poling platform w/push-pole holders & dual aft rod holders
- PATRIOT EDITION marine decking
- TRACKER® Lithium trolling batteries
- NOCO Genius® GENPRO10X2 2-bank, 20-amp battery charger
- 1 Power-Pole® Pro II Series 8' (2.44 m) shallow-water anchor—White (starboard mounted)
- Lenco trim tabs
- Deluxe trailer upgrade:
  - Bow step
  - Hydraulic brakes
  - Space-saving swing-away tongue
  - 15" (38.1 cm) aluminum wheels w/radial tires
  - Spare tire carrier

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Fiberglass forward-console seat w/padded seat cushion
- Infused console
- Contoured acrylic windscreen
- Binnacle control w/power trim
- Area to flush- & surface-mount additional electronics
- Powdercoated aluminum grab rail
- Console side rails w/6 vertical rod holders & tool holder slots
- Below-console storage area

INTERIOR
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- White powdercoated rails
- Raised bow fishing platform w/yacht style non-skid surface & closed storage compartments
- Raised aft fishing platform w/yacht style non-skid surface & insulated storage/fishboxes
- Aft 26-gal. (98.42 L) baitwell w/Pro-Air® aeration system

PERFORMANCE
- Gen 2 RAPID PLANING SYSTEM™ hull design for better lift, faster holeshot & better handling
- Integrated anti-spray hull design
- 6" (15.24 cm) hydraulic jack plate
- Factory-matched stainless steel propeller

HARDWARE
- Reboarding step & powdercoated aluminum grab handle
- Stainless steel bow & stern eyes
- Stainless steel fuel fill

CONSTRUCTION & EXTERIOR
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density Coosa® Bluewater composite core
- Yacht style non-skid grit on decks & cockpit sole
- Console chemically bonded & mechanically fastened to deck
- Hull/deck joint chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- 1-piece gelcoated fiberglass deck liner injected w/expanding closed-cell foam for flotation, added strength & a quiet ride
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Composite seat substrates
- Heavy-duty rub rail

SPECIFICATIONS

Length	18' 6"
Beam	7' 10"
Bottom Width	6' 2"
Max. Recommended HP	175 HP
Fuel Capacity	37 gal.
Max. Person Capacity	5 persons
Max. Person Weight	850 lbs.
Max. Person, Motor & Gear Weight	1,850 lbs.
Interior Depth	17.5"
Transom Height At Center Line	25"
Draft	12"
Average Dry Weight	1,740 lbs.
Average Hull Weight	1,100 lbs.
Average Package Weight	2,700 lbs.
Package Height	7' 1"
Storage Length	23' 3"

STANDARD FEATURES (CONT.)

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- Pre-rigged for trolling motor w/70A receptacle
- 1,000 GPH (3,785 LPH) bilge pump w/automatic switch
- 1,000 GPH (3,785 LPH) baitwell pump w/adjustable spray head
- Integrated EPA-compliant fuel system w/rotocast corrosion-free fuel tank
- High-speed baitwell water pickup
- USCG-compliant integrated navigation lights
- Cockpit courtesy lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches
- Marine-grade tinned wiring w/submersible connectors
- Multiple 12V outlets

TRAILER
- Custom aluminum single-axle trailer
- Torsion axles
- Super Lube hubs
- Aluminum I-beam construction
- Swing-up locking jack w/swivel wheel
- Outboard motor support to reduce hull & transom stress while towing
- Submersible lights
- 4 carpeted bunks to protect hull
- Safety cables

OPTIONS

FUNCTIONAL
- Aft bench seat

2026 PRO SKIFF 19 CC

w/Mercury® 90 EXLPT FourStroke Command Thrust & Custom Trailer

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 115 EXLPT Pro XS® Command Thrust		
• 150 XL Pro XS®	-	

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Horn

CONSOLE
- Fiberglass forward-console seat w/13-gal. (49.21 L) insulated baitwell & padded seat cushion
- Infused console
- Contoured acrylic windscreen
- Hydraulic steering
- Binnacle control w/power trim
- Multifunction speedometer/fuel gauge & tachometer/trim gauge
- Area to flush- & surface-mount additional electronics
- Powdercoated aluminum grab rail
- 6 vertical flush-mounted console rod holders
- Below-console storage area

LEANING POST
- Modular leaning post & cushioned helm seat for seated or standing operation

INTERIOR
- Integrated trolling motor landing w/embedded aluminum plate for easy installation
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- 360° fishability
- Raised bow fishing platform w/patterned non-skid surface & closed storage compartments
- Rotomolded, removable Orion® 65-qt. (61.51 L) foam-filled helm seat/cooler w/superior ice-keeping ability
- Raised aft fishing platform w/patterned non-skid surface & integrated jump seats
- Aft 26-gal. (98.42 L) baitwell w/Pro-Air® aeration system

PERFORMANCE
- Award-winning Advanced Inverted V (AIV) hull design for superb load-carrying abilities & a smoother, drier ride in choppy waters
- Integrated anti-spray hull design
- Factory-matched stainless steel propeller

HARDWARE
- 5 folding stainless steel cleats
- Reboarding step & powdercoated aluminum grab handle
- Stainless steel bow & stern eyes
- Stainless steel fuel fill

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Encapsulated, fiberglass-infused transom w/high-density Coosa® Bluewater composite core
- Molded, patterned non-skid casting platforms & cockpit sole
- Console chemically bonded & mechanically fastened to deck w/.25" (6.35 mm) aluminum backing plates
- Hull/deck joint chemically bonded & mechanically fastened w/stainless steel fasteners for strength & durability
- 1-piece gelcoated fiberglass deck liner injected w/expanding closed-cell foam for flotation, added strength & a quiet ride
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Composite seat substrates
- Heavy-duty rub rail

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- 1,000 GPH (3,785 LPH) bilge pump w/automatic switch
- 1,000 GPH (3,785 LPH) baitwell pump w/adjustable spray head
- Integrated EPA-compliant fuel system w/rotocast corrosion-free fuel tank
- High-speed baitwell water pickup
- USCG-compliant navigation lights
- Cockpit courtesy lights
- Interstate® cranking battery w/tray
- Marine-grade rocker switches
- Marine-grade tinned wiring w/submersible connectors
- Multiple 12V & USB charging outlets

TRAILER
- Custom tandem-axle trailer
- Tandem-axle brakes
- 14" (35.56 cm) hot-dipped galvanized wheels w/radial tires
- Super Lube hubs
- All-welded, tubular frame for a unitized structure w/exceptional strength-to-weight ratio

SPECIFICATIONS

Length	19' 4"
Beam	8'
Bottom Width	6' 8"
Max. Recommended HP	150 HP
Fuel Capacity	30 gal.
Max. Person Capacity	6 persons
Max. Person Weight	810 lbs.
Max. Person, Motor & Gear Weight	2,400 lbs.
Interior Depth	21"
Transom Height At Center Line	25"
Draft	9"
Average Dry Weight	1,980 lbs.
Average Hull Weight	1,450 lbs.
Average Package Weight	2,950 lbs.
Package Height	6' 4"
Storage Length	22' 9"

STANDARD FEATURES (CONT.)
- Hot-dipped galvanized construction
- Space-saving swing-away tongue to reduce storage length
- Swing-up locking jack w/swivel wheel
- Outboard motor support to reduce hull & transom stress while towing
- Submersible lights
- 4 carpeted bunks to protect hull
- Safety cables

OPTIONS

COLOR
- Hull wrap in Aqua Green (only available on MAKO® Bone White gelcoat)
- Hull wrap in Patriot Blue (only available on MAKO® Bone White gelcoat)
- Hull wrap in True Black (only available on MAKO® Bone White gelcoat)
- Hull in Pompano Silver
- Hull in Seafoam Green
- Hull in Wahoo Blue

FISHFINDER
- Console Garmin® ECHOMAP™ UHD2 74cv
- Console Garmin® ECHOMAP™ UHD2 94cv

TROLLING MOTOR
- Minn Kota® Riptide Terrova® 24V, 80-lb. (36.29 kg) thrust, 54" (1.37 m) shaft trolling motor w/wireless remote (does not include trolling battery)

BATTERY & BATTERY CHARGER
- 1-bank, 5-amp battery charger
- 3-bank, 5-amp battery charger

PERFORMANCE & STEERING
- Tilt hydraulic steering

FUNCTIONAL
- Stereo package w/two 6" (15.24 cm) speakers
- TurboSwing ski tow bar
- Boarding platform
- Hydraulic jack plate

TRAILER
- Spare tire for standard trailer
- Deluxe tandem-axle trailer upgrade w/alloy wheels & spare tire

2026 24 APEX™

w/Mercury® 200 XL Pro XS® w/DTS controls

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 250 XL Pro XS® w/DTS controls		
• 300 XL Pro XS® w/DTS controls		
• 300 XL Verado® CS Warm Fusion White		
• 350 XL Verado® V10 Warm Fusion White		
• 400 XL Verado® V10 Warm Fusion White		

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Integrated emergency ladder in transom
- Horn

CONSOLE
- Forward-console seat
- Acrylic windscreen
- Stainless steel steering wheel w/knob
- Tilt hydraulic Mercury® Power Assist steering
- Binnacle-mounted digital throttle & DTS shift controls
- Mercury® SmartCraft® digital gauges
- Easy access to helm electronics, instruments & switches
- Extra-large electronics mounting surface
- 6 flush-mounted console rod holders
- Drink holder
- 12V DC & 5V USB charging outlets
- Integrated footrest

HEAD
- Front-facing door provides easy access to head compartment
- Head enclosure/storage space w/stainless steel latch
- Wiring access hatch & battery access
- Main distribution panel & fuse block inside head
- Courtesy light

LEANING POST
- Powdercoated aluminum leaning post
- Helm seat w/flip-up leg rolls
- Slide-out 65-qt. (61.51 L) cooler underneath
- Rod holders

INTERIOR
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- White powdercoated rails
- Forward 19-gal. (71.92 L) baitwell
- Bow 210-qt. (198.73 L) insulated fishbox
- Bow rod lockers for storage of up to 12 rods
- Aft 16-gal. (60.57 L) baitwell
- Aft folding jumpseat
- Yacht-style non-skid surfaces throughout
- Bilge access under aft jumpseat
- Side coaming bolsters

PERFORMANCE
- Legendary dry-riding MAKO® hull
- Performance lifting strakes
- 8" (20.32 cm) Bob's Machine™ hydraulic jack plate
- Factory-matched stainless steel propeller
- Power steering standard w/all motors

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Coosa® Bluewater 100% composite transom core
- Heavy-duty, fiberglass-encapsulated transom w/1.5" (3.81 cm) fiberglass-impregnated, high-density composite core
- Hull/deck joint chemically sealed & bonded 360° & mechanically fastened every 6" (15.24 cm) w/316 stainless steel fasteners
- 1-piece molded fiberglass stringer grid w/integrated transom knee supports & gelcoat finish
- Closed-cell foam-injected stringer grid for USCG-approved flotation
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Closed-molded hatch covers w/finished undersides & integrated gaskets
- Four 6" (15.24 cm) polished marine-grade stainless steel cleats
- Heavy-duty rub rail

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- 2,000 GPH (7,571 LPH) bilge pump w/automatic switch
- Dual 1,000 GPH (3,785 LPH) baitwell pumps
- High-speed raw water intake
- USCG-compliant navigation lights
- 4 cockpit courtesy lights & 1 head light
- Interior courtesy lights

SPECIFICATIONS

Length	24' 8"
Beam	8' 3"
Bottom Width	6' 3"
Max. Recommended HP	400 HP
Fuel Capacity	82 gal.
Max. Person Capacity	10 persons
Max. Person Weight	1,500 lbs.
Max. Person, Motor & Gear Weight	2,810 lbs.
Interior Depth	19"
Transom Height At Center Line	25"
Deadrise	15°
Draft	15"
Average Dry Weight	3,300 lbs.
Average Hull Weight	2,600 lbs.
Average Package Weight	4,850 lbs.
Package Height	9' 3"
Towing Length	29' 3"
Storage Length	29' 3"

STANDARD FEATURES (CONT.)
- TRACKER® Lithium WRM100 cranking battery
- Marelon® corrosion-free seacocks on all below-water thru-hull fittings
- Heavy-duty electrical switching system
- Labeled, tinned-copper wiring for easy maintenance & protection in a marine environment

OPTIONS

COLOR
- 2-tone hull in Bay Blue
- 2-tone hull in Bay Green
- 2-tone hull in Gulfstream Blue
- ***NEW*** 2-tone hull in Marina Blue
- 2-tone hull in Pompano Silver
- 2-tone hull in Seafoam Green

FISHFINDER
- Console Garmin® ECHOMAP™ 94sv w/GT56
- Console Simrad® NSS12 evo3 w/SS60
- Console Simrad® 3015UW w/ActiveImaging™ 3-in-1
- 2nd console Garmin® ECHOMAP™ 94sv w/GT56
- 2nd console Simrad® NSS12 evo3 w/SS60

TROLLING MOTOR
- Pre-wired for optional trolling motor
- Minn Kota® Riptide Terrova® 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/wireless remote, battery charger & Lithium batteries
- Minn Kota® Riptide Instinct QUEST™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/wireless remote, battery charger & Lithium batteries

BATTERY & BATTERY CHARGER
- TRACKER® Lithium 2nd house battery (must also order 2-bank, 20-amp battery charger option)
- 1-bank, 5-amp battery charger
- 2-bank, 20-amp battery charger

PERFORMANCE & STEERING
- Edson® ComfortGrip stainless steel steering wheel

FUNCTIONAL
- Saltwater/raw water washdown
- 7" (17.78 cm) Sharktooth™ digital gauge
- Wet Sounds® stereo package [must also order 7" (17.78 cm) Sharktooth™ digital gauge option]
- Wet Sounds® stereo package for when optional hardtop is ordered
- Bow seating
- Fiberglass leaning post w/30-gal. (113.56 L) baitwell
- Full deck mat kit
- Black powdercoated rails (exchange)
- TACO® outriggers (must also order hardtop option)
- Lenco manual trim tabs
- Lenco Pro Control automatic trim tabs
- 1 Power-Pole® Blade 10' (3.05 m) shallow-water anchor—White (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 10' (3.05 m) shallow-water anchors—White (dealer installed)

TOP
- Hardtop
- Color-matched hardtop

TRAILER
- ***NEW*** Load Rite® base trailer
- Deluxe tandem-axle trailer upgrade w/electric brakes, alloy wheels & spare tire

2026 214 CC

w/Mercury® 150 XL FourStroke

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 150 XL Pro XS® FourStroke	-	
• 200 XL FourStroke	-	
• 200 XL FourStroke Warm Fusion White		
• 200 XL Pro XS® FourStroke	-	
• 225 XL FourStroke	-	
• 225 XL FourStroke Warm Fusion White		
• 250 XL FourStroke	-	
• 250 XL Pro XS® FourStroke	-	
• 250 XL FourStroke Warm Fusion White		

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Swim platform w/3-step stainless steel ladder
- Horn
- Flush-mounted Ritchie Navigation® Voyager compass

CONSOLE
- Removable forward-console seat w/70-qt. (66.24 L) insulated, drained cooler
- Acrylic windscreen
- Stainless steel steering wheel w/knob
- Tilt hydraulic steering
- Binnacle-mounted motor control
- Mercury® SmartCraft® digital gauges
- Easy access to helm electronics, instruments & switches
- Extra-large electronics mounting surface
- Heavy-duty electrical switching system w/battery selector switch(es)
- Switch panel w/manual reset circuit breakers & illuminated switches
- FUSION stereo w/4 speakers
- Lockable, sealed glovebox
- 2 drink holders
- 12V DC outlet
- Integrated full-width footrest

HEAD
- Head enclosure/storage space w/stainless steel latch
- Wiring access hatch & battery access
- Main distribution panel inside head
- Courtesy light

LEANING POST
- Powdercoated aluminum leaning post
- Helm seat w/flip-up cushion
- Storage below seat
- Space below leaning post for optional cooler
- Rod holders

TOP
- Outrigger-ready canvas T-top w/4 rod holders, electronics box w/mounting plates for antenna & spreader lights
- .25" (6.35 mm) aluminum backing-plate reinforcement for T-top

INTERIOR
- Anchor locker
- Foredeck dodger mounting boss
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- Port & starboard forward seats w/108-qt. (102.21 L) insulated storage below w/gravity overboard drainage
- Forward cushions w/removable backrests
- 210-qt. (198.73 L) in-deck storage w/recess for 5-gal. (18.93 L) bucket
- Low-profile powdercoated aluminum bow rails
- 2 gunnel-mounted rod holders
- Port & starboard under-gunnel rod racks for 6 rods up to 7' (2.13 m) long
- Aft stern seating w/folding center backrest
- Molded non-skid surfaces throughout
- Raw water outlet
- Bilge access hatch
- 360° coaming bolsters
- Five 6" (15.24 cm) polished marine-grade stainless steel cleats
- 2 stainless steel bow chocks

PERFORMANCE
- Legendary dry-riding MAKO® hull
- Aggressive deep V hull design
- Performance lifting strakes
- Recessed electric trim tabs
- Factory-matched stainless steel propeller

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Coosa® Bluewater 100% composite transom core
- Heavy-duty, fiberglass-encapsulated transom w/2" (5.08 cm) fiberglass-impregnated, high-density composite core
- Hull/deck joint chemically sealed & bonded 360° & mechanically fastened every 6" (15.24 cm) w/316 stainless steel fasteners
- 1-piece molded fiberglass stringer grid w/integrated transom knee supports & gelcoat finish
- Closed-cell foam-injected stringer grid for USCG-approved flotation
- Heavy-duty rub rail w/stainless steel insert
- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Closed-molded hatch covers w/finished undersides & integrated gaskets
- Aluminum backing plates for cleats & chocks

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- High-speed raw water intake
- USCG-compliant navigation lights
- 2 cockpit courtesy lights & 1 head light
- Interior courtesy lights
- Dual battery rigging
- TRACKER® Lithium WRM100 cranking battery
- Marelon® corrosion-free seacocks on all below-water thru-hull fittings
- Heavy-duty electrical switching system
- Labeled, tinned-copper wiring for easy maintenance & protection in a marine environment

OPTIONAL TRAILER
- OPTIONAL tandem-axle EZ Loader® aluminum trailer available
- NMMA® certified
- DOT approved
- Stainless steel hardware
- Galvanized steel components
- Tandem-axle brakes
- 14" (35.56 cm) galvanized V5 wheels w/radial tires
- Oil bath hubs
- Leaf spring suspension
- Heavy-duty winch w/nylon strap & safety strap
- LED lighting
- PVC loading guides

SPECIFICATIONS

Length	21' 5"
Beam	8' 6"
Bottom Width	6' 7.5"
Max. Recommended HP	250 HP
Fuel Capacity	91 gal.
Max. Person Capacity	10 persons
Max. Person Weight	1,700 lbs.
Max. Person, Motor & Gear Weight	2,550 lbs.
Interior Depth	27"
Transom Height At Center Line	25"
Deadrise	18°
Draft	14"
Average Dry Weight	3,735 lbs.
Average Hull Weight	3,100 lbs.
Average Package Weight	4,535 lbs.
Package Height	9' 3"
Package Height w/T-top	11' 2"
Storage Length	30' 8"

OPTIONS

COLOR
- 2-tone hull in Gulfstream Blue
- 2-tone hull in Pompano Silver
- 2-tone hull in Seafoam Green
- 2-tone hull in Trigger Gray
- 2-tone hull in Wahoo Blue

BATTERY & BATTERY CHARGER
- 20-amp onboard, dual battery charger

SPECIAL LIGHTING
- Head port light
- Aft spreader lights

CUSHION & SEATING
- Custom fiberglass baitstation leaning post w/1,100 GPH (4,164 LPH) pump
- Custom fiberglass baitstation leaning post w/backrest & 1,100 GPH (4,164 LPH) pump

FUNCTIONAL
- CE certification
- Freshwater washdown w/6-gal. (22.71 L) tank
- Wet Sounds® stereo (exchange)
- Anodized aluminum toe rails
- Platinum portable toilet on stowaway slide
- Removable casting deck
- Removable casting deck & cushion
- Anti-fatigue deck mat w/MAKO® logo

TOP
- Remove standard canvas T-top (credit given)

TRAILER
- Tandem-axle EZ Loader® aluminum trailer w/disc brakes on both axles

NEW 2026 226 CC

w/Mercury® 175 XL FourStroke w/DTS controls

MOTOR OPTIONS

Mercury® Motor	Estimated Speed	Package Price
• 200 XL FourStroke w/DTS controls		
• 200 XL FourStroke Warm Fusion White w/DTS controls		
• 200 XL Pro XS® w/DTS controls		
• 250 XL FourStroke w/DTS controls		
• 250 XL FourStroke Warm Fusion White w/DTS controls		
• 250 XL Pro XS® w/DTS controls		
• 250 XL Verado®	-	
• 250 XL Verado® Warm Fusion White		
• 300 XL FourStroke w/DTS controls		
• 300 XL FourStroke Warm Fusion White w/DTS controls		
• 300 XL Pro XS® w/DTS controls		
• 300 XL Verado® Warm Fusion White		

STANDARD FEATURES

CERTIFICATION & SAFETY
- Backed by MAKO® Assurance 5+Life—the best factory warranty in saltwater boats
- NMMA® certified
- Factory leak tested for hull, plumbing & fitting integrity
- Swim platform w/4-step stainless steel ladder & integrated grab handle
- Horn

CONSOLE
- Forward-console seat
- Acrylic windscreen
- Stainless steel steering wheel w/knob
- Tilt hydraulic Mercury® Power Assist steering
- Binnacle-mounted digital throttle & DTS shift controls
- Mercury® SmartCraft® digital gauges
- Easy access to helm electronics, instruments & switches
- Extra-large electronics mounting surface
- 6 flush-mounted console rod holders
- Drink holder
- 12V DC & 5V USB charging outlets
- Integrated full-width footrest

HEAD
- Front-facing door provides easy access to head compartment
- Head enclosure/storage space w/stainless steel latch
- Wiring access hatch & battery access
- Main distribution panel & fuse block inside head
- Courtesy light

LEANING POST
- Powdercoated aluminum leaning post
- Helm seat w/flip-up leg rolls
- Slide-out 65-qt. (61.51 L) cooler underneath
- Rod holders

INTERIOR
- Anchor locker
- 2-tone high-density marine-grade vinyl upholstery w/stain-resistant coating & composite substrates on seats
- Port & starboard forward seats w/storage & overboard drainage
- Forward in-deck storage that will fit 5-gal. (18.93 L) bucket
- Low-profile powdercoated aluminum bow rails
- Port & starboard under-gunnel rod racks for 4 rods
- 2 aft gunnel-mounted rod holders, at 15°
- 3 stern-mounted rod holders, at 0°
- Stern 18-gal. (68.14 L) baitwell
- Stern seating w/folding backrest & bilge access below
- Yacht-style non-skid surfaces throughout
- Bilge access hatch
- 360° coaming bolsters
- Six 6" (15.24 cm) polished marine-grade stainless steel pull-up cleats

PERFORMANCE
- Legendary dry-riding MAKO® hull
- Aggressive deep V hull design
- Performance lifting strakes
- Factory-matched stainless steel propeller

CONSTRUCTION & EXTERIOR
- Color: MAKO® Bone White gelcoat
- 100% composite construction
- Coosa® Bluewater 100% composite, fiberglass encapsulated transom core
- Hull/deck joint chemically sealed & bonded 360° & mechanically fastened every 6" (15.24 cm) w/316 stainless steel fasteners
- 1-piece molded fiberglass stringer grid w/integrated transom knee supports
- Closed-cell foam-injected stringer grid for USCG-approved flotation
- Heavy-duty rub rail w/stainless steel insert

SPECIFICATIONS

Length	22' 2"
Beam	8' 6"
Bottom Width	7' 1"
Max. Recommended HP	300 HP
Fuel Capacity	95 gal.
Max. Person Capacity	10 persons
Max. Person Weight	1,575 lbs.
Max. Person, Motor & Gear Weight	2,200 lbs.
Interior Depth	27"
Transom Height At Center Line	25"
Deadrise	18°
Draft	17"
Average Dry Weight	3,725 lbs.
Average Hull Weight	4,310 lbs.
Average Package Weight	4,535 lbs.
Package Height	9' 5"
Package Height w/Optional Hardtop	11'
Storage Length	28' 2"

STANDARD FEATURES (CONT.)

- Premium marine-grade stainless steel hardware & fasteners for corrosion resistance
- Closed-molded hatch covers w/finished undersides & integrated gaskets
- Composite backing plates for cleats

ELECTRICAL, MECHANICAL & PLUMBING SYSTEM
- 2,000 GPH (7,571 LPH) bilge pump w/automatic switch
- 1,000 GPH (3,785 LPH) baitwell pump
- High-speed raw water intake
- USCG-compliant navigation lights
- 4 cockpit courtesy lights, 1 head light & 1 interior light
- TRACKER® Lithium WRM100 cranking battery
- Marelon® corrosion-free seacocks on all below-water thru-hull fittings
- Heavy-duty electrical switching system
- Labeled, tinned-copper wiring for easy maintenance & protection in a marine environment

OPTIONAL TRAILER
- OPTIONAL custom tandem-axle trailer available
- NMMA® & NATM certified
- DOT approved
- Galvanized steel components
- Tandem-axle brakes
- 15" (38.1 cm) galvanized wheels w/balanced tires
- Torsion axle suspension
- Knott lubed hubs
- Heavy-duty winch w/nylon strap & safety strap
- Dual wheel tongue jack
- Frame step
- LED lighting
- PVC loading guides

OPTIONS

COLOR
- 2-tone hull in Bay Blue
- 2-tone hull in Bay Green
- 2-tone hull in Gulfstream Blue
- 2-tone hull in Pompano Silver
- 2-tone hull in Predator Blue
- 2-tone hull in Seafoam Green

FISHFINDER
- Console Garmin® 94sv w/GT56
- Console Garmin® 8612
- Console Simrad® NSS12 evo3 w/SS60
- Console Simrad® 3015UW w/ActiveImaging™ 3-in-1
- 2nd console Garmin® 94sv w/GT56
- 2nd console Garmin® 8612
- 2nd console Simrad® NSS12 evo3 w/SS60

TROLLING MOTOR
- Pre-wired for optional trolling motor

BATTERY & BATTERY CHARGER
- Lithium cranking battery
- 1-bank, 5-amp battery charger

CUSHION & SEATING
- Aluminum leaning post w/65-qt. (61.51 L) slide out cooler
- Fiberglass leaning post w/baitwell

FUNCTIONAL
- Fishbox macerator
- Dash panel
- Steering wheel upgrade
- Saltwater/raw water washdown
- Freshwater washdown
- 7" (17.78 cm) Sharktooth™ digital gauge
- Wet Sounds® stereo package [must also order 7" (17.78 cm) Sharktooth™ digital gauge option]
- Wet Sounds® stereo package for when optional hardtop is ordered
- Bow mats
- Deck mat
- Floor mat
- Deck & floor mats
- Rod storage mats
- 4 additional drink holders
- Additional rod holders
- TACO® outrigger (must also order hardtop option)

OPTIONS (CONT.)

- Manual trim tabs
- Lenco Pro Control automatic trim tabs
- 1 Power-Pole® Blade 10' (3.05 m) shallow-water anchor—Black (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 10' (3.05 m) shallow-water anchors—Black (dealer installed)
- 1 Power-Pole® Blade 10' (3.05 m) shallow-water anchor—White (starboard mounted; dealer installed)
- Dual Power-Pole® Blade 10' (3.05 m) shallow-water anchors—White (dealer installed)

TOP

- Hardtop
- Color-matched hardtop

COVER

- Leaning post cover
- Console cover

TRAILER

- Load Rite® aluminum base trailer
- Load Rite® aluminum deluxe trailer


ASCEND™

ASCEND™

2026 10SI

SPECIFICATIONS

Length . . . . . 10' 2"
Width . . . . . 32.9"
Max. Recommended HP . . . . . Not Rated
Max. Person & Gear Weight . . . . . 350 lbs.
Average Weight w/Seat . . . . . 57 lbs.

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified

CONSTRUCTION & EXTERIOR
- Color: Covert, Magma, OG Camo or Slate Blue
- Custom-crafted tunnel hull design for stability, solid tracking & ease of paddling
- 1-piece rotomolded hull construction
- Fore & aft performance grip handles (2 total)
- Threaded & sealed drain plug

INTERIOR
- Adjustable foot braces
- Enhanced seating system
- Deluxe removable seating system w/friction-lock bungee hold downs
- Midship, deep molded drink holder/catch-all trays
- Port & starboard paddle keepers w/bungees
- Quick-rest paddle holders
- Two 12" (30.48 cm) & two 6" (15.24 cm) accessory rails
- Bow bungee
- Removable weathertight accessory bag
- Large multipurpose sternwell w/adjustable mesh cover

OPTIONS

TRAILER
- 6-capacity kayak trailer

2026 H10

SPECIFICATIONS

Length . . . . . 10'
Width . . . . . 31"
Max. Recommended HP . . . . . 1 HP
Max. Person & Gear Weight . . . . . 400 lbs.
Average Weight w/Seat . . . . . 55 lbs.

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified

CONSTRUCTION & EXTERIOR
- Color: Arid
- Hybrid tunnel hull design w/stepped keel for stability while standing & fishing, solid tracking & ease of paddling
- 1-piece rotomolded hull construction
- 2 flush-mounted rod holders w/rod leash eyelets
- Fore & aft performance grip handles (2 total)
- Threaded & sealed drain plug

INTERIOR
- Stand-&-fish capability
- Adjustable foot braces
- Deluxe removable seating system w/fore & aft 6-position adjustment function
- 2 underseat swivel drink holders
- Flat gunnel landings
- Gunnel/dash flats w/three 16" (40.64 cm) accessory rails
- Multipurpose open deck
- Bow storage compartment w/adjustable mesh cover
- Open cockpit design for flexibility in cargo management
- Port & starboard under-gunnel saddlebags w/integrated, waterproof mobile phone case
- Expanded, large, molded aft sternwell w/adjustable mesh cover

OPTIONS

TRAILER
- 6-capacity kayak trailer

ASCEND™

2026 H12

SPECIFICATIONS

Length . . . . . 12'
Width . . . . . 32"
Max. Recommended HP . . . . . 1 HP
Max. Person & Gear Weight . . . . . 450 lbs.
Average Weight w/Seat . . . . . 76 lbs.

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified

CONSTRUCTION & EXTERIOR
- Color: OG Camo
- Hybrid tunnel hull design w/stepped keel for stability while standing & fishing, solid tracking & ease of paddling
- 1-piece rotomolded hull construction
- 2 flush-mounted rod holders w/rod leash eyelets
- Fore & aft performance grip handles (2 total)
- Threaded & sealed drain plug

INTERIOR
- Stand-&-fish capability
- Adjustable foot braces
- Deluxe removable seating system w/fore & aft 6-position adjustment function
- 2 underseat swivel drink holders
- Flat gunnel landings
- Gunnel/dash flats w/three 16" (40.64 cm) accessory rails
- Multipurpose open deck
- Bow storage compartment w/hard, floating hatch & bungee hold downs
- Open cockpit design for flexibility in cargo management
- Port & starboard under-gunnel saddlebags w/integrated, waterproof mobile phone case
- Expanded, large, molded aft sternwell w/adjustable mesh cover

OPTIONS

TRAILER
- 6-capacity kayak trailer

NEW 2026 PATH 10

SPECIFICATIONS

Length . . . . . 10'
Width . . . . . 33.5"
Max. Recommended HP . . . . . Not Rated
Max. Person & Gear Weight . . . . . 375 lbs.
Average Weight w/Seat . . . . . 76 lbs.

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified

CONSTRUCTION & EXTERIOR
- Color: Magma, OG Camo or Slate Blue
- Engineered hybrid catamaran-tunnel hull design for increased performance & stability
- 1-piece rotomolded hull construction
- 2 flush-mounted rod holders
- Die-cut EPDM foam gaskets for flush-mounted rod holders to virtually eliminate water intrusion
- Injection-molded carry handles at bow & midship
- Large molded-in rear carry handles
- Threaded & sealed drain plug

INTERIOR
- Adjustable foot braces
- Custom non-skid cushioned flooring
- Deluxe enhanced & adjustable seating system w/high-back seat
- Deluxe removable seating system w/thumbscrew retention system
- Midship, deep-molded drink holder
- Quick-rest paddle holders
- Two 12" (30.48 cm) VERSATRACK® accessory rails at midship
- Open cockpit design for flexibility in cargo management
- Port & starboard storage next to seat
- Bow & stern tankwells w/bungee for storage
- HDPE deckplate w/gasket for hull access
- 1.5" (3.81 cm) fore, midship & aft self-draining, molded scupper drains (8 total) w/8 plugs

OPTIONS

TRAILER
- 6-capacity kayak trailer

ASCEND™

2026 12T

SPECIFICATIONS

Length . . . . . 12'
Width . . . . . 31"
Max. Recommended HP . . . . . 1 HP
Max. Person & Gear Weight . . . . . 350 lbs.
Average Weight w/Seat . . . . . 77 lbs.

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified

CONSTRUCTION & EXTERIOR
- Color: Arid or Covert
- Custom-crafted tunnel hull design for stability, solid tracking & ease of paddling
- 1-piece rotomolded hull construction
- 2 flush-mounted rod holders
- Die-cut EPDM foam gaskets for flush-mounted rod holders to virtually eliminate water intrusion
- Fore & aft performance grip handles (2 total)
- Threaded & sealed drain plug

INTERIOR
- Versatile dashboard design, capable of accepting accessories
- Stand-&-fish capability
- Adjustable foot braces
- Non-skid cushioned flooring
- Enhanced seating system
- Deluxe removable seating system w/fore & aft 3-position adjustment function
- Midship, deep molded drink holder/storage
- Port flush-mounted paddle holders
- Quick-rest paddle holders
- Flat gunnel landings
- Gunnel flats w/two 16" (40.64 cm) accessory rails
- Hidden hatch fasteners for drier storage
- Open bow design
- Flat casting deck w/non-skid foam mat
- Recessed bow storage area w/flush-mounted bungees
- Open cockpit design for flexibility in cargo management
- Large stern tankwell w/D-rings & recessed stern storage area w/flush-mounted bungees
- Weathertight storage w/tethered lid
- 1.5" (3.81 cm) fore, midship & aft scupper drains (6 total) w/6 plugs

OPTIONS

TRAILER
- 6-capacity kayak trailer

2026 133X YAK-POWER

SPECIFICATIONS

Length . . . . . 13'
Width . . . . . 36.5"
Max. Recommended HP . . . . . 3 HP
Max. Person & Gear Weight . . . . . 550 lbs.
Average Weight w/Seat . . . . . 125 lbs.

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND
- NMMA® certified

CONSTRUCTION & EXTERIOR
- Color: Stealth
- Engineered catamaran hull design for performance, stability & solid tracking
- 1-piece rotomolded hull construction
- 2 flush-mounted rod holders w/rod leash eyelets
- Die-cut EPDM foam gaskets for flush-mounted rod holders to virtually eliminate water intrusion
- Fore & aft molded grip handles (4 total)
- Thru-hull transducer scupper
- Threaded & sealed drain plug

INTERIOR
- Yak-Power system w/wiring harness, master controller & 3 power plugs
- Integrated trolling motor wire harness w/50A circuit protection
- Bow mount trolling motor ready
- Stern motor & Power-Pole® micro anchor ready
- Adjustable foot braces
- Non-skid cushioned flooring
- Black powdercoated interior side carrying handles
- Enhanced seating system
- Deluxe enhanced & adjustable seating system w/high-back seat & underseat storage tray
- 2 molded-in drink holders
- Gunnel flats w/four 16" (40.64 cm) accessory rails
- Recessed bow storage area
- 10.91" x 14.84" (27.71 cm x 37.69 cm) midship hatch w/storage tub
- Open cockpit design for flexibility in cargo management
- Fishing rod staging & tackle storage molded into each side
- Recessed stern storage area w/bungee
- 1.5" (3.81 cm) fore, midship & aft self-draining, molded scupper drains (9 total) w/9 plugs

OPTIONS

TRAILER
- 6-capacity kayak trailer

TRACKER® LIMITED & EDITION

BASS TRACKER CLASSIC LIMITED
- Color: DIAMOND COAT Army Green gunnels, hull sides & bottom
- NEW Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot transducer
- Limited mats, decals & deck stripe
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires & spare tire carrier w/matching spare

PRO TEAM 175 TOURNAMENT EDITION
- Minn Kota Maxxum 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotocasted foot pedal
- NEW bow Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot transducer
- NEW console Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & TripleShot transducer
- Soft touch tournament steering wheel
- NEW JBL speaker
- 3-bank battery charger
- 3 battery trays
- Interstate batteries: 1 cranking & 2 trolling
- 24V trolling motor harness & receptacle
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires; spare tire carrier w/matching spare; & integrated steps & safety handle for boarding at bow while boat is on trailer

PRO TEAM 190 TOURNAMENT EDITION
- Minn Kota Maxxum 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotocasted foot pedal
- NEW bow Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & SplitShot transducer
- NEW console Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & TripleShot transducer
- Soft touch tournament steering wheel
- NEW JBL speaker
- 3-bank battery charger
- 3 battery trays
- Interstate batteries: 1 cranking & 2 trolling
- 24V trolling motor harness & receptacle
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires; spare tire carrier w/matching spare; & integrated steps & safety handle for boarding at bow while boat is on trailer

PRO TEAM 195 TOURNAMENT EDITION
- Minn Kota Maxxum 24V, 70-lb. (31.75 kg) thrust, 52" (1.32 m) shaft, foot-control trolling motor w/rotocasted foot pedal
- NEW bow Lowrance Eagle 9 forward-facing sonar
- NEW console Lowrance Eagle 5 swivel color fishfinder + GPS w/CHIRP & TripleShot transducer
- Soft touch tournament steering wheel
- NEW JBL speaker
- 3-bank battery charger
- 3 battery trays
- Interstate batteries: 1 cranking & 2 trolling
- 24V trolling motor harness & receptacle
- Upgraded single-axle trailer: 14" (35.56 cm) aluminum wheels w/radial tires; spare tire carrier w/matching spare; & integrated steps & safety handle for boarding at bow while boat is on trailer

TARGA V-18 WT TOURNAMENT EDITION
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging & i-Pilot
- Bow Humminbird XPLORE 9 fishfinder w/MEGA Down Imaging
- Console Humminbird XPLORE 9 fishfinder w/MEGA Side Imaging
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

TARGA V-18 COMBO TOURNAMENT EDITION
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging & i-Pilot
- Bow Humminbird XPLORE 9 fishfinder w/MEGA Down Imaging
- Console Humminbird XPLORE 9 fishfinder w/MEGA Side Imaging
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

TRACKER® LIMITED & EDITION (CONT.)

TARGA V-19 WT TOURNAMENT EDITION
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging & i-Pilot
- NEW bow Humminbird XPLORE 9 fishfinder w/MEGA Down Imaging
- NEW console Humminbird XPLORE 9 fishfinder w/MEGA Side Imaging
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

TARGA V-19 COMBO TOURNAMENT EDITION
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft, foot-control trolling motor w/MEGA Down Imaging & i-Pilot
- NEW bow Humminbird XPLORE 9 fishfinder w/MEGA Down Imaging
- NEW console Humminbird XPLORE 9 fishfinder w/MEGA Side Imaging
- Upgraded trailer: 13" (33.02 cm) aluminum wheels w/radial tires

NITRO® PRO

Z18 PRO
- NEW Garmin Force Pro 24V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin ECHOMAP UHD2 7" (17.78 cm) sv flush-mounted fishfinder
- Console Garmin ECHOMAP UHD2 7" (17.78 cm) sv gimbal-mounted fishfinder
- Factory-applied keel protector

Z19 XL PRO
- Garmin Force Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin ECHOMAP UHD2 9" (22.86 cm) sv gimbal-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP UHD2 9" (22.86 cm) sv flush-mounted fishfinder w/GT36UHD & GT8HW-IH
- Hot Foot throttle
- Pro-Trim lever
- Factory-applied keel protector
- Tandem-axle trailer upgrade w/brakes on both axles, 14" (35.56 cm) wheels/tires & spare tire

Z20 XL PRO
- NEW Garmin Force Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin ECHOMAP UHD2 9" (22.86 cm) sv gimbal-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP UHD2 9" (22.86 cm) sv flush-mounted fishfinder w/GT36UHD & GT8HW-IH
- Power-adjust pneumatic lumbar support for driver's seat
- Hot Foot throttle
- Pro-Trim lever
- Livewell culling system
- Factory-applied keel protector
- 1 standard & 1 automatic bilge pump
- 4-bank, 40-amp battery charger

Z21 XL PRO
- NEW Garmin Force Pro 36V, 80-lb. (36.29 kg) thrust, 50" (1.27 m) shaft trolling motor
- Bow Garmin ECHOMAP Ultra 12" (30.48 cm) sv gimbal-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP Ultra 12" (30.48 cm) sv flush-mounted fishfinder w/GT36UHD & GT8HW-IH
- Power-adjust pneumatic lumbar support for driver's seat
- Hot Foot throttle
- Pro-Trim lever
- Livewell culling system
- Factory-applied keel protector
- 2 automatic bilge pumps

NITRO® PRO (CONT.)

ZV19 SPORT PRO
- Garmin Force Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Bow Garmin ECHOMAP UHD2 9" (22.86 cm) sv RAM-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP UHD2 9" (22.86 cm) sv RAM-mounted fishfinder w/GT36UHD & GT8HW-IH
- Bimini top (factory installed)
- Walk-thru glass windshield (or optional plexiglass windscreens)
- SmartCraft gauges
- KICKER KMC1 Bluetooth-capable stereo system w/speakers
- Factory-applied keel protector
- 4-bank, 40-amp battery charger
- 1 additional SRM31 battery coupon for trolling motor
- Spare tire kit

ZV19 PRO
- Garmin Force Kraken 36V, 100-lb. (45.36 kg) thrust, 63" (1.14 m) shaft trolling motor
- Bow Garmin ECHOMAP UHD2 9" (22.86 cm) sv RAM-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP UHD2 9" (22.86 cm) sv RAM-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- KICKER KMC1 Bluetooth-capable stereo system w/speakers
- Factory-applied keel protector
- 4-bank, 40-amp battery charger

ZV20 PRO
- Garmin Force Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor
- Bow Garmin ECHOMAP Ultra 2 12" (30.48 cm) sv RAM-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP Ultra 2 12" (30.48 cm) sv RAM-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- Additional cockpit fishing seat
- KICKER KMC1 Bluetooth-capable stereo system w/speakers
- Factory-applied keel protector
- Lenco trim tabs

ZV20 SPORT PRO
- Garmin Force Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor
- Bow Garmin ECHOMAP Ultra 2 12" (30.48 cm) sv RAM-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP Ultra 2 12" (30.48 cm) sv RAM-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- KICKER KMC1 Bluetooth-capable stereo system w/speakers
- Factory-applied keel protector
- Lenco trim tabs

ZV21 PRO
- Garmin Force Kraken 36V, 100-lb. (45.36 kg) thrust, 75" (1.91 m) shaft trolling motor
- Bow Garmin ECHOMAP Ultra 2 12" (30.48 cm) sv RAM-mounted fishfinder w/LiveScope Plus System
- Console Garmin ECHOMAP Ultra 2 12" (30.48 cm) sv RAM-mounted fishfinder w/GT36UHD & GT8HW-IH
- Walk-thru glass windshield (or optional plexiglass windscreens)
- Additional cockpit fishing seat
- KICKER KMC1 Bluetooth-capable stereo system w/speakers
- Factory-applied keel protector
- Lenco trim tabs • Sleek, low-profile tinted windscreen

TAHOE® LIMITED

210 S LIMITED
- Sleek, low-profile tinted windscreen
- KICKER stereo package upgrade w/3.5" (8.89 cm) LCD display; dual-zone control; 10" (25.4 cm) subwoofer & subwoofer amplifier; two 6.5" (16.51 cm) bow speakers; four 8" (20.32 cm) cockpit speakers; two 6.5" (16.51 cm) swim platform speakers; & dash-mounted & swim platform remotes
- Soft-touch, snap-in flooring for interior & aft deck
- Tilt hydraulic steering

MAKO® EDITION


18 PRO SKIFF BACKWATER EDITION
- Color: 2-tone hull in MAKO Sand & Army Green w/MAKO Sand decks & lids
- Minn Kota Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot
- SeaStar tilt hydraulic steering
- Black anodized steering wheel w/knob
- 7" (17.78 cm) Sharktooth digital gauge
- Wet Sounds 4-channel speaker sound package
- Helm seat backrest
- 7-gal. (26.5 L) insulated baitwell added to forward-console seat
- Aft reboarding ladder w/platform
- Matte Black powdercoated rails
- BACKWATER EDITION marine decking
- TRACKER Lithium trolling batteries
- NOCO Genius GENPRO10X2 2-bank, 20-amp battery charger
- 1 Power-Pole Pro II Series 8' (2.44 m) shallow-water anchor—Black (starboard mounted)
- Deluxe trailer upgrade: 15" (38.1 cm) aluminum wheels w/radial tires; spare tire carrier; bow step; hydraulic brakes; & space-saving swing-away tongue

18 PRO SKIFF PATRIOT EDITION
- Color: 2-tone hull in MAKO Bone White & Mariner Blue w/MAKO Bone White decks & lids
- Minn Kota Riptide Terrova 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot
- SeaStar tilt hydraulic steering
- Stainless steel steering wheel w/knob
- 7" (17.78 cm) Sharktooth digital gauge
- Wet Sounds 4-channel speaker sound package
- Helm seat backrest
- 7-gal. (26.5 L) insulated baitwell added to forward-console seat
- Poling platform w/push-pole holders & dual aft rod holders
- PATRIOT EDITION marine decking
- TRACKER Lithium trolling batteries
- NOCO Genius GENPRO10X2 2-bank, 20-amp battery charger
- 1 Power-Pole Pro II Series 8' (2.44 m) shallow-water anchor—White (starboard mounted)
- Lenco trim tabs
- Deluxe trailer upgrade: 15" (38.1 cm) aluminum wheels w/radial tires; spare tire carrier; bow step; hydraulic brakes; & space-saving swing-away tongue


PACKAGE MEASURING GUIDE


- Draft – the vertical distance between the waterline and the bottom of keel as measured with a full load, a full tank of fuel and the motor up
- Average Weight – the approximate weight of the boat ONLY with no motor, no trailer and no load
- Average Package Weight – the approximate weight of the package with a trailer (even if optional), heaviest motor and a full tank of fuel
- Interior Depth – the deepest part of the cockpit, from the floor to the top of the gunnels

Towing Length – the length of the package with swing-away tongue (if equipped) extended and the motor sitting on the outboard motor support



Storage Length – the length of the package with the swing-away tongue (if applicable) folded in and the motor in the down position





TRAILER SPECS

Model	Empty Weight (lbs.)	Tongue Weight (lbs.)	GVWR (lbs.)	Tires	Brakes	Towing Length	Storage Length
CLASSIC/LIM	441	120-175	2,750	ST185/80R13C	OPT	23' 2"	20' 1"
CLASSIC CC	506	175-250	2,750	ST185/80R13C	OPT	23' 2"	20' 1"
PRO 170	440	130-185	2,750	ST185/80R13C	OPT	23' 2"	20' 1"
PANFISH 17	440	130-185	2,750	ST185/80R13C	OPT	23' 2"	20' 1"
PT 175	461/496	155-220	2,750	ST185/80R13C	OPT	22' 8"	20' 3"
PT 175 TE	461/496	155-225	2,750	ST185/80R13C	OPT	22' 8"	20' 8"
PT 190	502/537	160-235	2,960	ST185/80R13C	OPT	23' 8"	21' 2"
PT 190 TE	502/537	160-235	2,960	ST185/80R13C	OPT	23' 8"	21' 7"

TRAILER SPECS (CONT.)

Model	Empty Weight (lbs.)	Tongue Weight (lbs.)	GVWR (lbs.)	Tires	Brakes	Towing Length	Storage Length
PT 195/TE	695	240-320	3,500	ST205/75R14C	OPT	24' 9"	21' 7"
SAVAGE 215	1,020	360-500	7,000	ST205/75R14C	STD	27' 8"	27' 3"
SG V-16	480	175-255	2,700	ST185/80R13C	OPT	21' 9"	21' 9"
PG V-16	523	175-255	2,960	ST185/80R13C	OPT	22' 1"	19' 10"
PG V-175	729	210-300	3,500	ST205/75R14C	OPT	24' 8"	22'
TAR V-18	852	260-370	5,920	ST185/80R13C	STD	25' 4"	22' 3"
TAR V-19	920	295-425	5,920	ST185/80R13C	STD	25' 9"	22' 8"
JON	-	-	1,100	ST145R12D	-	-	12' 6"
1648 SC	327	100-140	2,440	ST145R12D	N/A	20' 4"	20' 4"
1754 SC	416	125-175	2,750	ST185/80R13C	N/A	21' 6"	21' 6"
1860 CC	507	145-205	2,960	ST185/80R13C	OPT	23' 2"	23' 2"
2072 CC	576	210-300	2,960	ST185/80R13C	OPT	26' 2"	26' 2"
1650 T PWE	480	185-235	2,750	ST205/75R14C	OPT	21'	21'
1654 T SPT	404	105-150	2,750	ST185/80R13C	OPT	21' 4"	21' 4"
1756 T MARSH	520	185-235	2,750	ST205/75R14C	OPT	21' 8"	21' 8"
2072 SPT	971	255-370	5,920	ST185/80R13C	OPT	27' 8"	27' 8"
2072 SPT K	971	265-385	5,920	ST185/80R13C	OPT	27' 8"	27' 8"
Z17	630	210-295	2,960	ST185/80R13C	OPT	23' 8"	20' 9"
Z18	654	225-320	3,500	ST205/75R14C	OPT	24' 1"	21' 3"
Z19 XL	790/943	230-325	4,200	ST205/75R15D	STD	25'	23' 11"
Z20 XL	938	285-405	7,000	ST205/75R14C	STD	27'	23' 8"
Z21 XL	1,175	285-405	7,000	ST205/75R14C	STD	27' 11"	24' 4"
ZV19/SPORT	962	315-450	7,000	ST205/75R14C	STD	26' 7"	22' 7"
ZV20/SPORT	1,050	385-550	7,000	ST205/75R14C	STD	27' 11"	24' 1"
ZV21	1,073	385-550	7,000	ST205/75R14C	STD	27' 11"	24' 7"
BB 16 XL SEL	695	170-250	2,960	ST185/80R13C	OPT	25' 1"	24' 10"
BB 18 DLX	743	210-300	3,500	ST205/75R14C	OPT	27' 5"	27' 5"
FB 20 DLX	1,098	255-365	5,920	ST185/80R13C	STD	30' 4"	30' 4"
FB 22 DLX	1,108	275-390	5,920	ST185/80R13C	STD	32' 4"	32' 4"
FB 22 XP3	1,156	345-490	5,920	ST185/80R13C	STD	32' 4"	32' 4"
SF 20 DLX	1,098	255-365	5,920	ST185/80R13C	STD	30' 4"	30' 4"
SF 22 DLX	1,108	295-425	5,920	ST185/80R13C	STD	32' 4"	32' 4"
SF 22 XP3	1,156	365-525	5,920	ST185/80R13C	STD	32' 4"	32' 4"
SF 24 XP3	1,400	430-630	6,600	ST205/75R14C	STD	34' 4"	34' 4"
PB 16 DLX	730	170-250	2,960	ST185/80R13C	OPT	25' 1"	24' 10"
PB 18 DLX	743	210-300	3,500	ST205/75R14C	OPT	27' 3"	27' 3"
PB 20 DLX	1,098	265-375	5,920	ST185/80R13C	STD	30' 2"	30' 2"
PB 22 DLX	1,108	275-395	5,920	ST185/80R13C	STD	32' 4"	32' 4"
PB 22 XP3	1,156	350-500	5,920	ST185/80R13C	STD	32' 4"	32' 4"
PB 24 XP3	1,360	430-630	6,600	ST205/75R14C	STD	37' 9"	37' 9"
230 DL	1,300	405-580	6,600	ST205/75R14C	STD	33' 4"	33' 4"
250 DL	1,500	430-620	6,600	ST205/75R14C	STD	35' 5"	35' 5"
250 DL RF	1,500	460-660	6,600	ST205/75R14C	STD	35' 5"	35' 5"
T16	450	155-220	2,700	ST185/80R13C	OPT	22' 3"	21' 5"
T18	700	180-265	3,500	ST205/75R14C	OPT	24' 5"	21' 8"
T21	980	445	5,920	ST185/80R13C	STD	27'	25'
210 S/LIM	971	295-430	7,000	ST205/75R14C	STD	25' 5"	24' 1"
1950	980	285-410	7,000	ST205/75R14C	STD	26'	22' 6"
2150/CC	1,023	320-465	7,000	ST205/75R14C	STD	27'	23' 6"
PRO SKIFF 13	405	105-150	2,440	ST145R12D	N/A	-	17' 6"
PRO SKIFF 15	425	120-175	2,750	ST185/80R13C	OPT	-	21' 6"
PRO SKIFF 17	562	145-205	2,750	ST185/80R13C	OPT	-	22' 4"
18 PRO SKIFF	-	205-290	3,750	ST205/75R14C	N/A	-	23' 8"
PRO SKIFF 19	765	205-295	3,500	ST205/75R14C	STD	-	22' 9"
24 APEX	1,540	528-750	7,540	ST205/75D15D	STD	-	29' 3"
214 CC	1,200	315-455	6,600	ST205/75R14C	STD	-	30' 8"
226 CC	1,175	-	7,175	ST215/75D14C	STD	-	28' 2"
KAYAK	-	-	1,100	ST145R12D	N/A	12' 8"	12' 8"

WARRANTY INFORMATION

TRACKER Mod V & Deep V Boats

- Five (5) years of bow-to-stern coverage
- Limited lifetime structural & deck warranty
- Three (3) year warranty on powdercoat finish adhesion
- Three (3) year warranty on factory-installed trolling motor & fishfinder
- Provisions for transfer to a second owner
- 1-stop factory warranty solution
- Full coverage throughout the warranty period—no pro-rating

A second owner may enforce parts of the warranty coverage (under clause 2.b) if the Limited Warranty has been transferred to the second owner during the first ten (10) years of the warranty period for such coverage for a maximum of ten (10) years from date of purchase by original purchaser:

- Transfer fee applies if sold by owner
- Fee waived if sold by dealer

NITRO Z Series & ZV Series

- One (1) year of components coverage
- Lifetime structural components (hull, interior hull stringer, transom) to the original purchaser

A second owner may enforce parts of the warranty coverage (under clause 2.b) if the Limited Warranty has been transferred to the second owner during the first five (5) years of the warranty period for such coverage for a maximum of ten (10) years from date of purchase by original purchaser:

- Transfer fee applies if sold by owner
- Fee waived if sold by dealer

SUN TRACKER & REGENCY Pontoons

- Ten (10) years of bow-to-stern coverage
- Limited lifetime structural & deck warranty
- Provisions for transfer to a second owner
- 1-stop factory warranty solution
- Full coverage throughout the warranty period—no pro-rating

A second owner may enforce parts of the warranty coverage (under clause 2.a) if the Limited Warranty has been transferred to the second owner during the first ten (10) years of the warranty period for such coverage for a maximum of ten (10) years from date of purchase by original purchaser:

- Transfer fee applies if sold by owner
- Fee waived if sold by dealer

WARRANTY INFORMATION (CONT.)

TAHOE Runabouts & Deck Boats

- Five (5) years of structural (hull, interior hull stringer, transom) coverage from material & workmanship defect
- One (1) year of components coverage
- Two (2) year sterndrive warranty under the Mercury Marine® Installation Quality Certification Program

A second owner may enforce parts of the warranty coverage (under clause 2.b) if the Limited Warranty has been transferred to the second owner during the first five (5) years of the warranty period for such coverage for a maximum of five (5) years from date of purchase by original purchaser:

- Transfer fee

MAKO Inshore & Offshore Boats

- Five (5) years of "stem-to-stern" coverage
- Limited lifetime structural & deck warranty
- Three (3) year gelcoat warranty
- Provisions for transfer to a second owner
- Full coverage throughout the warranty period—no pro-rating

A second owner may enforce parts of the warranty coverage (under clause 2.b) if the Limited Warranty has been transferred to the second owner during the first ten (10) years of the warranty period for such coverage for a maximum of ten (10) years from date of purchase by original purchaser:

- Transfer fee applies if sold by owner
- Fee waived if sold by dealer

GALVASHIELD Impact Trailstar Trailers

- Three (3) years of structural failure due to corrosion to the original purchaser
- One (1) year of components coverage

Does not cover:

- Equipment/tires manufactured by another firm which carry their own warranty
- Paint cracking, blistering or fading
- Ordinary wear & tear
- Overloading
- Commercial use of trailer

MAKO EZ Loader Trailers

- Warranted to be free from defects in materials & workmanship for earlier of: three (3) years from date of manufacture or two (2) years from date of first retail sale
- Covers original purchase, not transferable

Does not cover:

- Modifications/alterations
- Defects or malfunction due to damage, unreasonable use, lack of reasonable maintenance, overloading, impropellerer adjustment or use of weight distribution hitches in conjunction w/surge brakes
- Rust formation
- Winches, lights, couplers, actuators, brakes, tongue jacks, springs, tires or wheels (these items are covered by their manufacturer)

STANDARD BATTERIES

	Cranking Battery		Trolling Battery
TRACKER®			
Mod V			
CLASSIC, PRO 170, PANFISH 17	1–24M-HD		1–SRM-27
PRO TEAM 175 CRAPPIE, 175	1–24M-HD (60HP or less)	1–24M-XHD (75HP+)	1–SRM-27
PRO TEAM 175 TE	1–24M-HD (60HP or less)	1–24M-XHD (75HP+)	2–SRM-27
PRO TEAM 190, 195	1–24M-XHD (75HP+)		1–SRM-27
PRO TEAM 190 TE, 195 TE	1–24M-XHD (75HP+)		2–SRM-27
SAVAGE 215	1–31M-AGM		2–SRM-27
Deep V			
SUPER GUIDE V-16 T	1–24M-HD (60HP or less)		
SUPER GUIDE V-16 SC, PRO GUIDE V-16	1–24M-HD (60HP or less)	1–24M-XHD (75HP+)	1–SRM-27
PRO GUIDE V-175	1–24M-XHD (75HP+)		1–SRM-27
TARGA V-18, V-19	1–24M-XHD (150HP)	1–31M-AGM (200HP+)	2–SRM-27
All-Welded			
GRIZZLY 1648 SC	1–24M-HD		N/A
GRIZZLY 1754 SC, 1860 CC	1–24M-HD (60HP or less)	1–24M-XHD (75HP+)	N/A
GRIZZLY 2072 CC	1–24M-XHD		N/A
GRIZZLY 1650 T PWE, 1654 T SPORTSMAN	1–24M-HD		N/A
GRIZZLY 2072 CC SPORTSMAN	1–24M-XHD (115HP+)		3–SRM-27
GRIZZLY 2072 CC SPORTSMAN KICKER	2–24M-XHD (150HP)		3–SRM-27

	Cranking Battery		Trolling Battery
NITRO®			
Z Series			
Z17	1–24M-XHD		1–SRM-27 w/12V TM, 2–SRM-27 w/24V TM
Z18, Z18 PRO	1–31M-AGM		2–SRM-31 w/24V TM
Z19 XL, Z19 XL PRO, Z20 XL	1–31M-AGM		2–SRM-31 w/24V TM, 3–SRM-31 w/36V TM
Z20 XL PRO, Z21 XL	1–31M-AGM		3–SRM-31 w/36V TM
Z21 XL PRO	1–31M-AGM		2–SRM-31 w/24V TM, 3–SRM-31 w/36V TM
Sport			
ZV19 SPORT, ZV19 SPORT PRO	1–31M-AGM	1–24M-HD Kicker	2–SRM-31 w/24V TM, 3–SRM-31 w/36V TM
Multi-Species			
ZV19	1–31M-AGM	1–SRM-31 Kicker	2–SRM-31 w/24V TM, 3–SRM-31 w/36V TM
ZV19 PRO	1–31M-AGM	1–24M-HD Kicker	3–SRM-31 w/36V TM
ZV20, ZV20 PRO, ZV20 SPORT, ZV20 SPORT PRO, ZV21, ZV21 PRO	1–31M-AGM	1–SRM-31 Kicker	3–SRM-31 w/36V TM

	Cranking Battery		Trolling Battery
SUN TRACKER®			
Fishing			
BASS BUGGY 16 XL SELECT	1–24M-HD		N/A
BASS BUGGY 18 DLX, FISHIN' BARGE 20 DLX, 22 DLX, SPORTFISH 20 DLX, 22 DLX	1–24M-HD (60HP or less)	1–24M-XHD (75HP+)	N/A
FISHIN' BARGE 22 XP3, SPORTFISH 22 XP3, SPORTFISH 24 XP3	1–24M-XHD (150HP or less)	1–31M-AGM (175HP+)	N/A
Recreational			
PARTY BARGE 18 DLX, 20 DLX, 22 DLX, 22 RF DLX, 24 DLX	1–24M-HD (60HP or less)	1–24M-XHD (75HP+)	N/A
PARTY BARGE 22 XP3, 22 RF XP3, 24 XP3	1–24M-XHD (150HP or less)	1–31M-AGM (175HP+)	N/A

STANDARD BATTERIES (CONT.)

	Cranking Battery		Trolling Battery
REGENCY®			
230 DL, 250 DL, 250 DL RF	1–31M-AGM	1–SC27-DM (175HP+)	N/A

	Cranking Battery		Trolling Battery
TAHOE®			
Sport Series			
T16	1–24M-HD (60HP)	1–24M-XHD (75HP)	N/A
T18	1–24M-XHD		N/A
T21	1–24M-XHD (150 XL)	1–31M-AGM (200 XL & 225 Pro XS)	2–SRM-27 w/TM
210 S, 210 S LIMITED	1–24M-XHD (150 XL)	1–31M-AGM (200 XL & 225 XL)	N/A
Deck Series			
1950	1–24M-XHD (150HP)	1–31M-AGM (175 XL)	2–SRM-27 w/TM
2150	1–24M-XHD (150 XL)	1–31M-AGM (200 XL & 225 XL)	2–SRM-27 w/TM
2150 CC	1–31M-AGM		2–SRM-27 w/TM

	Cranking Battery		Trolling Battery
MAKO®			
Inshore			
PRO SKIFF 13 CC, PRO SKIFF 15 CC	1–24M-HD		N/A
PRO SKIFF 17 CC	1–24M-HD	1–24M-XHD (75HP+)	N/A
18 PRO SKIFF	1–27M-XHD		N/A
18 PRO SKIFF BACKWATER, PATRIOT	1–31M-AGM		N/A
PRO SKIFF 19 CC	1–24M-XHD	1–27M-XHD (150HP)	N/A
24 APEX	1–RB100-HP Lithium		N/A
Offshore			
214 CC	1–WRM100HP/31		N/A
226 CC	TBD		N/A

NOTE: standard batteries are the only batteries included with the boat package, regardless of options. Optional trolling motor packages, that require one or additional trolling batteries, require additional dealer-acquired batteries, as additional battery coupons will not be included in the package.

Battery Details			
Battery	**Cold Cranking Amps**	**Marine Cranking Amps***	**Reserve Capacity**
Cranking			
24M-HD	400	500	75
24M-XHD	800	1,000	135
27M-XHD	800	1,000	180
SC27-DM	800	1,000	140
31M-AGM	925	1,190	200
WRM100HP/31	1,000 +/-100	N/A	240
Trolling			
SRM-27	600	750	160
SRM-31	675	845	210

*Calculated performance